


0 RELEASED FOR CONSTRUCTION 01/29/2016
revisions date

project **NEW
G.O.C.B
SAINT-LÉONARD
NEW BRUNSWICK** project

drawing design
**FIRE SEPARATION
PLANS, SECTIONS AND
CODE MATRIX**


designed SJO/GAR/CET congu
date JANUARY 29, 2016
drawn CLT dessin
date JANUARY 29, 2016
approved DAG approuvé
date FEBRUARY 17, 2016
Tender Signature 20160217
PWSC Project Manager Administrateur de projets TPSGC
project number no. du projet
R.069499.001
drawing no. no. du dessin
600-1



FIRE SEPARATION PLAN - MAIN LEVEL

SCALE : 1:150


0m 5m 10m 15m



**FIRE SEPARATION PLAN -
PENTHOUSE AND SPLINE LEVEL**

SCALE : 1:150


0m 5m 10m 15m



SECTION 'AA'

SCALE : 1:150


0m 5m 10m 15m



SECTION 'BB'

SCALE : 1:150

0m 5m 10m 15m



SECTION 'CC'

SCALE : 1:150

0m 5m 10m 15m

GENERAL NOTES

1. ALL STRUCTURAL STEEL COLUMNS SUPPORTING FLOOR ASSEMBLIES SHALL HAVE FIRE RATED GYPSUM BOARD ENCLOSURES TO ACHIEVE A 1 HOUR SEPARATION.
2. ALL STEEL BEAMS, STEEL DECK, AND STEEL JOISTS WITHIN A FIRE SEPARATION SHALL HAVE FIRE RATED GYPSUM BOARD ENCLOSURES TO SUIT REQUIRED RATING.
3. ALL PARTITIONS CONSTITUTING FIRE SEPARATIONS AS INDICATED TO BE CONSTRUCTED AS PER THE LISTED UL/ULC ASSEMBLIES, SEE PARTITION TYPES DRAWING 600-0.
4. DRAWING 600-1 IS INTENDED TO SHOW FIRE SEPARATIONS ONLY.

LEGEND

- NON-RATED FIRE SEPARATION
- 1 HOUR FIRE SEPARATION
- 1.5 HOUR FIRE SEPARATION
- 1 HOUR FIRE RATED COLUMN ENCLOSURE
- FIRE EXTINGUISHER, SEE MECHANICAL