



CONST. NORTH  
 KEY PLAN  
 SCALE - NTS



0	RELEASED FOR CONSTRUCTION	01/29/2016
revisions		date
project		project


**NEW G.O.C.B SAINT-LÉONARD NEW BRUNSWICK**

**REFLECTED CEILING PLANS**


designed	SJO/GAR/CET	conçu
date	JANUARY 29, 2016	
drawn	GB	dessiné
date	JANUARY 29, 2016	
approved	DAG	approuvé
date	FEBRUARY 17, 2016	
Tender		Soumission

PWSC Project Manager / Administrateur de projets TPSC  
 project number / no. du projet  
**R.069499.001**

drawing no. / no. du dessin  
**601-4**



**REFLECTED CEILING PLAN - MAIN LEVEL**  
 SCALE : 1:100



**REFLECTED CEILING PLAN - PENTHOUSE**  
 SCALE : 1:100

**GENERAL NOTES**

- COORDINATE ELECTRICAL, MECHANICAL AND FIRE PROTECTION WITH ARCHITECTURAL AND STRUCTURAL DRAWINGS.
- REFERENCE CASEWORK ELEVATIONS FOR SPECIFIC BULKHEADS SIZES AND TYPES.
- U/S RADIANT CEILING PANELS AT 2750 A.F.F. TYP.
- USE MOISTURE RESISTANT GYPSUM BOARD ON ALL WASHROOM / LOCKER ROOM BULKHEADS.
- COORDINATE MECH HOODS WITH MECH CONTRACTOR.
- THE INTENT OF THE REFLECTED CEILING DETAILS IS TO SHOW BULKHEAD CONSTRUCTION AND DIMENSIONS ONLY AND IS NOT MEANT TO BE REFERRED TO FOR CONSTRUCTION OF WALL AND ROOF ASSEMBLIES.

**KEY NOTES**

- GYPSUM WALL BOARD CEILING IS SLOPED. SEE STAIR DETAILS FOR SECTION THROUGH SPACE. CAULK AND FIRE SEAL ALL JOINTS AND PENETRATIONS AS REQUIRED TO MAINTAIN A 1HR FIRE RATED ASSEMBLY AROUND THE STAIR.
- PROVIDE A GYPSUM BOARD POCKET IN THE BULKHEAD FOR THE RECESSED PROJECTOR SCREEN. INSULATE ABOVE THE POCKET TO MAINTAIN THE STC RATING OF THE ROOM.

**CEILING LEGEND**

	ACP-1 - 610 X 1220 SUSPENDED ACOUSTIC PANEL CEILING		ROOM NUMBER - COORDINATE WITH MAIN FLOOR PLAN
	ACP-2 - 610 X 1220 HIGH NOISE REDUCTION SUSPENDED ACOUSTIC PANEL CEILING		PENDANT LIGHTING
	ACP-3 - 610 X 1220 ABUSE-RESISTANT SUSPENDED ACOUSTIC PANEL CEILING		POT LIGHT
	ACP-4 - 610 X 1220 CAC SUSPENDED ACOUSTIC PANEL CEILING		VALANCE LIGHTING
	ACP-5 - 610 X 1220 CAC ACOUSTIC PANEL CEILING MOUNTED DIRECTLY ON U/S OF CONCRETE SECURITY SLAB (EPOXY COATING ON SLAB)		305 X 1220 LIGHT FIXTURE (RECESSED)
	ACP-6 - 610 X 610 SUSPENDED ACOUSTIC PANEL CEILING		610 X 1220 LIGHT FIXTURE (RECESSED)
	EXPOSED STRUCTURE - PAINTED		152 X 1220 LIGHT FIXTURE (RECESSED)
	SUSPENDED GYPSUM BOARD CEILING - PAINTED		305 X 1220 LIGHT FIXTURE (SURFACE MOUNTED)
	MOISTURE RESISTANT GYPSUM BOARD CEILING - PAINTED		LINEAR LIGHTING
	CEMENT BOARD CEILING - PAINTED		EXIT LIGHTING
	CONCRETE SECURITY SLAB (EPOXY COATING ON SLAB)		SPRINKLER HEAD
	COMPOSITE ALUMINUM SOFFIT		SUPPLY DIFFUSER (SEE MECH.)
	EXPOSED STRUCTURE PAINTED		RETURN GRILLE (SEE MECH.)
	U/S CEILING A.F.F. (2750 TYP UNO)		EXHAUST HOOD AND DUCT (SEE MECH.)
			SMOKE DETECTION
			VACANCY SENSOR
			PHOTO CELL
			OVERHEAD PROJECTOR
			CEILING MOUNTED CAMERA
			CEILING HUNG TV AND BRACKET (SEE MECH.)
			SUN SHADES
			UNIT HEATERS, SEE ELECT.