



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Public Works Government Services Canada- Bid
Receiving / Réception des soumissions
189 Prince William Street
Room 405
Saint John
New Brunswick
E2L 2B9

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works Government Services Canada- Bid
Receiving / Réception des soumissions
189 Prince William Street
Room 405
Saint John
New Bruns
E2L 2B9

Title - Sujet New GOCB Saint-Léonard, NB	
Solicitation No. - N° de l'invitation EC015-162530/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client R.069499.001	Date 2016-03-09
GETS Reference No. - N° de référence de SEAG PW-\$PWB-013-3833	
File No. - N° de dossier PWB-5-38220 (013)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-03-24	
Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT	
F.O.B. - F.A.B.	
Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Johnston, Edward PWB	Buyer Id - Id de l'acheteur pwb013
Telephone No. - N° de téléphone (506) 636-3142 ()	FAX No. - N° de FAX (506) 636-4376
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
EC015-162530/A

Amd. No. - N° de la modif.
003

Buyer ID - Id de l'acheteur
pwb013

Client Ref. No. - N° de réf. du client
R.069499.001

File No. - N° du dossier
PWB-5-38220 (013)

CCC No./N° CCC - FMS No./N° VME

This Solicitation Amendment No. Three (3) is raised to include the following addendum no. 3.

The following addendum to the tender documents is effective immediately. This addendum shall form part of the contracts documents.

All other terms and conditions remain the same.

Addendum no. 3

1.1 DRAWING AND SPECIFICATION CHANGES

- .1 The following changes to the architectural drawings and specifications are to be incorporated in the Bid Documents:
 - .1 Drawing 601-1 – Main Floor Plan
 - .1 Keynotes: Add Keynote 4: Floor warming system is not to extend under lockers and benches. Co-ordinate with electrical.
 - .2 Add: Keynote 4 to Room 128B and Room 130B.
 - .3 Room 133: Add Type 2 metal storage shelving at west and east walls.
 - .4 Room 157A: Add 760mm deep horizontal work surface along entire south wall. Provide gable supports every 1200mm max. Countertop to be similar to Section 14 on drawing 606-12, without a backsplash.
 - .2 Drawing 601-3 – Dry Storage Building Plans, Elevations and Sections
 - .1 Elevation 4 – South: Delete center downpipe. Slope eaves trough to two end downpipes.
 - .3 Drawing 604-3 – Wall Sections
 - .1 Wall Section J – At High Window: Change note “Floor warming system under tile, see electrical” to read: “Floor warming system under tile (not lockers and benches), see electrical”
 - .4 Drawing 604-7 – Miscellaneous Section Details
 - .1 Typical Section 1 – Secure (SR-2) Walls: Change “Penthouse Slab” to read “Concrete Slab”
 - .5 Section 07 81 00 - Applied Fireproofing
 - .1 Delete section in its entirety.
 - .6 Section 08 36 12 - Sectional Metal Doors
 - .1 2.3.1 Standard lift hardware will be acceptable if site conditions permit its use.
 - .2 2.6.5.2 Change to read "Close button: momentary contact type".
 - .3 2.6.6.1 Change to read “Safety edge: electro-mechanical or pneumatic type reversing weatherstripping ...”
- .2 The following changes to the mechanical drawings and specifications are to be incorporated in the Bid Documents:
 - .1 Section 22 42 02 – Plumbing Fixtures and Trim
 - .1 Change 2.9.4 to read: “Approved Products- No Substitutions: Acorn Penal-Ware 1440-AL/AR-2-BPH-04-PBP-1.28-FV-PT-FVT-TWE-SW,

Solicitation No. - N° de l'invitation
EC015-162530/A

Amd. No. - N° de la modif.
003

Buyer ID - Id de l'acheteur
pwb013

Client Ref. No. - N° de réf. du client
R.069499.001

File No. - N° du dossier
PWB-5-38220 (013)

CCC No./N° CCC - FMS No./N° VME

Willoughby ECW-1806-L/R-ON-BPH-1.28-PSL2-PBH-EB-TWE-TWC3P-FV-FVT-WS.”

- .3 The following changes to the electrical drawings and specifications are to be incorporated in the Bid Documents:
 - .1 Drawing 2601-2 - Main Floor Plan Electrical
 - .1 Add: Duplex receptacle to centre of east wall in Room 132.
 - .2 Add: Duplex receptacle on east wall in Room 149 (locate beside data/voice outlet).
 - .3 Add: Duplex receptacle on north wall of Room 114 (locate beside data/voice outlet).
 - .4 Change: Relocate duplex receptacle on east wall in Room 133 to centre of south wall.
 - .5 Change: Duplex receptacle on north wall in Room 133 to a 15A quadplex receptacle.
 - .6 Change: Three (3) duplex receptacles on south wall in Room 157A to 15A quadplex receptacles and relocate to 150mm above counter surface. Change circuit for two of three to PF-43.
 - .2 Drawing 2700-1 – Main Floor Plan Telecommunications and Fire Alarm
 - .1 Change: Relocate data/voice/radio outlets on south wall in Room 157A to 150mm above counter surface.
 - .2 Change: Data/voice/radio outlets in Room 107 to data (2)/voice (1) only. Relocate one beside receptacle on east wall; relocate one above counter beside receptacle (east wall).
 - .3 Clarification: Backbone cable from Owner BIX in room 120 to rack in Room 119 shall be Cat3 50 pair.
 - .3 Section 27 15 01 – Antenna Communications Cabling
 - .1 Change 3.1.2 to read: “The surge suppressors shall be accessible for maintenance and installed at the first break in the cable in room 120. Division 26 to install radio communications grounding conductor as indicated”.
 - .2 Add 2.1.2.1.8: “Coordinate connector type with Departmental Representative prior to termination”.

1.2 REQUEST FOR ALTERNATIVES/SUBSTITUTIONS

- .1 The following products and/or equipment and/or systems have been reviewed and will be accepted as equal to the products and/or equipment and/or systems specified, provided all particulars, accessories and/or other adjustments required or specified are included.
 - .1 Section 07 42 43 - Composite Aluminum Panels
 - .1 2.1.1.1 Add Rainscreen System utilizing Joint System III by Alcotex Dry Set System by Konalco.
 - .2 2.2.1.1 Add Alcotex FR by Alcotex.
 - .2 Section 10 21 14 - Plastic Laminate Toilet Compartments
 - .1 2.1.1.1 Add Brio by EAD Design.

Solicitation No. - N° de l'invitation
EC015-162530/A

Amd. No. - N° de la modif.
003

Buyer ID - Id de l'acheteur
pwb013

Client Ref. No. - N° de réf. du client
R.069499.001

File No. - N° du dossier
PWB-5-38220 (013)

CCC No./N° CCC - FMS No./N° VME

- .3 Section 23 33 53 – Acoustic Duct Lining
 - .1 2.1.3 – Add Sealed Air, Stratocell Whisper Foam.
- .4 Section 23 55 01 – Duct Heaters
 - .1 2.1.6 – Add Neptronic.

QUESTIONS AND ANSWERS

1. Question 10

Can't seem to find reference for "Underside of Base Plate" dimension?

Answer 10

The Top of Pilaster elevations are shown on Drawing 301-1, note not all pilasters are at the same elevation. As per the "Typical Pilaster Section" on Drawing 302-1, 50 mm of grout is required between the top of the pilaster and the bottom of the baseplate.

2. Question 11

After reviewing the documents, we would appreciate some clarification on the items listed below: 1. Please provide Annex B – Certificate of Insurance?

Answer 11

Document is included in this Amendment 03.



CERTIFICATE OF INSURANCE

Description and Location of Work New Government of Canada Building (GOCB), St. Leonard, NB	Contract No. EC015-162530/001/PWB
	Project No. R.069499.001

Name of Insurer, Broker or Agent	Address (No., Street)	City	Province	Postal Code
----------------------------------	-----------------------	------	----------	-------------

Name of Insured (Contractor)	Address (No., Street)	City	Province	Postal Code
------------------------------	-----------------------	------	----------	-------------

Additional Insured
Her Majesty the Queen in Right of Canada as represented by the Minister of Public Works and Government Services

Type of Insurance	Insurer Name and Policy Number	Inception Date D / M / Y	Expiry Date D / M / Y	Limits of Liability		
				Per Occurrence	Annual General Aggregate	Completed Operations Aggregate
Commercial General Liability Umbrella/Excess Liability				\$	\$	\$
				\$	\$	\$
Builder's Risk / Installation Floater				\$		
				\$		

I certify that the above policies were issued by insurers in the course of their Insurance business in Canada, are currently in force and include the applicable insurance coverage's stated on page 2 of this Certificate of Insurance, including advance notice of cancellation / reduction in coverage.

Name of person authorized to sign on behalf of Insurer(s) (Officer, Agent, Broker)

Telephone number

Signature

Date D / M / Y

CERTIFICATE OF INSURANCE Page 2 of 2

General

The insurance policies required on page 1 of the Certificate of Insurance must be in force and must include the insurance coverage listed under the corresponding type of insurance on this page.

The policies must insure the Contractor and must include Her Majesty the Queen in Right of Canada as represented by the Minister of Public Works and Government Services as an additional Insured.

The insurance policies must be endorsed to provide Canada with not less than thirty (30) days notice in writing in advance of a cancellation of insurance or any reduction in coverage.

Without increasing the limit of liability, the policies must protect all insured parties to the full extent of coverage provided. Further, the policies must apply to each Insured in the same manner and to the same extent as if a separate policy had been issued to each.

Commercial General Liability

The insurance coverage provided must not be substantially less than that provided by the latest edition of IBC Form 2100.

The policy must either include or be endorsed to include coverage for the following exposures or hazards if the Work is subject thereto:

- (a) Blasting.
- (b) Pile driving and caisson work.
- (c) Underpinning.
- (d) Removal or weakening of support of any structure or land whether such support be natural or otherwise if the work is performed by the insured contractor.

The policy must have the following minimum limits:

- (a) **\$5,000,000** Each Occurrence Limit;
- (b) **\$10,000,000** General Aggregate Limit per policy year if the policy contains a General Aggregate; and
- (c) **\$5,000,000** Products/Completed Operations Aggregate Limit.

Umbrella or excess liability insurance may be used to achieve the required limits.

Builder's Risk / Installation Floater

The insurance coverage provided must not be less than that provided by the latest edition of IBC Forms 4042 and 4047.

The policy must permit use and occupancy of any of the projects, or any part thereof, where such use and occupancy is for the purposes for which a project is intended upon completion.

The policy may exclude or be endorsed to exclude coverage for loss or damage caused by asbestos, fungi or spores, cyber and terrorism.

The policy must have a limit that is **not less than the sum of the contract value** plus the declared value (if any) set forth in the contract documents of all material and equipment supplied by Canada at the site of the project to be incorporated into and form part of the finished Work. If the value of the Work is changed, the policy must be changed to reflect the revised contract value.

The policy must provide that the proceeds thereof are payable to Canada or as Canada may direct in accordance with GC10.2, "Insurance Proceeds" (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/R/R2900D/2>).

Marine Liability

The insurance coverage must be provided by a Protection & Indemnity (P&I) insurance policy and must include excess collision liability and pollution liability.

The insurance must be placed with a member of the International Group of Protection & Indemnity Associations or with a fixed market in an amount of not less than the limits determined by the *Marine Liability Act*, S.C. 2001, c. 6. Coverage must include crew liability, if it is not covered by the statutory requirements of the Territory or Province having jurisdiction over such employees.

The policy must waive all rights of subrogation against Canada as represented by Public Works and Government Services Canada for any and all loss of or damage to the watercraft however caused.