



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Public Works Government Services Canada- Bid
Receiving / Réception des soumissions
189 Prince William Street
Room 405
Saint John
New Brunswick
E2L 2B9

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works Government Services Canada- Bid
Receiving / Réception des soumissions
189 Prince William Street
Room 405
Saint John
New Bruns
E2L 2B9

Title - Sujet New GOCB Saint-Léonard, NB	
Solicitation No. - N° de l'invitation EC015-162530/A	Amendment No. - N° modif. 004
Client Reference No. - N° de référence du client R.069499.001	Date 2016-03-15
GETS Reference No. - N° de référence de SEAG PW-\$PWB-013-3833	
File No. - N° de dossier PWB-5-38220 (013)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-03-24	Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Johnston, Edward PWB	Buyer Id - Id de l'acheteur pwb013
Telephone No. - N° de téléphone (506) 636-3142 ()	FAX No. - N° de FAX (506) 636-4376
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
EC015-162530/A

Amd. No. - N° de la modif.
004

Buyer ID - Id de l'acheteur
pwb013

Client Ref. No. - N° de réf. du client
R.069499.001

File No. - N° du dossier
PWB-5-38220 (013)

CCC No./N° CCC - FMS No./N° VME

This Solicitation Amendment No. Four (4) is raised to include the following addendum no. 4.

The following addendum to the tender documents is effective immediately. This addendum shall form part of the contracts documents.

All other terms and conditions remain the same.

Addendum no. 4

DRAWING AND SPECIFICATION CHANGES

- .1 The following changes to the structural drawings and specifications are to be incorporated in the Bid Documents:
 - .1 Clarification: Lintel L1 is typical and used for openings in masonry up to 2000mm clear unless support is provided by other means (i.e steel). Lintels L2 are located on Drawing 301-2. Lintels L3 are located on Drawing 301-4.
- .2 The following changes to the architectural drawings and specifications are to be incorporated in the Bid Documents:
 - .1 Drawing 200-1 – General Arrangement and Landscape Plan
 - .1 Change detail reference 2/200-2 near Public Entrance to read “1/200-3”
 - .2 Drawing 201-1 – Site Layout Plan
 - .1 Clarification: Trees have been cleared and mulched on site for limit of contract. Contractor will be responsible to clear existing mulch.
 - .3 Drawing 601-3 – Dry Storage Building Plans, Elevations and Section
 - .1 Clarification: 50mm rigid insulation is required at perimeter of slab on grade and foundation walls.
 - .4 Drawing 606-1 – Casework and Interior Elevations Rms 101 and 113
 - .1 Clarification: TVs and associated brackets are NIC.
 - .5 Drawing 606-2 – Casework and Interior Elevations Rms 103, 104 and 114
 - .1 Elevations 1, 2, 3 & 4 for Room 103: Change Ceramic tile base (CT-2) to read “Rubber Base”.
 - .6 Drawing 607-1 – Room Finish and Door Schedule
 - .1 Finish Schedule - Room 140: Delete Floor type Sheet Vinyl Type 1.
 - .2 Finish Schedule – Add Room 159, finishes same as Room 164.
 - .3 Finish Schedule – Room 301: Delete Floor type Concrete.
 - .4 Finish Schedule – Concrete Floor: change to read “Sealed Concrete”.
 - .7 Drawing 607-7 – Flooring Layout Plan
 - .1 See attached Drawing 607-7 – Flooring Layout Plans to be incorporated into tender set.
 - .8 Section 05 50 00 – Metal Fabrications
 - .1 2.5.4.7 Delete reference to Architectural metal post.
 - .9 Section 09 29 00 – Gypsum Board
 - .1 3.3.2 Add: “Corner bead not required at locations noted to receive corner guards.”
 - .10 Section 10 95 00 – Miscellaneous Specialties
 - .1 2.5.1 Change to read “Style: Flush recessed design; compartments lined on bottom. Number of compartments: eight (8), two (2) rows of four (4). Locking: keyed differently.”

- .2 Add 2.18 CHANNEL GUARDS
 - .1 Resilient channel guard: vinyl/acrylic covering over extruded aluminum retainer; surface mounted, 50.8 mm leg x corner radius as indicated; angle to suit corner.
 - .1 6.4 mm corner radius:
 - .1 Acceptable Materials: Model SSM-25MN by Construction Specialties, 160DBN-Series by IPC Door and Wall Protection Systems, Koroguard G110-Series by Koroseal Wall Protection Systems, Pawling Corporation.
 - .2 Covering: 1.9 mm thick high impact vinyl/acrylic extrusions; colour selected by Departmental Representative.
 - .3 Retainer: extruded aluminum, purpose made snap-in type, 1.6 mm thick, continuous for height of guard.
 - .4 Accessories: provide closure caps and fasteners.
 - Height: Full height of wall.
 - 2.16.3.2 Change to read "Room 301: one (1) required."
- .3 The following changes to the mechanical drawings and specifications are to be incorporated in the Bid Documents:
 - .1 Drawing 2200-1 – Main Floor Plan Sanitary Waste, Vent and Storm Piping
 - .1 Clarification: Floor drains in 103, 116 and 121 are fed from TSP in Room 125.
 - .2 Section 22 42 01 – Plumbing Specialties and Accessories
 - .1 2.7.1 Change to read "Prime floor drain traps with cold water using Precision Plumbing Products PT-10 trap primer (or equivalent) c/w air gap filling and distribution to suite."
- .4 The following changes to the electrical drawings and specifications are to be incorporated in the Bid Documents:
 - .1 Drawing 2601-2 – Main Floor Plant Electrical
 - .1 Room 120 and Room 119 Layout 1: Change to read "Equipment Racks supplied and installed by Division 27."
 - .2 Drawing 2700-1 - Main Floor Plan Telecommunications and Fire Alarm
 - .1 Add: Provide base radio cable in conduit, per attached Drawing 2700-3 – Base Radio Layout.
 - .2 Room 120 and Room 119 Layout 1: Change to read "Equipment Racks supplied and installed by this Contractor."
 - .3 Section 27 11 16 – Communications Cabinets, Racks, Frames and Enclosures
 - .1 2.1.2 & 2.1.3 are to be supplied with Cabinet.
 - .4 Section 27 15 00 – Communications Horizontal Cabling
 - .1 2.4 Patch cords to be Cat6, not Cat6a.
 - .2 2.4.1 Add: Contractor responsible to determine required patch cord length based on installation. Assume worst case and install actual lengths as required.
 - .3 2.5 Patch cords to be Cat6, not Cat6a.

Solicitation No. - N° de l'invitation
EC015-162530/A

Amd. No. - N° de la modif.
004

Buyer ID - Id de l'acheteur
pwb013

Client Ref. No. - N° de réf. du client
R.069499.001

File No. - N° du dossier
PWB-5-38220 (013)

CCC No./N° CCC - FMS No./N° VME

1.2 REQUEST FOR ALTERNATIVES/SUBSTITUTIONS

- .1 The following products and/or equipment and/or systems have been reviewed and will be accepted as equal to the products and/or equipment and/or systems specified, provided all particulars, accessories and/or other adjustments required or specified are included.
 - .1 Section 03 30 00 – Cast In Place Concrete
 - .1 2.1.10.1 Add Ucan Flo Rok FR5.
 - .2 Section 04 05 19 – Masonry Anchorage and Reinforcing
 - .1 2.2.6.1 Add Ucan Flo Rok FR5.
 - .3 Section 05 50 00 – Metal Fabrications
 - .1 2.1.7.1 Add Ucan Flo Rok FR5.
 - .4 Section 27 15 00 – Communications Horizontal Cabling
 - .1 2.1 to 2.8 Alternative products i.e Leviton and Panduit may be used, provided they meet or exceed the Specification.