



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
Room 100,
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6
Bid Fax: (204) 983-0338

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Western Region
Room 100
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6

Title - Sujet Forklifts	
Solicitation No. - N° de l'invitation A7100-152131/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client A7100-152131	Date 2016-03-21
GETS Reference No. - N° de référence de SEAG PW-\$WPG-016-9775	
File No. - N° de dossier WPG-5-38287 (016)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-03-30	Time Zone Fuseau horaire Central Daylight Saving Time CDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Hall, Marlene	Buyer Id - Id de l'acheteur wpg016
Telephone No. - N° de téléphone (204) 230-0147 ()	FAX No. - N° de FAX (204) 983-7796
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This **amendment # 001** is raised to provide Canada's response to questions raised at the Bidder's Conference.

1) Bidder's Conference Minutes

Date: March 9, 2016 at 10:00 A.M CST
Location: Web-ex

The following are the minutes as a result of the Optional Bidder's Conference.

A) Attendance:

Glen Johnston	Wajax
Louis-Philippe Poirier	SNC Lavalin
Shaveta Dhir	INAC – observer
Elizabeth Primeau	INAC – observer
Leanne Barenz (Contracting Authority)	PWGSC – hosting the Bidder's Conference
Santino Cicciarella (Technical Authority)	INAC – assisting/presenting
Adele Palmer	PWGSC – assisting

B) Opening remarks and introductions

- Introductions were made
- Review of Request for Proposal and amendments
- Question and answer period

2) The following are questions and issues raised at the Bidder's Conference and received by PWGSC.

The following information will form part of the solicitation and should be considered when preparing response submissions:

Questions and Issues submitted by email:

S-FOR-1 Data Table

Q1. What is a "C" battery Compartment?

A1. This requirement should be removed.

- Q2.** What is a battery warning system?
A2. This should read Battery watering system.

S-FOR-1 Accessory Table

- Q3.** LPS safety rating does not apply to electric powered forklifts. Should it be "EE" rated?
A3. The LPS rating is for the S-FOR-2 only. An "EE" safety rating is required for S-FOR-1.
- Q4.** Typically narrow aisle reach trucks do not have fork positioning. Is this accessory truly required? If so, the lift capacity of the reach truck will be de-rated.
A4. This requirement should be removed for S-FOR-1. It is only required for S-FOR-2

Questions and Responses at Bidder's Conference:

- Q5.** Do the reach trucks require one or two support posts under the back of the overhead guard?
A5. One support is sufficient.
- Q6.** Does INAC require a low back rest of 42" as this is not standard? The standard load backrest on a reach truck is 36" and on a propane lift truck it is 48". Do you actually require 42" on both.
A6. Please provide a 48" backrest for both.
- Q7.** On the propane 5,000lb capacity lift truck the lift capacity will derate at full lift height. If you require 5,000lb at full lift, then you will require a higher capacity model.
A7. The 5000lbs gross capacity is at 24" load center, based on the upright in a vertical position. We understand that the lift capacity will de-rate at full lift height. A 5000lb lift is sufficient.
- Q8.** Operator Station: Both models come with an overhead guard with protective bars. Do you also require wire mesh on top to prevent small objects from slipping through?
A8. No mesh required.

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME.