



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3
Bid Fax: (403) 292-5786

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless
otherwise indicated, all other terms and conditions of the
Offer remain the same.

Ce document est par la présente révisé; sauf indication
contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services
Canada/Travaux publics et Services gouvernementaux
Canada
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3

Title - Sujet Precision Firearm Optics		
Solicitation No. - N° de l'invitation M8500-14R077/A		Date 2016-04-10
Client Reference No. - N° de référence du client M8500-14R077		Amendment No. - N° modif. 002
File No. - N° de dossier CAL-5-38005 (123)	CCC No./N° CCC - FMS No./N° VME	
GETS Reference No. - N° de référence de SEAG PW-\$CAL-123-6444		
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale		2016-03-15
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-04-15		Time Zone Fuseau horaire Mountain Standard Time MST
Address Enquiries to: - Adresser toutes questions à: Yu, Jenny		Buyer Id - Id de l'acheteur cal123
Telephone No. - N° de téléphone (403) 292-5795 ()		FAX No. - N° de FAX (403) 292-5786
Delivery Required - Livraison exigée		
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:		
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 INTRODUCTION.....	2
1.2 SUMMARY	2
1.3 SECURITY REQUIREMENTS.....	2
1.4 DEBRIEFINGS.....	2
1.5 TRADE AGREEMENTS	3
PART 2 - OFFEROR INSTRUCTIONS.....	3
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS.....	3
2.2 SUBMISSION OF OFFERS	3
2.3 ENQUIRIES - REQUEST FOR STANDING OFFERS.....	3
2.4 APPLICABLE LAWS	4
PART 3 - OFFER PREPARATION INSTRUCTIONS	4
3.1. OFFER PREPARATION INSTRUCTIONS	4
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION.....	6
4.1 EVALUATION PROCEDURES	6
4.2 BASIS OF SELECTION	7
PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION	7
5.1 CERTIFICATIONS REQUIRED WITH THE BID	7
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	8
PART 6 - STANDING OFFER AND RESULTING CONTRACT CLAUSES	8
A. STANDING OFFER	8
6.1 OFFER	8
6.2 SECURITY REQUIREMENTS.....	8
6.3 STANDARD CLAUSES AND CONDITIONS.....	9
6.4 TERM OF STANDING OFFER.....	9
6.5 AUTHORITIES	9
6.6 IDENTIFIED USERS.....	10
6.7 CALL-UP INSTRUMENT	10
6.8 LIMITATION OF CALL-UPS	10
6.9 PRIORITY OF DOCUMENTS.....	11
6.10 CERTIFICATIONS	11
6.11 APPLICABLE LAWS	11
6.12 SACC MANUAL CLAUSES	11
B. RESULTING CONTRACT CLAUSES	12
6.1 REQUIREMENT	12
6.2 STANDARD CLAUSES AND CONDITIONS.....	12
6.3 TERM OF CONTRACT	12
6.4 PAYMENT	12
6.5 INVOICING INSTRUCTIONS.....	13
6.6 INSURANCE.....	13
6.7 SACC MANUAL CLAUSES	13
ANNEX "A", REQUIREMENT	14
ANNEX "B", BASIS OF PAYMENT	22
ANNEX "C", STANDING OFFER USAGE REPORT	23

PART 1 - GENERAL INFORMATION

1.1 Introduction

The Request for Standing Offers (RFSO) is divided into seven parts plus attachments and annexes, as follows:

- | | |
|--------|---|
| Part 1 | General Information: provides a general description of the requirement; |
| Part 2 | Offeror Instructions: provides the instructions applicable to the clauses and conditions of the RFSO; |
| Part 3 | Offer Preparation Instructions: provides Offerors with instructions on how to prepare their offer to address the evaluation criteria specified; |
| Part 4 | Evaluation Procedures and Basis of Selection: indicates how the evaluation will be conducted, the evaluation criteria which must be addressed in the offer, and the basis of selection; |
| Part 5 | Certifications: includes the certifications to be provided; |
| Part 6 | 6A, Standing Offer, and 6B, Resulting Contract Clauses:

6A, includes the Standing Offer containing the offer from the Offeror and the applicable clauses and conditions;

6B, includes the clauses and conditions which will apply to any contract resulting from a call-up made pursuant to the Standing Offer. |

The Annexes include the Requirement, the Basis of Payment, and any other annexes

1.2 Summary

For establishment of a Regional Individual Standing Offer for the supply, and delivery of Precision Firearm Optics, to the Royal Canadian Mounted Police (RCMP) Emergency Response Teams (ERT) as specified herein. The optics are required to equip RCMP ERT firearms regionally. This is part of the new National Armoury Program initiative, with installation and inventory to be held at the Regina Armoury.

The Standing Offer will be for three years firm, with two one-year option periods.

1.3 Security Requirements

There is no security requirement applicable to this requirement.

1.4 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.5 Trade Agreements

The requirement is subject to the Agreement on Internal Trade (AIT).

PART 2 - OFFEROR INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the Request for Standing Offers (RFSO) by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Offerors who submit an offer agree to be bound by the instructions, clauses and conditions of the RFSO and accept the clauses and conditions of the Standing Offer and resulting contract(s).

The [2006 \(2015-07-03\)](#) Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the RFSO.

Subsection 5.4 of [2006](#), Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days

Insert: 180 days

2.1.1 SACC Manual Clauses

M0019T	Firm Price and/or Rates (2007-05-25)
B1000T	Condition of Material (2014-06-26)

2.2 Submission of Offers

Offers must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the Request for Standing Offers.

2.3 Enquiries - Request for Standing Offers

All enquiries must be submitted in writing to the Standing Offer Authority no later than five (5) calendar days before the Request for Standing Offers (RFSO) closing date. Enquiries received after that time may not be answered.

Offerors should reference as accurately as possible the numbered item of the RFSO to which the enquiry relates. Care should be taken by Offerors to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that Offerors do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Offerors. Enquiries not submitted in a form that can be distributed to all Offerors may not be answered by Canada.

2.4. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

Offerors may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their offer, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Offerors.

PART 3 - OFFER PREPARATION INSTRUCTIONS

3.1. Offer Preparation Instructions

Canada requests that offerors provide their offer in separately bound sections as follows:

Section I: Technical Offer (one hard copy)

Section II: Financial Offer (one hard copy)

Section III: Certifications (one hard copy)

Prices must appear in the financial offer only. No prices must be indicated in any other section of the offer.

Canada requests that Offerors follow the format instructions described below in the preparation of their offer.

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to that of the Request for Standing Offers.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Offerors should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Offer

Offerors must clearly indicate the product offered meets each of the mandatory requirements listed in Annex A – Requirement.

Section Ib: Sample for Technical Evaluation

The Offeror must, upon the request from the Contracting Authority, provide three (3) samples to the Technical Authority, transportation charges prepaid, and without charge to Canada, within 30 calendar days from the date of request. The sample submitted by the Offeror will remain the property of Canada and will be considered the first part of the deliverables in any resulting Standing Offer. Return shipping will be arranged and reimbursed by the RCMP if the samples are deemed non-compliant. If the samples do not meet the mandatory technical criteria, or the Offeror fails to comply with the request of the Contracting Authority, the Offer will be declared non-responsive.

Section II: Financial Offer

Offerors must submit their financial offer in accordance with the *Basis of Payment*. The total amount of Applicable Taxes must be shown separately.

3.1.1 Payment by Credit Card

Canada requests that Offerors complete one of the following:

- (a) ☐ Government of Canada Acquisition Cards (credit cards) will be accepted for payment of call-ups against the standing offer.

The following credit card(s) are accepted:

VISA _____
Master Card _____

- (b) ☐ Government of Canada Acquisition Cards (credit cards) will not be accepted for payment of call-ups against the standing offer.

The Offeror is not obligated to accept payment by credit card.

Acceptance of credit cards for payment of call-ups will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

C3011T Exchange Rate Fluctuation (2013-11-06)

Section III: Certifications

Offerors must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Offers will be assessed in accordance with the entire requirement of the Request for Standing Offers including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the offers.
- (c) The evaluation team will determine first if there are two or more offers with a valid Canadian Content certification. In that event, the evaluation process will be limited to the offers with the certification; otherwise, all offers will be evaluated. If some of the offers with a valid certification are declared non-responsive, or are withdrawn, and less than two responsive offers with a valid certification remain, the evaluation will continue among those offers with a valid certification. If all offers with a valid certification are subsequently declared non-responsive, or are withdrawn, then all the other offers received will be evaluated.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

Offerors must respond and clearly indicate the product offered meets each of the mandatory requirements listed in Annex A – Requirement.

4.1.2 Financial Evaluation

4.1.2.1

The price of the bid will be evaluated in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax excluded, DDP destination Incoterms 2000, Canadian customs duties and excise taxes included.

4.1.2.2

The quantities as shown in Annex “B” are estimated usages and for evaluation purposes only and will not form part of the final Standing Offer.

4.1.2.3

The Firm Unit Price for each item will be multiplied by its respective annual estimated usage to determine a Total Extended Price for each year.

4.1.2.4

The Total Extended Prices for each year will be added together to obtain the Total Evaluated Offer Price.

4.1.2.5 Evaluation of Price

The price of the offer will be evaluated in Canadian dollars, Applicable Taxes excluded, FOB destination, Canadian customs duties and excise taxes included.

4.2 Basis of Selection

The Contracting Authority will require the three lowest compliant Offerors to provide samples for evaluation. If the samples do not meet the Mandatory Technical Criteria, or the Offeror fails to comply with the request of the Contracting Authority, the offer will be declared non-responsive.

An offer must comply with the requirements of the Request for Standing Offers and meet all mandatory technical evaluation criteria to be declared responsive. The responsive offer with the lowest evaluated price will be recommended for issuance of a standing offer.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Declaration of Convicted Offences

As applicable, pursuant to subsection Declaration of Convicted Offences of section 01 of the Standard Instructions, the Bidder must provide with its bid, a completed [Declaration Form](http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html>), to be given further consideration in the procurement process.

5.1.2 Additional Certifications Required with the Bid

5.1.2.1 Canadian Content Certification

A3050T	Canadian Content Definition	(2014-11-27)
M3060C	Canadian Content Certification	(2008-05-12)

This procurement is conditionally limited to Canadian goods.

Subject to the evaluation procedures contained in the request for standing offers, offerors acknowledge that only offers with a certification that the good(s) offered are Canadian goods, as defined in clause A3050T, may be considered.

Failure to provide this certification completed with the offer will result in the good(s) offered being treated as non-Canadian goods.

The Offeror certifies that:

() the good(s) offered are Canadian goods as defined in paragraph 1 of clause A3050T.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – List of Names

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from [Employment and Social Development Canada \(ESDC\) - Labour's](#) website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.

PART 6 - STANDING OFFER AND RESULTING CONTRACT CLAUSES

A. STANDING OFFER

6.1 Offer

6.1.1 The Offeror offers to fulfill the requirement in accordance with the Requirement at Annex "A".

6.2 Security Requirements

6.2.1 There is no security requirement applicable to this Standing Offer.

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Standing Offer and resulting contract(s) by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2005](#) (2015-09-03) General Conditions - Standing Offers - Goods or Services, apply to and form part of the Standing Offer.

6.3.2 Standing Offers Reporting

The Offeror must compile and maintain records on its provision of goods, services or both to the federal government under contracts resulting from the Standing Offer. This data must include all purchases paid for by a Government of Canada Acquisition Card.

The Offeror must provide this data in accordance with the reporting requirements detailed in Annex C. If some data is not available, the reason must be indicated. If no goods or services are provided during a given period, the Offeror must still provide a "NIL" report.

The data must be submitted on a quarterly basis to the Standing Offer Authority no later than 15 calendar days after the end of the reporting period.

6.4 Term of Standing Offer

6.4.1 Period of the Standing Offer

The period for making call-ups against the Standing Offer is from Date of Issuance for three (3) years.

6.4.2 Extension of Standing Offer

If the Standing Offer is authorized for use beyond the initial period, the Offeror offers to extend its offer for an additional two (2) one-year periods, under the same conditions and at the rates or prices specified in the Standing Offer, or at the rates or prices calculated in accordance with the formula specified in the Standing Offer.

The Offeror will be advised of the decision to authorize the use of the Standing Offer for an extended period by the Standing Offer Authority thirty (30) days before the expiry date of the Standing Offer. A revision to the Standing Offer will be issued by the Standing Offer Authority.

6.5 Authorities

6.5.1 Standing Offer Authority

The Standing Offer Authority is:

Jenny Yu
Supply Officer
Public Works and Government Services Canada
Telephone: 403-292-5795
Facsimile: 403-292-5786
E-mail address: jenny.yu@pwgsc-tpsgc.gc.ca

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

The Standing Offer Authority is responsible for the establishment of the Standing Offer, its administration and its revision, if applicable. Upon the making of a call-up, as Contracting Authority, he is responsible for any contractual issues relating to individual call-ups made against the Standing Offer by any Identified User.

6.5.2 Project Authority

The Project Authority for the Standing Offer is:

<TBD>

The Project Authority is the representative of the department or agency for whom the Work will be carried out pursuant to a call-up under the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

6.5.3 Offeror's Representative

Name: _____

Title: _____

Company: _____

Telephone: _____

Facsimile: _____

Email address: _____

6.6 Identified Users

The Identified User authorized to make call-ups against the Standing Offer is:

The Royal Canadian Mounted Police – Armourer Section

6.7 Call-up Instrument

The Work will be authorized or confirmed by the Identified User(s) using form *PWGSC-TPSGC 942, Call-up Against a Standing Offer*.

6.8 Limitation of Call-ups

Individual call-ups against the Standing Offer must not exceed \$ 200,000.00 (Applicable Taxes included).

6.9 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- a) the call up against the Standing Offer, including any annexes;
- b) the articles of the Standing Offer;
- c) the general conditions 2005 (2015-09-03), General Conditions - Standing Offers - Goods or Services
- d) the general conditions 2010A (2015-07-03), General Conditions - Goods (Medium Complexity) apply to and form part of the Contract.
- e) Annex A, Requirement;
- f) Annex B, Basis of Payment;
- g) the Offeror's offer dated _____,

6.10 Certifications

6.10.1 Compliance

The continuous compliance with the certifications provided by the Offeror with its offer and the ongoing cooperation in providing additional information are conditions of issuance of the Standing Offer (SO). Certifications are subject to verification by Canada during the entire period of the SO and of any resulting contract that would continue beyond the period of the SO. If the Offeror does not comply with any certification, fails to provide the additional information, or if it is determined that any certification made by the Offeror in its offer is untrue, whether made knowingly or unknowingly, Canada has the right to terminate any resulting contract for default and set aside the Standing Offer.

6.10.2 SACC Manual Clauses

A3060C Canadian Content Certification (2008-05-12)

6.11 Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

6.12 SACC Manual Clauses

G1005C Insurance (2008-05-12)

B. RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from a call-up against the Standing Offer.

6.1 Requirement

The Contractor must provide the items detailed in the call-up against the Standing Offer.

6.2 Standard Clauses and Conditions

6.2.1 General Conditions

2010A (2015-07-03), General Conditions - Goods (Medium Complexity) apply to and form part of the Contract.

Interest on Overdue Accounts, will not apply to payments made by credit cards.

6.3 Term of Contract

6.3.1 Delivery Date

Delivery must be made within 90 calendar days from receipt of a call-up against the Standing Offer.

6.4 Payment

6.4.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid the firm unit prices, as specified in Annex B – Basis of Payment. Customs duties are included and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.4.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

6.4.3 Single Payment

SACC Manual clause H1000C (2008-05-12) Single Payment

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

6.5 Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

RCMP Armourer Section – REGINA, SK
6101 Dewdney Ave West
Regina, Saskatchewan
S4P 3J7

6.6 Insurance

SACC Manual clause [G1005C](#) (2008-05-12) Insurance

6.7 SACC Manual Clauses

A9041C (2008-05-12) Salvage
B7500C (2006-06-16) Excess Goods

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

ANNEX "A"

REQUIREMENT

Regional Individual Standing Offer for the supply, and delivery of Precision Firearm Optics, to the Royal Canadian Mounted Police (RCMP) Emergency Response Teams (ERT) as specified herein. The optics are required to equip RCMP ERT firearms regionally. This is part of the new National Armoury Program initiative, with installation and inventory to be held at the Regina Armoury.

The Standing Offer will be for three years firm, with two one-year option periods.

Delivery

Delivery must be made within 90 calendar days from receipt of a call-up document. Any delays must be approved by the Standing Offer and Project Authorities.

MANDATORY SPECIFICATIONS

ALL PRECISION OPTICS

Item	Mandatory Specification for all Precision Firearm Optics	Meets	Does Not Meet	Comments
1.	Must be an optic or optic brand in current military service having completed environmental and durability testing suitable to the North American seasonal climate (supporting documentation must be with bid).	<input type="checkbox"/>	<input type="checkbox"/>	
2.	Optics must have a lifetime or minimum 10 year warranty on optical components and a minimum 2 year warranty on any electronic features.	<input type="checkbox"/>	<input type="checkbox"/>	
3.	Optics must have a means of being repaired and/ or have a warranty service center to arrange such repairs in Canada.	<input type="checkbox"/>	<input type="checkbox"/>	
4.	For compatibility and ease of warranty service, all optics must be of the same brand/ manufacturer.	<input type="checkbox"/>	<input type="checkbox"/>	
5.	Optics must feature the same direction of rotation for elevation and windage adjustment.	<input type="checkbox"/>	<input type="checkbox"/>	
6.	Must feature a Counter Clockwise (CCW) adjustment that will raise the point of impact if moved in this direction or cause a shift to the right on a CCW windage adjustment.	<input type="checkbox"/>	<input type="checkbox"/>	
7.	Elevation adjustment dial must feature a locking mechanism that will lock or prevent the inadvertent movement of the elevation dial once an adjustment is made and do so automatically upon releasing the	<input type="checkbox"/>	<input type="checkbox"/>	

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

	dial/ mechanism.			
8.	Windage adjustment must feature a locking mechanism that will lock or prevent the inadvertent movement of the windage dial once an adjustment is made and do so automatically upon releasing the windage dial or have a means to protect the windage dial when not in use such as a redundant cover which can be removed and not affect the optics sealing or weatherproof features.	<input type="checkbox"/>	<input type="checkbox"/>	
9.	Elevation dial must have a "zero stop" that can be set to a specific distance and the adjustment must return to its original set point without need to re-confirm its position.	<input type="checkbox"/>	<input type="checkbox"/>	
10.	Optics must have a Milliradian adjustment increment of .1 mils per click for both elevation and windage.	<input type="checkbox"/>	<input type="checkbox"/>	
11.	Optics must be first focal plane to allow the features of the reticle to be used at all magnifications.	<input type="checkbox"/>	<input type="checkbox"/>	
12.	Optics must feature a Horus Milliradian based reticle as specified.	<input type="checkbox"/>	<input type="checkbox"/>	
13.	Optics must have a means of illuminating the reticle in poor lighting condition. It must be viewable to the naked eye as well as be compatible with night vision devices at lower intensity settings.	<input type="checkbox"/>	<input type="checkbox"/>	
14.	Optics must have modern lens coatings which optimize the transmission of light and in particular low-light wavelengths in the blue/violet spectrum (supporting documentation must be with bid).	<input type="checkbox"/>	<input type="checkbox"/>	
15.	Exterior lens surfaces must be treated with an ion-assist lens coating offering a greater level of abrasion resistance (supporting documentation must be with bid).	<input type="checkbox"/>	<input type="checkbox"/>	
16.	All optics must be 100% waterproof and fog-proof internally.	<input type="checkbox"/>	<input type="checkbox"/>	
17.	The internal waterproofing must feature an improved argon/krypton gas blend which exceeds existing performance of nitrogen based sealing gases (supporting documentation must be with bid).	<input type="checkbox"/>	<input type="checkbox"/>	
18.	Internal lens edges must be blackened to reduce glare and improve contrast, resolution and overall optical performance.	<input type="checkbox"/>	<input type="checkbox"/>	
19.	Internal erector assembly must be supported and positioned by twin erector leaf springs manufactured of a material such as beryllium/copper alloy to provide increased holding force and long life.	<input type="checkbox"/>	<input type="checkbox"/>	

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

20.	Erector positional movement and spring assemblies must function under adverse temperature swings such as encountered under typical Canadian winter conditions.	<input type="checkbox"/>	<input type="checkbox"/>	
21.	Any internal or external optic lubricants must be tailored for use under adverse temperature extremes particularly with respect to cold weather use (refer to optic performance test criteria).	<input type="checkbox"/>	<input type="checkbox"/>	
22.	All optics must have a lockable fast-focus eyepiece.	<input type="checkbox"/>	<input type="checkbox"/>	
23.	All optics must be capable or have the capability of being equipped with various lens protective covers or accessories such as anti-glare devices which can be attached in a secure manner such as a threaded interface (manufacturer to supply list of available items/accessories).	<input type="checkbox"/>	<input type="checkbox"/>	
24.	All optics must have a matte exterior surface finish.	<input type="checkbox"/>	<input type="checkbox"/>	

COMPACT LOWER MAGNIFICATION OPTIC

Proposed Optic: _____

Item	Mandatory Specification for Short Range Compact Lower Magnification "Close Quarters Battle" (CQB) Optic	Meets	Does Not Meet	Comments
A1.	Must have a 8:1 zoom ratio in a magnification range of 1.1-8x	<input type="checkbox"/>	<input type="checkbox"/>	
A2.	Magnification must be able to be quickly changed by moving the ocular assembly in one motion and have sufficient surface area/grip to affect the adjustment while wearing gloves.	<input type="checkbox"/>	<input type="checkbox"/>	
A3.	Field of view at low magnification must exceed 30m @ 100m / high magnification more than 4.5m @ 100m.	<input type="checkbox"/>	<input type="checkbox"/>	
A4.	Optic must be compact and not exceed 12" / 30.4 cm in length.	<input type="checkbox"/>	<input type="checkbox"/>	
A5.	Weight must not exceed 24 oz.	<input type="checkbox"/>	<input type="checkbox"/>	
A6.	The optic must feature a Horus H27D reticle having a circle dot arrangement. The center aiming portion of the reticle shall be uncluttered and capable of being used for precision shooting yet have a large diameter, higher contrast circular ring of approx. 7 Minutes Of Angle (MOA), and/or approx. 2 Mills which can be fully illuminated.	<input type="checkbox"/>	<input type="checkbox"/>	

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

A7.	Reticle must have an illumination feature having a minimum of eight settings with an on-off position between each intensity setting. The higher intensity settings must be sufficiently bright to be daytime viewable under most lighting conditions. The highest intensity setting must provide sufficient contrast to allow the reticle to be viewed in very bright conditions.	<input type="checkbox"/>	<input type="checkbox"/>	
A8.	The elevation turret must have a minimum of 10 mils of total elevation from its zeroed point.	<input type="checkbox"/>	<input type="checkbox"/>	
A9.	The windage turret must have a minimum of 5 mils of total adjustment in both directions once zeroed. The direction of rotation and corresponding adjustment number must be indicated every .5 mils (the letter R or L for a right or left adjustment should be indicated following the increment number).	<input type="checkbox"/>	<input type="checkbox"/>	

COMPACT INTERMEDIATE OPTIC

Proposed Optic: _____

Item	Mandatory Specification for Compact Intermediate Optic	Meets	Does Not Meet	Comments
B1.	Must have a 6: 1+ zoom ratio in a magnification range of 3-18x or 3-20x	<input type="checkbox"/>	<input type="checkbox"/>	
B2.	Optic must be compact and not exceed 12" / 30.4 cm in length.	<input type="checkbox"/>	<input type="checkbox"/>	
B3.	Weight must not exceed 24 oz.	<input type="checkbox"/>	<input type="checkbox"/>	
B4.	Power selector must be easy to adjust and feature a tactile power selector ring which can be easily gripped in wet or cold climate conditions.	<input type="checkbox"/>	<input type="checkbox"/>	
B5.	Field of view at low magnification must exceed 12 m @ 100m / high magnification more than 2 m @ 100m	<input type="checkbox"/>	<input type="checkbox"/>	
B6.	Minimum optic maintube diameter must be 34mm with a minimum of 1.7" / 4.3 cm of available space on either side of the turret assembly for optic mounting allowance.	<input type="checkbox"/>	<input type="checkbox"/>	
B7.	Eye Relief must be approx. 97 mm +/- 2 mm at all magnifications.	<input type="checkbox"/>	<input type="checkbox"/>	

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

B8.	Must have a minimum elevation adjustment range 90 Minutes of Angle (MOA) or 26.1 mill-radians (mrad).	<input type="checkbox"/>	<input type="checkbox"/>	
B9.	Must have a minimum windage adjustment range of 50 Minutes of Angle (MOA) or 14.5 mill-radians (mrad).	<input type="checkbox"/>	<input type="checkbox"/>	
B10.	Reticle must have an illumination feature having a minimum of seven settings with an on-off position between each intensity setting.	<input type="checkbox"/>	<input type="checkbox"/>	
B11.	The illumination feature is to be integral to the focus knob given the compact nature of this optic.	<input type="checkbox"/>	<input type="checkbox"/>	
B12.	The illumination assembly must have an easily replaced battery not requiring the use of special tools to remove or replace the battery cap.	<input type="checkbox"/>	<input type="checkbox"/>	
B13.	All battery cap parts must be captive to the illumination dial or assembly.	<input type="checkbox"/>	<input type="checkbox"/>	
B14.	The higher illumination intensity settings must be sufficiently bright to be viewable by the naked eye under low light conditions when night vision devices are not in use.	<input type="checkbox"/>	<input type="checkbox"/>	
B15.	The illuminated reticle must allow full use of the Horus reticle with most features suitably illuminated.	<input type="checkbox"/>	<input type="checkbox"/>	
B16.	The elevation turret must have a minimum of 10 mils per rotation and 20 mils of available elevation from its zeroed point (when properly mounted) i.e. this is also known as a dual turn elevation turret.	<input type="checkbox"/>	<input type="checkbox"/>	
B17.	The elevation turret must have a means of indicating the positional status of the turret once 10 mils or one revolution has been exceeded.	<input type="checkbox"/>	<input type="checkbox"/>	
B18.	The turret positional indicator must be both visibly identifiable as well as be tactile in nature to allow status confirmation in situations not allowing for direct visual confirmation.	<input type="checkbox"/>	<input type="checkbox"/>	
B19.	The elevation turret must have an easily set or zeroed mil numbered scale.	<input type="checkbox"/>	<input type="checkbox"/>	
B20.	The elevation numbered scale or dial must be easily replaced and/or allow for custom modifications such as a custom engraved bullet-drop compensating (BDC) scale.	<input type="checkbox"/>	<input type="checkbox"/>	
B21.	The elevation detent clicks must feature a more positive detent every 5 mils to provide for tactile confirmation of elevation position.	<input type="checkbox"/>	<input type="checkbox"/>	

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

B22.	The windage turret must have a minimum of 5 mils of total adjustment in both directions once zeroed. The direction of rotation and corresponding adjustment number must be indicated every .5 mils (the letter R or L for a right or left adjustment should be indicated following the increment number). Both higher magnification optics must have the same Horus reticle.	<input type="checkbox"/>	<input type="checkbox"/>	
B23.	The preferred reticle in the higher magnification optics must be the Horus H-59. The Horus Tremor2 reticle may be an alternative if the older style H-59 is not readily available in both optics.	<input type="checkbox"/>	<input type="checkbox"/>	
B24.	Must have a side focus adjustment capable of also removing parallax at ranges under 100m to Infinity.	<input type="checkbox"/>	<input type="checkbox"/>	

FULL SIZE OR LONG RANGE OPTIC

Proposed Optic: _____

Item	Mandatory Specification for Full Size or Long Range Optic	Meets	Does Not Meet	Comments
C1.	Must have a 8:1 zoom ratio in a magnification range of 3.5-25x	<input type="checkbox"/>	<input type="checkbox"/>	
C2.	Optic should not exceed 16" / 40.6 cm in length.	<input type="checkbox"/>	<input type="checkbox"/>	
C3.	Weight should not exceed 37 oz.	<input type="checkbox"/>	<input type="checkbox"/>	
C4.	Power selector must be easy to adjust and feature a tactile power selector ring which can be easily gripped in wet or cold climate conditions.	<input type="checkbox"/>	<input type="checkbox"/>	
C5.	Field of view at low magnification must exceed 10.5 m @ 100m / high magnification more than 1.5m @ 100m.	<input type="checkbox"/>	<input type="checkbox"/>	
C6.	Minimum optic maintube diameter must be 34mm with a minimum of 1.7" / 4.3 cm of available space on either side of the turret assembly for optic mounting allowance.	<input type="checkbox"/>	<input type="checkbox"/>	
C7.	Eye Relief must be approx. 82 mm +/- 12 mm at all magnifications.	<input type="checkbox"/>	<input type="checkbox"/>	
C8.	Must have a minimum elevation adjustment range 90 Minutes of Angle (MOA) or 26.1 mill-radians (mrad).	<input type="checkbox"/>	<input type="checkbox"/>	
C9.	Must have a minimum windage adjustment range of 50 Minutes of Angle (MOA) or 14.5 mill-radians (mrad).	<input type="checkbox"/>	<input type="checkbox"/>	

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

C10.	Reticle must have an illumination feature having a minimum of seven settings with an on-off position between each intensity setting.	<input type="checkbox"/>	<input type="checkbox"/>	
C11.	The illumination feature should preferably be separate from the focus knob and positioned further to the rear in line with the focus knob given the added space this optic will allow.	<input type="checkbox"/>	<input type="checkbox"/>	
C12.	The illumination assembly must have an easily replaceable battery function not requiring the use of special tools to remove or replace the battery cap.	<input type="checkbox"/>	<input type="checkbox"/>	
C13.	All battery cap parts must be captive to the illumination dial or assembly.	<input type="checkbox"/>	<input type="checkbox"/>	
C14.	The higher illumination intensity settings must be sufficiently bright to be viewable by the naked eye under low light conditions when night vision devices are not in use.	<input type="checkbox"/>	<input type="checkbox"/>	
C15.	The illuminated reticle must allow full use of the Horus reticle with most features suitably illuminated.	<input type="checkbox"/>	<input type="checkbox"/>	
C16.	The elevation turret must have a minimum of 10 mils per rotation and 20 mils of available elevation from its zeroed point (when properly mounted) i.e. this is also known as a dual turn elevation turret.	<input type="checkbox"/>	<input type="checkbox"/>	
C17.	The elevation turret must have a means of indicating the positional status of the turret once 10 mils or one revolution has been exceeded.	<input type="checkbox"/>	<input type="checkbox"/>	
C18.	The turret positional indicator must be both visibly identifiable as well as be tactile in nature to allow status confirmation in situations not allowing for direct visual confirmation.	<input type="checkbox"/>	<input type="checkbox"/>	
C19.	The elevation turret must have an easily set or zeroed mil numbered scale.	<input type="checkbox"/>	<input type="checkbox"/>	
C20.	The elevation numbered scale or dial must be easily replaced and/or allow for custom modifications such as a custom engraved bullet-drop compensating (BDC) scale.	<input type="checkbox"/>	<input type="checkbox"/>	
C21.	The elevation detent clicks must feature a more positive detent every 5 mils to provide for tactile confirmation of elevation position.	<input type="checkbox"/>	<input type="checkbox"/>	
C22.	The windage turret must have a minimum of 5 mils of total adjustment in both directions once zeroed. The direction of rotation and corresponding adjustment number must be indicated every .5 mils (the letter R or L for a right or left adjustment should be indicated following the increment number). Both higher magnification optics must have the same Horus reticle.	<input type="checkbox"/>	<input type="checkbox"/>	

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

C23.	The preferred reticle in the higher magnification optics must be the Horus H-59. The Horus Tremor2 reticle may be an alternative if the older style H-59 is not readily available in both optics.	<input type="checkbox"/>	<input type="checkbox"/>	
C24.	Must have a side focus adjustment capable of also removing parallax at ranges under 100m to Infinity.	<input type="checkbox"/>	<input type="checkbox"/>	

TECHNICAL EVALUATION

Optics found to meet the above mandatory specifications will be subject to additional conformance testing to be conducted by the RCMP Senior Armourer. Once it is determined an optic meets the needs requirement as listed, a sample of the specific optic will be requested.

Three samples of each optic will be requested. If for any reason this quantity cannot be provided, one optic of each type must be supplied for testing.

The manufacturer will provide all technical information including cold weather test data and the lowest temperature each optic is rated to properly function at/ to

The optics will be physically inspected and assessed to ensure they conform to the mandatory specifications.

Optics will be subjected to cold weather testing conducted within the RCMP's armoury.

Cold Weather/Low Temperature Testing

Each optic will be suitably mounted to a RCMP precision rifle.

The optic will be tested using a Horus Calibration and Training System (CATS) target suitably positioned and mounted within the RCMP armoury 100m indoor range.


The optics will be subject to tracking and calibration tests.

The rifle (with optic properly mounted) will be fired to confirm tracking ("box drill") at ambient range temperatures (room temperature) prior to any cold weather testing.

Once fair or warm weather testing has been completed, the optic and firearm will be conditioned in an environmental chamber for a minimum of 4 hrs. It will be removed and the above noted test repeated at various temperatures.

Optics will be conditioned incrementally to confirm optic performance at various temperatures. The lowest temperature for the purposes of this requirement will be -40 Celsius.

If several optics conform to this requirement at this stage, the optic that continues to function at the lowest temperature will succeed.



Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

ANNEX "B"

BASIS OF PAYMENT

For the supply, and delivery of Precision Firearm Optics, to the Royal Canadian Mounted Police (RCMP) Emergency Response Teams (ERT) as specified herein.

Prices herein are inclusive firm prices for the provision, supply, and delivery.
G.S.T. is excluded and is to be listed on invoices as a separate item.

**The estimated quantities are for Evaluation purposes only and do not form part of any Contract.*

Firm Period (First three years) Pricing			
Item	Unit Price	Qty*	Extended Total
Compact Lower Magnification Optic	\$ _____ / ea	150	\$ _____
Compact Intermediate Optic	\$ _____ / ea	100	\$ _____
Full Size or Long Range Optic	\$ _____ / ea	50	\$ _____
Option Year 1 Pricing			
Item	Unit Price	Qty*	Extended Total
Compact Lower Magnification Optic	\$ _____ / ea	75	\$ _____
Compact Intermediate Optic	\$ _____ / ea	50	\$ _____
Full Size or Long Range Optic	\$ _____ / ea	25	\$ _____
Option Year 2 Pricing			
Item	Unit Price	Qty*	Extended Total
Compact Lower Magnification Optic	\$ _____ / ea	75	\$ _____
Compact Intermediate Optic	\$ _____ / ea	50	\$ _____
Full Size or Long Range Optic	\$ _____ / ea	25	\$ _____
GRAND TOTAL:			\$ _____

Solicitation No.
M8500-14R077/A
N° de réf. du client - Client Ref. No.

N° de la modif - Amd. No.
File No. - N° du dossier
M8500-14R077/A

Id de l'acheteur - Buyer ID
CAL-123
N° CCC / CCC No./ N° VME - FMS

ANNEX C

STANDING OFFER USAGE REPORT

Quarterly Usage Report Schedule:

Period of:	Report Due no later than:

The Offeror hereby offers to provide information on completed Call-ups as per the format below:

Supplier Name		Standing Offer Name:	
Standing Offer Number:		Period Covered	
Standing Offer Authority Name:		Jenny Yu	

Department	Call-up Number	Dollar Value (GST Included)
(A) Total Dollar Value Call-ups for this reporting period:		
(B) Accumulated Call-up totals to date:		
(A+B) Total Accumulated Call-ups:		

NIL REPORT: We have not done any business with the federal government for this period []

PREPARED BY:

NAME:

TELEPHONE NO.:

SIGNATURE: _____ DATE: _____

Send Report to: **WST.PA-CAL@pwgsc-tpsgc.gc.ca** or Fax to: (403) 292-5786.