






Read Jones Christoffersen Ltd. Engineers
144 Front Street West, Suite 500
Toronto, ON M5E 2T7 Canada
tel: 416-977-5335
fax: 416-977-1427



NOTE:

1. CORE CUT OLD BASE ANCHORS FROM CONCRETE SLAB.



GALLERY LEVEL GUARDRAIL ANCHORS





NOTES:

1. ROUTE AND SEAL ALL CRACKS PER 2/Sa400.
2. INSTALL HEEL BEAD AT BASE OF ALL VERTICAL UPTURNS PER 5/Sa400.

GALLERY LEVEL WATERPROOFING




MEMBRANE (THIN) - TYPICAL AT CRACK



NOTES:

1. ABRASIVE BLAST JOINT SURFACE PRIOR TO APPLICATION OF PRIMER OR NEW SEALANT.
2. ENSURE ROUGH EDGES ARE GROUND SMOOTH.
3. CLEAN JOINT OF ALL DUST, PAINT, LOOSE OR FOREIGN MATERIAL PRIOR TO APPLICATION OF NEW MATERIALS.
4. ERECT SUITABLE BARRICADES TO ENSURE THAT TRAFFIC WILL NOT BE ALLOWED ONTO SEALED AREAS PRIOR TO THE MATERIALS BEING FULLY CURED.


HEEL BEAD SEALANT DETAIL




NOTES:

1. ABRASIVE BLAST JOINT SURFACE PRIOR TO APPLICATION OF PRIMER OR NEW SEALANT.
2. ENSURE ROUGH EDGES ARE GROUND SMOOTH.
3. CLEAN JOINT OF ALL DUST, PAINT, LOOSE OR FOREIGN MATERIAL PRIOR TO APPLICATION OF NEW MATERIALS.
4. ERECT SUITABLE BARRICADES TO ENSURE THAT TRAFFIC WILL NOT BE ALLOWED ONTO SEALED AREAS PRIOR TO THE MATERIALS BEING FULLY CURED.


CRACK SEALANT DETAIL



WOOD STAIR SUPPORT REPLACEMENT IF ANCHORED




WOOD STAIR SUPPORT REPLACEMENT




NOTES:

1. REFER TO DIVISION 3 SPECIFICATION SECTION FOR DEMOLITION, SURFACE PREPARATION, FORMING, AND PLACING OF NEW CONCRETE REPAIR MATERIAL.
2. EXISTING CONCRETE SUBSTRATE AND REINFORCING STEEL TO BE SANDBLAST TO IMPROVE MECHANICAL BOND AT OLD-NEW CONCRETE INTERFACE.


CONCRETE COLLAR REPAIR



MEMBRANE (THIN) - TYPICAL TERMINATION AT DOOR OPENING



MEMBRANE (THIN) - TYPICAL TERMINATION AT WALL



02	ISSUED FOR TENDER	26.03.16
01	ISSUED FOR CLASS A ESTIMATE	11.12.15
revisions		date
project		projet

SAMBRO ISLAND LIGHTHOUSE REHABILITATION

SECTIONS AND DETAILS

designed	RJC	conçu
date	2016-03	
drawn	T.SERGEVA	dessiné
date		
approved	M.POND	approuvé
date		
Tender		Soumission
PMWSC Project Manager	Administrateur de projets TPSCC	
project number		no. du projet
	R.077624.001	
drawing no.		no. du dessin
	Sa400	