


GENERAL STAIR RESTORATION NOTES:

1. EXAMINE ALL STAIR COMPONENTS: CENTER MAST, RISERS, STRINGERS, RUNNERS AND BOLSTERS FOR SIGNS OF ROT. REPORT RESULTS TO DEPARTMENTAL REPRESENTATIVE IN WRITING PRIOR TO UNDERTAKING THE RESTORATION.
2. REPLACE ALL ROTTEN AND PREVIOUS INAPPROPRIATE REPAIRS WITH WOOD SPECIES AND DIMENSIONS TO MATCH ORIGINAL. EXAMINE EXISTING TO CONFIRM SPECIES, ASSUME PINE FOR PRICING PURPOSES. ALL WOOD TO BE ROUGH SAWN.
3. ASSUME IN THE BASE CONTRACT PRICE THE FOLLOWING MINIMUM REPLACEMENT SCOPE:
 - TREAD REPLACEMENT 19, 23, 25, 45, 58-61
 - 38x80 FLOOR BOARD REPLACEMENT AT MID-LANDING (ELEV. +12.029 ABOVE GRADE)
 - REPLACEMENT OF FIVE (5) WOODEN BOLSTERS AND SHIMS
 - REPLACEMENT OF ROTTEN SHEATHING AROUND CENTER MAST BETWEEN TREADS 19-23
 - REPLACEMENT OF THREE (3) STRINGER PAIRS BETWEEN BOLSTERS
4. THE INTENT OF THE RESTORATION WORK IS TO SELECTIVELY REPLACE ALL MATERIAL TO MATCH THE ORIGINAL 1758 AND 1929 CONSTRUCTION. NOTE THE FOLLOWING TIME PERIODS OF CONSTRUCTION:
 - 1758 WOOD CONSTRUCTION - TREADS 1-45
 - 1929 WOOD CONSTRUCTION - TREADS 46-67
 - 1998 SELECTIVE RECONSTRUCTION OF 1758 AND 1929 WOOD CONSTRUCTION
5. TEMPORARILY SUPPORT ALL STAIRS IN PLACE AS REQUIRED TO COMPLETE DISASSEMBLY AND REPAIR WORK.
6. CLEAN ALL SURFACES. APPLY FUNGICIDE INSECTICIDE: LIQUID AND INJECTION, TO ALL EXISTING AND NEW WOOD STAIR ELEMENTS.
7. PRIME AND PAINT.




PEELED ELEVATION

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm

3

Aa501




REFLECTED CEILING PLAN

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm

1

Aa501



01	ISSUED FOR TENDER	06.04.10
revisions		date
project		project

SAMBRO ISLAND LIGHTHOUSE REHABILITATION

TOWER STAIR DETAILS

designed	TAYLOR HAZELL ARCHITECTS	conçu
date	2015-12	
drawn	E. SHELL	dessiné
date		
approved		approuvé
date		
Tender		Soumission
PWGC Project Manager	Administrateur de projets TPSC	
project number		no. du projet
	R.077624.001	
drawing no.		no. du dessin
	Aa501	