



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
Room 100,
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6
Bid Fax: (204) 983-0338

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Western Region
Room 100,
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6

Title - Sujet Kitchen Building B-12 Renovation	
Solicitation No. - N° de l'invitation ET025-162432/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client CSC ET025-162432	Date 2016-04-21
GETS Reference No. - N° de référence de SEAG PW-\$PWZ-014-9821	
File No. - N° de dossier PWZ-5-38315 (014)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-05-03	Time Zone Fuseau horaire Central Daylight Saving Time CDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Fagan, Mike	Buyer Id - Id de l'acheteur pwz014
Telephone No. - N° de téléphone (204) 296-5375 ()	FAX No. - N° de FAX (204) 983-7796
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This Amendment 002 is raised to amend Request for Proposal ET025-162432/A as follows:

The following changes in the RFP documents are effective immediately. This amendment will form part of the Agreement documents.

1. QUESTIONS AND ANSWERS

QUESTION 01

I would like you to refer to articles 1.1.3 and 1.2.1.6 in the TOR.

Under SRE 3.2.4 we are asked to describe

The relationship between this commissions and Phase 1 Building Envelope Repair.

Could you please provide more information about the work that was performed in Phase I regarding the building envelope (crawl space, roof and exterior concrete)

ANSWER 01

The scope of the Phase 1 SMI Kitchen Building B-12 Envelope Repair project included:

- 1. Repair deteriorated concrete cover at precast concrete tees with new concrete cover.*
- 2. Complete localized concrete repairs at the outside face of the concrete parapet wall, the tee flanges, concrete sills, and precast concrete panels.*
- 3. Complete an upgrade within the crawl space, including:*
 - 1. concrete structural repairs,*
 - 2. continuous vapour retarder/ground cover,*
 - 3. drainage provisions, and*
 - 4. mechanical system to control crawl space humidity levels.*
- 4. Provide interim repairs to the roofing membrane, including removal and replacement of all buckled and delaminated membrane along the parapets and any wet insulation in these areas, refilling of pitch pockets and provide additional cap sheet.*
- 5. Replace all elastic joint sealants in the precast systems.*
- 6. Replace all other joint seals at wall penetrations, except at windows and exterior doors (joint seals at windows and exterior doors will be addressed in Phase 2 by others).*
- 7. Provide pigeon spikes where necessary for bird control.*

END OF AMENDMENT 002