

2 FLOOR PLAN BUILDING # 32 & 34 – NEW CONSTRUCTION

A–1.03 SCALE: 1:50

0m 1m 2m 3m 4m 5m



3 TYPICAL WASHROOM VANITY DETAIL

A–1.03 SCALE: 1:10

0m 200mm 400mm 600mm 800mm 1000mm



1 FLOOR PLAN BUILDING # 38 – NEW CONSTRUCTION

A–1.03 SCALE: 1:50

0m 1m 2m 3m 4m 5m

NEW PARTITION TYPES :



A WALL CONSTRUCTION
- –PRE–FINISHED WOOD SIDING
- –BREATHABLE AIR BARRIER
- –13mm EXTERIOR SHEATHING
- –38 x 140 WOOD STUD @ 400 O/C
- –R.S.I. 5.4 BATT INSULATION
- –6.mil POLY VAPOUR BARRIER
- –16mm PLYWOOD SHEATHING
- –WATERPROOF MEMBRANE
- –TILE FINISH

B WALL CONSTRUCTION
- –PRE–FINISHED WOOD SIDING
- –BREATHABLE AIR BARRIER
- –13mm EXTERIOR SHEATHING
- –38 x 140 WOOD STUD @ 400 O/C
- –R.S.I. 5.4 BATT INSULATION
- –6.mil POLY VAPOUR BARRIER
- –16mm PLYWOOD SHEATHING PAINTED

C WALL CONSTRUCTION
- –NEW HORZ. WOOD SIDING
- –EXISTING ASSEMBLY
- –16mm PLYWOOD SHEATHING
- –TILE FINISH

D WALL CONSTRUCTION
- –NEW HORZ. WOOD SIDING
- –EXISTING ASSEMBLY
- –16mm PLYWOOD SHEATHING
- –TILE FINISH

E WALL CONSTRUCTION
- –16mm GWB (PT) TYPE X
- –EXISTING STUD FRAMING
- –MINERAL WOOL INSULATION
- –16mm GWB TYPE X
- –TILE FINISH

F WALL CONSTRUCTION
- –TILE FINISH BOTH
- –16mm SHEATHING
- –EXISTING ASSEMBLY
- –16mm SHEATHING
- –TILE FINISH BOTH

G WALL CONSTRUCTION
- –TILE FINISH
- –WATERPROOF MEMBRANE
- –16mm SHEATHING
- –EXISTING ASSEMBLY
- –16mm SHEATHING
- –TILE FINISH

H WALL CONSTRUCTION
- –TILE FINISH
- –WATERPROOF MEMBRANE
- –16mm SHEATHING
- –38 x 89 WOOD STUDS @ 400 O/C
- –WATERPROOF MEMBRANE
- –16mm SHEATHING
- –TILE FINISH

J WALL CONSTRUCTION
- –TILE FINISH
- –WATERPROOF MEMBRANE
- –16mm GWB TYPE X
- –38 x 89 WOOD STUDS @ 400 O/C
- –16mm GWB (PT) TYPE X

K WALL CONSTRUCTION
- –EXISTING WOOD SIDING
- –EXISTING WALL ASSEMBLY
- –16mm PLYWOOD SHEATHING
- –TILE FINISH

L WALL CONSTRUCTION
- –EXISTING WOOD SIDING
- –EXISTING WALL ASSEMBLY
- –16mm PLYWOOD SHEATHING
- –WATERPROOF MEMBRANE
- –TILE FINISH

M WALL CONSTRUCTION
- –TILE FINISH
- –WATERPROOF MEMBRANE
- –16mm SHEATHING
- –38 x 89 WOOD STUDS @ 400 O/C
- –16mm SHEATHING
- –TILE FINISH

O WALL CONSTRUCTION
- –TILE FINISH
- –16mm SHEATHING
- –38 x 89 WOOD STUDS @ 400 O/C
- –16mm SHEATHING
- –TILE FINISH

4 FLOOR DRAIN DETAIL

A–1.03 SCALE: 1:10

0m 200mm 400mm 600mm 800mm 1000mm

GENERAL NOTES:

1. ALL DIMENSIONS ARE APPROXIMATE AND ARE TO BE SITE VERIFIED. ALL DIMENSIONS ARE IN MILLIMETERS.
2. ALL EXISTING STRUCTURE DAMAGED / DISTURBED DURING DEMOLITION / CONSTRUCTION TO BE REPAIRED TO THE SATISFACTION OF PWGSC.
3. OTHER CONTRACTS MAY BE LET DURING THE PERIOD THAT THIS CONTRACT IS IN PROGRESS. COOPERATE WITH OTHER CONTRACTORS IN CARRYING OUT RESPECTIVE WORKS AND CARRY OUT ALL INSTRUCTIONS FROM THE PWGSC IN THIS REGARD. CONNECT PROPERLY AND COORDINATE WORK WITH THAT OF OTHER CONTRACTORS. IF ANY PART OF THE WORK UNDER THIS CONTRACT DEPENDS FOR ITS PROPER EXECUTION OR RESULT UPON THE WORK OF ANOTHER CONTRACTOR, REPORT PROMPTLY TO THE PWGSC, IN WRITING, ANY DEFECTS IN THE WORK OF SUCH OTHER CONTRACTORS AS MAY INTERFERE WITH THE PROPER EXECUTION OF THIS WORK.
4. REMOVE EXISTING TILE FLOORS.
5. REMOVE EXISTING CONCRETE STEP @ URINALS.
6. MAKE GOOD' CONCRETE FLOOR FROM DEMOLITION/EXCAVATION TO ACCEPT TILE FINISH.
7. INSTALL 75MM INTERIOR WOOD CASING (PAINTED) AROUND ALL WINDOW / VENTILATION PANEL OPENINGS.
8. INSTALL ALL APPLICABLE BLOCKING TO ACCOMMODATE FIXTURES, ACCESSORIES, WASHROOM PARTITIONS, CURTAIN TRACKS, AND MILLWORK.

LEGEND:

- EXISTING DOOR
- 100 NEW DOOR / NUMBER
- EXISTING DOOR TO BE REMOVED
- ### ROOM NUMBER
- # NOTE (REFER TO NOTES THIS SHEET ONLY)
- # WALL TYPE REFERENCE

HD	ELECTRIC HAND DRYER
SD	SOAP DISPENSER
M	MIRROR
CH	COAT HOOK
GB	GRAB BAR
SND	SANITARY NAPKIN DISPOSAL
TTD	TOILET TISSUE DISPENSER
WR	WASTE RECEPTACLE (WALL MOUNT)
GWB(PT)	GYPSUM WALL BOARD "GREENBOARD" PAINTED
FD	FLOOR DRAIN
WH	HOT WATER TANK
FS	FOLDING SEAT
BCS	BABY CHANGE STATION

LEGEND

- A CEILING MOUNTED FLOURESCENT LIGHT FIXTURE
- CEILING MOUNTED RECESSED FORCED FAN HEATER,
- © CEILING MOUNTED INCANDESCENT LIGHT FIXTURE
- EMERGENCY LIGHTING BATTERY UNIT WITH TWO HEADS
- CEILING OR WALL MOUNTED EXIT LIGHT
- $_M$ MOTION DETECTOR LIGHT SWITCH
- Ⓢ CEILING MOUNTED MOTION DETECTOR LIGHT SWITCH
- SINGLE OR DOUBLE HEADED EMERGENCY LIGHT

NOTES:

1. EXISTING VENTILATION PANEL TO BE PAINTED; COLOUR TO BE SELECTED.
2. WALL TYPE "A" THROUGHOUT. SEE FINISH SCHEDULE A04 (SERVICE ROOM NOT INCLUDED).
3. TILE FINISH NOT PRESENT IN THIS AREA.

Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

Architects / Architectes

Consultants / Ingenieurs Conseils

PROVINCE OF NFLD. PERMIT HOLDER CLASS "A" This Permit Allows
DMG CONSULTING LTD
To practice Professional Engineering in this Province
Permit No. H0588 Year 2016
REGINALD S. HEDGES SIGNATURE 20-4-16 DATE

revisions		date
1.	ISSUED FOR TENDER	2016/03/04

project / projet

WASHROOM BUILDING RECAPITALIZATION
BUILDING 32, 34, & 38
NEWMAN SOUND CAMPGROUND
TERRA NOVA
NATIONAL PARK, NL

drawing / dessin

NEW CONSTRUCTION
BUILDING #32,34 &38

designed / conçu date 2015/3/23
drawn / dessiné date 2015/3/23
approved / approuvé date 2015/3/23

Tender / Soumission
PWGSC Project Manager / Administrateur de projets TPSGC
April 2016

project number / no. du projet: R–079272–001

drawing no. / no. du dessin: A– 1.03

PWGSC B1 (2004)

E–DRM/GDD–E: 185267