



**DOMESTIC HOT WATER TANK PIPING**  
DETAIL SCALE = N.T.S.

13  
M-4




**WATER HAMMER ARRESTOR DETAIL**  
SCALE = N.T.S.

9  
M-4




**TYP. SINGLE PIPE DRAINAGE TRENCH**  
DETAIL SCALE = N.T.S.

10  
M-4




**PIPING SYSTEM IDENTIFICATION**  
DETAILS SCALE = N.T.S.

5  
M-4




**TYPE 1 - TRAP PRIMER DETAIL**  
SCALE = N.T.S.

1  
M-4




**TYP. CLEANOUT SLAB ON GRADE**  
DETAIL SCALE = N.T.S.

6  
M-4




**TYPICAL CLEVIS PIPE HANGER**  
SCALE = N.T.S.

2  
M-4




**TYPICAL CABINET EXHAUST FAN**  
SCALE = N.T.S.

14  
M-4




**SERVICE PIPE PENETRATING NON-RATED**  
WALL SCALE = N.T.S.

11  
M-4




**DETAIL - TYP. HANGER ROD SUPPORTS**  
SCALE = N.T.S.

7  
M-4




**PLUMBING FIXTURE MTG. STANDARDS**  
SCALE = N.T.S.

3  
M-4




**TEMPERING WATER MIXING VALVE**  
SCALE = N.T.S.

15  
M-4




**FLOOR DRAIN DETAIL**  
SCALE = N.T.S.

12  
M-4




**TYPICAL PLUMBING VENT FLASHING**  
SCALE = N.T.S.

8  
M-4



**TRAPPED FLOOR DRAIN WITHOUT VENT**  
SCALE = N.T.S.

4  
M-4



|           |                          |            |
|-----------|--------------------------|------------|
| 2.        | ISSUED FOR TENDER        | 2016/03/04 |
| 1.        | ISSUED FOR TENDER REVIEW | 2015/09/11 |
| revisions |                          | date       |

project  
WASHROOM BUILDING  
RECAPITALIZATION  
BUILDING 32, 34, & 38  
NEWMAN SOUND CAMPGROUND  
TERRA NOVA  
NATIONAL PARK, NL

drawing  
dessin

FLOOR PLAN BUILDING  
#32, #34, & #38 -  
PLUMBING & VENTILATION  
DETAILS

designed  
conçu

date  
dessiné

date  
approuvé

date  
approuvé

Tender  
22 April 2016

PWGSC Project Manager  
Administrateur de projets TPSGC

project number  
no. du projet

R-079272-001

drawing no.  
no. du dessin

M-4