

This addendum is an integral part of tender documents and its content has precedence on every drawing, specification and documentation emitted to date.

All specifications and drawings emitted with ADDENDUM must be considered as part of tender documents. Modifications to specifications and drawings are numbered in order and are included in the appendix.

On every revised page of a given section, revisions related to the present addendum are identified by the revision number shown at the bottom of the page. Revision number appears inside a triangle in the margin in case of a partial revision and on the side of the section title when the whole page is added or revised in the present addendum.

PART 1 REFERENCES TO SPECIFICATIONS

1.1 SECTION 06 10 00.01 – CARPENTRY WITH TREATED WOOD

- .1 Article 2.1.1 is modified as follows:

Timber: Species: Hemlock, Western Hemlock., Jack Pine, Red pine, Douglas fir and yellow pine. The wood must be no. 1 quality, with a maximum of 35% of no. 2.


PART 2 REFERENCES TO DRAWINGS

2.1 DRAWING RPA-492-C15


- .1 Note the modification on drawing RPA-492-C15 enclosed.

Prepared by:

Carol Roy, eng., M. Sc.



COUPE TRANSVERSALE 5
TRANSVERSAL SECTION 15/15



				CONÇU C.ROY ING.		PROJET Réfection et modification de trois quais au lieu historique national du Fort-Lennox <i>Repair and Modification of Three Docks at Fort Lennox National Historic Site</i>					
				DESSINÉ JFB		TITRE QUAI DU DÉBARCADÈRE TRAVAUX DE RÉFECTION DU PAREMENT ET DU PLATELAGE <i>LANDING DOCK REPAIR WORK OF DECKING AND CLADDING</i>					
01	ADDENDA	26/05/16	C.R.	C.R.	VÉRIFIÉ M.D.ROUSSEAU ING						
No	DESCRIPTION DE LA RÉVISION	DATE(A/M/J)	*	**	APPROUVÉ						
REGISTRE DES RÉVISIONS * CONÇU ** APPROUVÉ											
 SNC PROJET 631689		CLIENT				DATE					
		AGENCE PARCS CANADA PARKS CANADA AGENCY				26/05/2016					
						ÉCHELLE					
						AUCUNE	No PROJET	SUBDIVISION	SUJET	SÉRIE	RÉV.
							RPA-492	0000	- -	C15	01