

PART 1 - GENERAL

- 1.1 REPORTING FIRES
- .1 All workers must be aware of the location of nearest onsite telephone and the emergency phone numbers must be posted adjacent to the telephone.
 - .2 Report immediately, all fire incidents to the local Fire Department.
 - .3 When reporting a fire by telephone, give location of fire, name or number of building, be able to identify the location and identify the person calling.
 - .4 Prepare a full written report with associated sketches of the fire incident after the fire has been extinguished and submit it to the Fire Chief and the Departmental Representative.
 - .1 The report will include, but will not be limited to the time, location, personal injury, material damage, adjacent property damage, equipment damage, cause, actions taken and follow up action required.
- 1.2 FIRE EXTINGUISHERS
- .1 Supply adequate fire extinguishers necessary to protect the work in progress, contractors physical plant and equipment on site.
- 1.3 BLOCKAGE OF ROADWAYS
- .1 Advise Departmental Representative and the Fire Department in writing of any work that would impede fire equipment response. This also will include violation of minimum overhead clearances, barricades and digging of trenches.
- 1.4 SMOKING PRECAUTIONS
- .1 Observe smoking regulations and restrictions at all times.
- 1.5 RUBBISH AND WASTE MATERIALS
- .1 Rubbish and waste materials are to be kept to a minimum.
 - .2 The burning of rubbish is prohibited.
 - .3 Remove all rubbish from the work site at the end of the work day, work shift or as otherwise directed by the Departmental Representative.

1.5 RUBBISH AND
WASTE MATERIALS
(Cont'd)

- .4 Storage:
 - .1 Store oily waste in approved receptacles to ensure maximum cleanliness and safety.
 - .2 Deposit greasy or oily rags and materials subject to spontaneous combustion in approved receptacles and remove from site daily.
 - .3 The contractor shall dispose of all garbage generated from the site offices, lunchrooms, etc. at the municipal dump.

1.6 FLAMMABLE AND
COMBUSTIBLE LIQUIDS

- .1 The handling, storage and use of flammable and combustible liquids are to be governed by the current National Fire Code of Canada.
- .2 Transfer of flammable and combustible liquids is prohibited within buildings.
- .3 Transfer of flammable and combustible liquids will not be carried out in the vicinity of open flames or near any type of heat producing devices.
- .4 Flammable liquids having a flash point below 38°C such as naptha or gasoline, will not be used as solvents or cleaning agents.
- .5 Flammable and combustible waste liquids will be stored in approved containers located in a safe ventilated area until disposal. Quantities are to be kept to a minimum and the fire department is to be notified when disposal is required.

1.7 HAZARDOUS
SUBSTANCES

- .1 The use of toxic or hazardous materials, chemicals and/or explosives which create a hazard to life, safety or health, will be in accordance with the National Fire Code of Canada.
- .2 A "Hot Work" permit for work involving welding, burning or other use of blow torches and salamanders within structures must be prepared by the contractor and submitted to the Departmental Representative for review.
- .3 When work involving the use of heat is carried out in dangerous or hazardous areas, provide fire watchers equipped with sufficient fire extinguishers. Determination of dangerous or hazardous areas, along with the level of protection necessary for fire watch, is at the discretion of the Local Fire Authority and the Health and Safety Representative. Contractors are responsible for providing the fire watch service.

1.8 QUESTIONS AND/OR.
CLARIFICATIONS

1 Direct any questions or clarifications on any Fire Safety Regulations in addition to the above requirements to the local Fire Commissioner.

1.9 FIRE INSPECTION.

1 Fire inspections by the local Fire Authority and the Health and Safety Inspectors will be coordinated through the Departmental Representative.

.2 Cooperate with the local Fire Authority and the Health and Safety Inspectors during routine fire safety inspections of the work site.

.3 Immediately remedy all potential fire hazards observed by these officials.

1.10 MEASUREMENT
FOR PAYMENT

.1 No separate measurement for payment shall be made for items in this section. Include all costs for Fire Safety in the Lump Sum Portion of the work on the Bid and Acceptance Form.