



## RETURN BIDS TO:

## RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government  
Services Canada\Réception des  
soumissions\Travaux publics et Services  
gouvernementaux Canada  
The Cambridge Building  
3 Queen Street/3, rue Queen  
Charlottetown  
Prince Edward Island  
C1A 4A2

## INVITATION TO TENDER

## APPEL D'OFFRES

**Tender To: Public Works and Government Services  
Canada**

We hereby offer to sell to Her Majesty the Queen in right of  
Canada, in accordance with the terms and conditions set  
out herein, referred to herein or attached hereto, the goods,  
services, and construction listed herein and on any attached  
sheets at the price(s) set out therefor.

### Soumission aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la  
Reine du chef du Canada, aux conditions énoncées ou  
incluses par référence dans la présente et aux annexes  
ci-jointes, les biens, services et construction énumérés  
ici et sur toute feuille ci-annexée, au(x) prix indiqué(s).

### Comments - Commentaires

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

### Issuing Office - Bureau de distribution

Public Works and Government Services Canada  
The Cambridge Building  
3 Queen Street/3 rue, Queen  
PO Box 1268/CP 1268  
Charlottetown  
Prince Ed  
C1A 4A2

<b>Title - Sujet</b> Mobile Pallet Racking, JAG Bldg. PE	
<b>Solicitation No. - N° de l'invitation</b> ED001-161863/B	<b>Date</b> 2016-06-08
<b>Client Reference No. - N° de référence du client</b> R.074389.001	<b>GETS Ref. No. - N° de réf. de SEAG</b> PW-\$PWC-010-3900
<b>File No. - N° de dossier</b> PWC-5-38160 (010)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2016-06-28</b>	
<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Daylight Saving Time ADT	
<b>F.O.B. - F.A.B.</b>	
<b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> MacDonald, Anne (PWC) D.	<b>Buyer Id - Id de l'acheteur</b> pwc010
<b>Telephone No. - N° de téléphone</b> (902) 626-4949 ( )	<b>FAX No. - N° de FAX</b> (902) 566-7514
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> DEPARTMENT OF PUBLIC WORKS AND GOVERNMENT SERVICES CANADA Real Property - Project Management PO BOX 1268 STN CENTRAL CHARLOTTETOWN Prince Edward Island C1A7M8 Canada	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b> See Herein	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

## INVITATION À SOUMISSIONNER

### AVIS IMPORTANT AUX SOUMISSIONNAIRES

Cette demande de soumissions annule et remplace la demande de soumissions numéro ED001-161863/A, datée du 3 décembre 2015, dont la date de clôture était le 22 décembre 2015, à 14 :00. Un compte rendu ou une rencontre de rétroaction sera offert sur demande aux soumissionnaires, aux offrants ou aux fournisseurs qui ont présenté une offre dans le cadre de la demande de soumissions précédente.

#### APPUYER LE RECOURS AUX APPRENTIS

Dans son Plan d'action économique de 2013, le gouvernement du Canada propose de soutenir l'embauche d'apprentis dans le cadre des projets de construction et d'entretien du gouvernement fédéral. Vous référer à IP10.

#### DISPOSITIONS RELATIVES À L'INTÉGRITÉ - SOUMISSION

Des changements ont été apportés aux Dispositions relative à l'intégrité - soumission du gouvernement du Canada en date du 3 juillet 2015. Voir IG01, Disposition relatives à l'intégrité-soumission de R2710T des Instructions Générales pour plus d'information.

## TABLE DES MATIÈRES

### INSTRUCTIONS PARTICULIÈRES AUX SOUMISSIONNAIRES (IP)

IP01	Disposition relatives à l'intégrité - Déclaration de condamnation à une infraction
IP02	Documents de soumission
IP03	Demandes de renseignements pendant l'appel d'offres
IP04	Visite obligatoire/optionnelle des lieux
IP05	Révision des soumissions
IP06	Résultats de l'appel d'offres
IP07	Fonds insuffisants
IP08	Période de validité des soumissions
IP09	Documents de construction
IP10	Initiative de Travaux publics et Services gouvernementaux Canada pour l'embauche d'apprentis
IP11	Sites Web

### R2710T INSTRUCTIONS GÉNÉRALES - SERVICES DE CONSTRUCTION - EXIGENCES RELATIVES À LA GARANTIE DE SOUMISSION (IG) (2015-07-03)

Les articles suivants de la clause R2710T sont reproduits sur le site Web <https://achatsetventes.gc.ca/politiques-et-lignes-directrices/guide-des-clauses-et-conditions-uniformisees-d-achat/5/R>

IG01	Dispositions relatives à l'intégrité - soumission
IG02	La soumission
IG03	Identité ou capacité civile du soumissionnaire
IG04	Taxes applicables
IG05	Frais d'immobilisation
IG06	Liste des sous-traitants et fournisseurs
IG07	Exigences relatives à la garantie de soumission
IG08	Livraison des soumissions
IG09	Révision des soumissions
IG10	Rejet de la soumission
IG11	Coûts relatifs aux soumissions
IG12	Numéro d'entreprise – approvisionnement
IG13	Respect des lois applicables
IG14	Approbation des matériaux de remplacement
IG15	Évaluation du rendement
IG16	Conflit d'intérêts / Avantage indus.

### CONDITIONS SUPPLÉMENTAIRES (CS)

CS01	Condition d'assurance
------	-----------------------

### DOCUMENTS DU CONTRAT (DC)

### FORMULAIRE DE SOUMISSION ET D'ACCEPTATION (SA)

SA01	Identification du projet
SA02	Nom commercial et adresse du soumissionnaire
SA03	Offre
SA04	Période de validité des soumissions
SA05	Acceptation et contrat
SA06	Durée des travaux
SA07	Garantie de soumission
SA08	Signature

APPENDICE 1- DISPOSTION RELATIVES À L'INTÉGRITÉ-LISTE DE NOMS  
APPENDICE 2 - ATTESTATION VOLONTAIRE À L'APPUI DU RECOURS AUX APPRENTIS  
APPENDICE 3 – POUVOIRS DU REPRÉSENTANT DU MINISTÈRE

---

ANNEXE A- RAPPORT VOLONTAIRE D'APPRENTIS EMPLOYÉS PENDANT LES CONTRATS  
ANNEXE B – ATTESTATION D'ASSURANCE

## INSTRUCTIONS PARTICULIÈRES AUX SOUMISSIONNAIRES (IP)

- IP01 DISPOSITIONS RELATIVES A L'INTEGRITE - DECLARATION DE CONDAMNATION A UNE INFRACTION
- Conformément au paragraphe 10 (copié ci-dessous) de la Déclaration de condamnation à une infraction des Instructions Générales R2710T, le soumissionnaire doit, selon le cas, présenter avec sa soumission le Formulaire de déclaration dûment rempli afin que sa soumission ne soit pas rejetée du processus d'approvisionnement.

### Déclaration de condamnation à une infraction

Lorsqu'un soumissionnaire ou ses affiliés ne sont pas en mesure d'attester qu'ils n'ont pas été déclarés coupable de toute infraction indiquée aux paragraphes Infractions commises au Canada entraînant une incapacité légale, Infractions commises au Canada, Infractions commises à l'étranger, le soumissionnaire doit remplir le Formulaire de déclaration, qui doit être présenté avec sa soumission afin que celle-ci ne soit pas rejetée du processus d'approvisionnement.

## IP02 DOCUMENTS DE SOUMISSION

1. Les documents suivants constituent les documents de soumission:
  - a. Appel d'offres - Page 1;
  - b. Instructions particulières aux soumissionnaires
  - c. Instructions générales – services de construction – exigences relatives à la garantie de soumission R2710T (2016-04-04)
  - d. Clauses et conditions identifiées aux "Documents du contrat";
  - e. Dessins et devis;
  - f. Formulaire de soumission et d'acceptation et tout appendice s'y rattachant; et
  - g. Toute modification émise avant la clôture de l'invitation.

La présentation d'une soumission constitue une affirmation que le soumissionnaire a lu ces documents et accepte les modalités qui y sont énoncées.

2. Les Instructions générales - Services de construction - Exigences relatives à la garantie de soumission R2710T sont incorporées par renvoi et reproduites dans le Guide des clauses et conditions uniformisées d'achat (CCUA) publié par Travaux publics et Services gouvernementaux Canada (TPSGC). Le guide des CCUA est disponible sur le site Web de TPSGC: <https://achatsetventes.gc.ca/politiques-et-lignes-directrices/guide-des-clauses-et-conditions-uniformisees-d-achat/5/R>

## IP03 DEMANDES DE RENSEIGNEMENTS PENDANT L'APPEL D'OFFRES

1. Toute demande de renseignements sur l'appel d'offres doit être présentée par écrit à l'agent d'approvisionnement dont le nom figure à l'Appel d'offres - Page 1, et ce le plus tôt possible pendant la durée de l'invitation. À l'exception de l'approbation de matériaux de remplacement, comme cela est décrit à l'IG15 de la R2710T toutes les autres demandes de renseignements devraient être reçues au moins cinq (5) jours civils avant la date de clôture de l'invitation afin de laisser suffisamment de temps pour y répondre. Pour ce qui est des demandes de renseignements reçues après cette date, il est possible qu'on ne puisse y répondre.
2. Pour assurer la cohérence et la qualité de l'information fournie aux soumissionnaires, l'agent d'approvisionnement examinera le contenu de la demande de renseignements et décidera s'il convient ou non de publier une modification.
3. Toutes les demandes de renseignements et autres communications envoyées avant la clôture de l'appel d'offres doivent être adressées UNIQUEMENT à l'agent d'approvisionnement dont le nom figure à l'Appel d'offres - Page 1. Le défaut de se conformer à cette exigence pourrait avoir pour conséquence que la soumission soit déclarée non recevable.

IP04 VISITE OPTIONNELLE DES LIEUX

N/A.

IP05 RÉVISION DES SOUMISSIONS

Une soumission peut être révisée par lettre ou par télécopie conformément à l'IG10 de la R2710T Le numéro du télécopieur pour la réception de révisions est le (902) 566-7514.

IP06 RÉSULTATS DE L'APPEL D'OFFRES

1. Un dépouillement public des soumissions aura lieu au bureau désigné sur la page frontispice «Appel d'offres» pour la réception des soumissions, peu de temps après l'heure indiquée pour la clôture des soumissions.
2. Après la date de clôture pour la réception des soumissions, on peut demander les résultats de l'appel d'offres en communiquant au numéro de téléphone (902) 566-7520.

IP07 FONDS INSUFFISANTS

Si la soumission conforme la plus basse dépasse le montant des fonds alloués par le Canada pour les travaux, le Canada pourra

- a. annuler l'appel d'offres; ou
- b. obtenir des fonds supplémentaires et attribuer le contrat au soumissionnaire ayant présenté la soumission conforme la plus basse; et/ou
- c. négocier une réduction maximale de 15% du prix offert et/ou de la portée des travaux avec le soumissionnaire ayant présenté la soumission conforme la plus basse. Si le Canada n'arrive pas à une entente satisfaisante, il exercera l'option a) ou b).

IP08 PÉRIODE DE VALIDITÉ DES SOUMISSIONS

1. Le Canada se réserve le droit de demander une prorogation de la période de validité des soumissions tel que précisé à la SA04 du Formulaire de soumission et d'acceptation. Dès réception d'un avis écrit du Canada, les soumissionnaires auront le choix d'accepter ou de refuser la prorogation proposée.
2. Si la prorogation mentionnée à l'alinéa 1. de l'IP08 est acceptée par écrit par tous les soumissionnaires qui ont présenté une soumission, le Canada poursuivra alors sans tarder l'évaluation des soumissions et les processus d'approbation.
3. Si la prorogation mentionnée à l'alinéa 1. de l'IP08 n'est pas acceptée par écrit par tous les soumissionnaires qui ont présenté une soumission, le Canada pourra alors, à sa seule discrétion,
  - a) poursuivre l'évaluation des soumissions de ceux qui auront accepté la prorogation proposée et obtenir les approbations nécessaires; ou
  - b) annuler l'appel d'offres.
4. Les conditions exprimées dans les présentes ne limitent d'aucune façon les droits du Canada définis dans la loi ou en vertu de l'IG11 de R2710T.

## IP09 DOCUMENTS DE CONSTRUCTION

À l'attribution du contrat, une copie papier des dessins signés et scellés, du devis et des modifications sera fournie à l'entrepreneur retenu. Des copies supplémentaires, jusqu'à concurrence de deux, seront fournies sans frais à la demande de l'entrepreneur. Il incombera à l'entrepreneur d'obtenir les autres exemplaires dont il peut avoir besoin et, le cas échéant, d'en assurer les coûts.

## IP10 INITIATIVE DE TRAVAUX PUBLICS ET SERVICES GOUVERNEMENTAUX CANADA POUR L'EMBAUCHE D'APPRENTIS

1. Pour les encourager à participer à la formation d'apprentis, on demande aux employeurs qui soumissionnent pour des contrats de construction ou d'entretien de Travaux publics et Services gouvernementaux Canada (TPSGC) de signer une attestation volontaire, attestation signalant leur engagement à embaucher et former des apprentis.
2. Le Canada doit composer avec des pénuries de main-d'œuvre dans divers secteurs et dans diverses régions, en particulier dans des métiers spécialisés. Faciliter l'acquisition de compétences et la formation chez les Canadiens est une responsabilité partagée. Dans le Plan d'action économique (PAE) de 2013, le gouvernement du Canada a pris l'engagement de faciliter l'utilisation d'apprentis dans le cadre des contrats fédéraux de construction et d'entretien. Les soumissionnaires ont un rôle important à jouer au titre du soutien des apprentis, à savoir les embaucher et les former. On les encourage à attester qu'ils proposent des possibilités d'emploi à des apprentis dans le cadre de leurs relations d'affaires avec le gouvernement du Canada.
3. Par l'entremise du Plan d'action économique de 2013 et de son appui aux programmes de formation, le gouvernement du Canada encourage les Canadiens à faire l'apprentissage de métiers spécialisés et à y faire carrière. En outre, le gouvernement offre un crédit d'impôt aux employeurs afin de les encourager à embaucher des apprentis. Vous trouverez de l'information à propos de ces mesures fiscales administrées par l'Agence du revenu du Canada dans son site Web à : [www.cra-arc.gc.ca](http://www.cra-arc.gc.ca). Les employeurs sont aussi invités à se renseigner à propos de l'information et des mesures de soutien additionnelles dont ils pourraient tirer profit auprès de leur autorité provinciale ou territoriale en matière d'apprentissage.
4. Les attestations signées (APPENDICE 3) aideront à mieux comprendre comment les entrepreneurs utilisent des apprentis dans le cadre de contrats fédéraux de construction et d'entretien et pourraient éclairer l'élaboration, dans l'avenir, de nouvelles politiques et de nouveaux programmes.
5. L'entrepreneur atteste ce qui suit :

En vue de contribuer à la satisfaction de la demande en travailleurs qualifiés, l'entrepreneur convient de déployer et d'exiger de ses sous-traitants qu'ils déploient des efforts commerciaux raisonnables pour embaucher et former des apprentis inscrits, de s'efforcer d'utiliser pleinement les ratios compagnon/apprenti \* autorisés et de respecter toutes les exigences liées à l'embauche prescrites dans les lois provinciales et territoriales.

L'entrepreneur consent, par la présente, à ce que cette information soit recueillie et conservée par TPSGC et Emploi et Développement social Canada en vue d'appuyer la compilation de données sur l'embauche et la formation d'apprentis dans le cadre de contrats fédéraux de construction et d'entretien.

Pour appuyer cette initiative, une attestation volontaire signalant que le fournisseur s'engage à embaucher et former des apprentis est disponible à l'APPENDICE 3.

Si vous acceptez, veuillez compléter et apposer votre signature à l'APPENDICE 3.

\* Le ratio compagnon/apprenti, c'est le nombre de compagnons qualifiés/agrérés qu'un employeur doit employer dans une profession ou un métier désigné afin d'être admissible à inscrire un apprenti conformément à la législation, aux règlements, aux directives d'orientation ou aux arrêtés provinciaux/territoriaux émis par les autorités ou les organismes responsables.

## IP11 SITES WEB

La connexion à certains des sites Web se trouvant aux documents d'appel d'offres est établie à partir d'hyperliens. La liste suivante énumère les adresses de ces sites Web.

Appendice L du Conseil du Trésor, Compagnies de cautionnement reconnues  
<http://www.tbs-sct.gc.ca/pol/doc-fra.aspx?id=14494&section=text#appL>

Achats et ventes <https://achatsetventes.gc.ca/>

Sanctions économiques canadiennes <http://www.international.gc.ca/sanctions/index.aspx?lang=fra>

Rapport d'évaluation du rendement de l'entrepreneur (Formulaire PWGSC-TPSGC 2913)  
<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/2913.pdf>

Cautionnement de soumission (formulaire PWGSC-TPSGC 504)  
<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/504.pdf>

Cautionnement d'exécution (formulaire PWGSC-TPSGC 505)  
<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/505.pdf>

Cautionnement pour le paiement de la main-d'œuvre et des matériaux (formulaire PWGSC-TPSGC 506)  
<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/506.pdf>

Guide des clauses et conditions uniformisées d'achats (CCUA) <https://achatsetventes.gc.ca/politiques-et-lignes-directrices/guide-des-clauses-et-conditions-uniformisees-d-achat/5/R>

Services de sécurité industrielle <http://ssi-iss.tpsgc-pwgsc.gc.ca/index-fra.html>

TPSGC, Code de conduite pour l'approvisionnement <http://www.tpsgc-pwgsc.gc.ca/app-acq/cndt-cndct/contexte-context-fra.html>

TPSGC, Formulaires relatifs à l'administration des contrats de construction et de services d'experts-conseils  
<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/formulaires-forms-fra.html>

Formulaire de déclaration  
<http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-fra.html>



## CONDITIONS SUPPLÉMENTAIRES (CS)

### CS01 CONDITIONS D'ASSURANCE

- 1) Polices d'assurance
  - a) L'entrepreneur souscrit et maintient, à ses propres frais, les polices d'assurance conformément aux exigences de l'Attestation d'assurance. L'assurance doit être souscrite auprès d'un assureur autorisé à faire affaire au Canada.
  - b) Le respect des exigences en matière d'assurance ne dégage pas l'entrepreneur de sa responsabilité en vertu du contrat, ni ne la diminue. L'entrepreneur est responsable de décider si une assurance supplémentaire est nécessaire pour remplir ses obligations en vertu du contrat et pour se conformer aux lois applicables. Toute assurance supplémentaire souscrite est à la charge de l'entrepreneur ainsi que pour son bénéfice et sa protection.
- 2) Période d'assurance
  - a) Les polices exigées à l'Attestation d'assurance doivent prendre effet le jour de l'attribution du contrat et demeurer en vigueur pendant toute la durée du contrat.
  - b) Il incombe à l'entrepreneur de fournir et de maintenir la couverture pour produits/travaux complétés de sa police d'assurance responsabilité civile des entreprises et ce pour un délai minimum de (6) six ans suivant la date du Certificat d'achèvement substantiel.
- 3) Preuve d'assurance
  - a) Avant le début des travaux, et au plus tard trente (30) jours après l'acceptation de sa soumission, l'entrepreneur doit remettre au Canada une Attestation d'assurance sur le formulaire fournis.
  - b) À la demande du Canada, l'entrepreneur doit fournir les originaux ou les copies certifiées de tous les contrats d'assurance auxquels l'entrepreneur a souscrit conformément à l'Attestation d'assurance.
- 4) Indemnités d'assurance

En cas de sinistre, l'entrepreneur doit faire sans délai toutes choses et exécuter tous documents requis pour le paiement de l'indemnité d'assurance.
- 5) Franchise

L'entrepreneur doit assumer le paiement de toutes sommes d'argent en règlement d'un sinistre, jusqu'à concurrence de la franchise.

## DOCUMENTS DU CONTRAT (DC)

1. Les documents suivants constituent le contrat:
  - a. Page « Contrat » une fois signée par le Canada;
  - b. Formulaire de soumission et d'acceptation et tout Appendice s'y rattachant rempli(s) en bonne et due forme;
  - c. Dessins et devis;
  - d. Conditions générales et clauses:

CG1	Dispositions générales – Services de construction	R2810D	(2016-04-04);
CG2	Administration du contrat	R2820D	(2016-01-28);
CG3	Exécution et contrôle des travaux	R2830D	(2015-02-25);
CG4	Mesures de protection	R2840D	(2008-05-12);
CG5	Modalités de paiement	R2850D	(2016-01-28);
CG6	Retards et modifications des travaux	R2860D	(2016-01-28);
CG7	Défaut, suspension ou résiliation du contrat	R2870D	(2008-05-12);
CG8	Règlement des différends	R2880D	(2016-01-28);
CG9	Garantie contractuelle	R2890D	(2014-06-26);
CG10	Assurances	R2900D	(2008-05-12);
	Coûts admissibles pour les modifications de contrat sous CG6.4.1	R2950D	(2015-02-25);

Conditions supplémentaires
  - e. Toute modification émise ou toute révision de soumission recevable, reçue avant l'heure et la date déterminée pour la clôture de l'invitation;
  - f. Toute modification incorporée d'un commun accord entre le Canada et l'entrepreneur avant l'acceptation de la soumission; et
  - g. Toute modification aux documents du contrat qui est apportée conformément aux conditions générales.
2. Les documents identifiés par titre, numéro et date ci-dessus sont intégrés par renvoi et sont reproduits dans le Guide des clauses et conditions uniformisées d'achat (CCUA) publié par Travaux publics et Services gouvernementaux Canada (TPSGC). Le guide des CCUA est disponible sur le site Web de TPSGC: <https://achatsetventes.gc.ca/politiques-et-lignes-directrices/guide-des-clauses-et-conditions-uniformisees-d-achat/5/R>
3. La langue des documents du contrat est celle du Formulaire de soumission et d'acceptation présenté.

## FORMULAIRE DE SOUMISSION ET D'ACCEPTATION (SA)

### SA01 IDENTIFICATION DU PROJET

**Titre :** Remplacement du système mobile de transport des palettiers de l'ARC . édifice Joseph A. Ghiz,  
275 Pope Road, Summerside (Île-du-Prince-Édouard)

Solicitation # : ED001-161863/B

Projet # : R.074389.001

### SA02 NOM COMMERCIAL ET ADRESSE DU SOUMISSIONNAIRE

Nom: \_\_\_\_\_

Adresse: \_\_\_\_\_

Téléphone: \_\_\_\_\_ Télécopieur: \_\_\_\_\_ NEA \_\_\_\_\_

### SA03 OFFRE

Le soumissionnaire offre au Canada d'exécuter les travaux du projet mentionné ci-dessus, conformément aux documents de soumission pour le montant total de la soumission de

\_\_\_\_\_ \$ excluant les taxe(s) applicables.  
(exprimé en chiffres)

### SA04 PÉRIODE DE VALIDITÉ DES SOUMISSIONS

La soumission ne peut être retirée pour une période de 30 jours suivant la date de clôture de l'invitation.

### SA05 ACCEPTATION ET CONTRAT

À l'acceptation de l'offre de l'entrepreneur par le Canada, un contrat exécutoire est formé entre le Canada et l'entrepreneur. Les documents constituant le contrat sont ceux mentionnés aux Documents du contrat.

### SA06 DURÉE DES TRAVAUX

L'entrepreneur doit exécuter et compléter les travaux par le 30 septembre 2016.

### SA07 GARANTIE DE SOUMISSION

Le soumissionnaire joint à sa soumission une garantie de soumission conformément à l'IG08 - Exigences relatives à la garantie de soumission de la R2710T -Instructions générales - Services de construction - Exigences relatives à la garantie de soumission

.

### SA08 SIGNATURE

\_\_\_\_\_  
Nom et titre de la personne autorisée à signer au nom du soumissionnaire (Tapés ou lettres moulées)

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

APPENDICE 1 - DISPOSTION RELATIVES À L'INTÉGRITÉ-LISTE DE NOMS

Si la liste exigée n'a pas été fournie à la fin de l'évaluation des offres, le Canada informera l'offrant du délai à l'intérieur duquel l'information doit être fournie. À défaut de fournir les noms dans le délai prévu, l'offre sera jugée non recevable. Fournir les noms requis est une exigence obligatoire pour l'attribution d'un contrat.

Les soumissionnaires constitués en personne morale, y compris ceux qui présentent une soumission à titre de coentreprise, doivent transmettre une liste complète des noms de tous les administrateurs.

Les soumissionnaires qui présentent une soumission en tant que propriétaire unique, incluant ceux présentant une soumission comme coentreprise, doivent fournir le nom du ou des propriétaire(s).

Les soumissionnaires qui présentent une soumission à titre de société, d'entreprise ou d'association de personnes n'ont pas à soumettre une liste de noms.

---

---

---

---

---

---

---

---

---

---

---

## APPENDICE 2 – ATTESTATION VOLONTAIRE À L'APPUI DU RECOURS AUX APPRENTIS

Avis; L'entrepreneur sera appelé à compléter à tous les six mois ou à la fin des travaux un rapport tel qu'inclus à l'annexe B « Rapport volontaire d'apprentis employés pendant les contrats ».

Nom: \_\_\_\_\_

Signature: \_\_\_\_\_

Nom de la compagnie: \_\_\_\_\_

Dénomination sociale: \_\_\_\_\_

Numéro de l'invitation à soumissionner: \_\_\_\_\_

Nombre d'employés de l'entreprise: \_\_\_\_\_

Nombre planifié d'apprentis qui travailleront sur ce contrat: \_\_\_\_\_

Métiers spécialisés de ces apprentis;

---

---

---

---

---

---

---

---

## APPENDICE 3 – POUVOIRS DU REPRÉSENTANT DU MINISTÈRE

SERONT NOMMES A L'ATTRIBUTION DU CONTRAT.

L'autorité contractante est :

Nom : \_\_\_\_\_

Titre : \_\_\_\_\_

Ministère : \_\_\_\_\_

Division : \_\_\_\_\_

Téléphone : \_\_\_\_ - \_\_\_\_ - \_\_\_\_\_

courriel : \_\_\_\_\_

Responsable technique :

Nom : \_\_\_\_\_

Titre : \_\_\_\_\_

Ministère : \_\_\_\_\_

Division : \_\_\_\_\_

Téléphone : \_\_\_\_ - \_\_\_\_ - \_\_\_\_\_

courriel : \_\_\_\_\_

## ANNEXE A - RAPPORT VOLONTAIRE D'APPRENTIS EMPLOYÉS PENDANT LES CONTRATS (exemple)

(Ce rapport volontaire n'est pas requis lors du dépôt de soumission)

L'entrepreneur devrait compiler et tenir à jour des données sur le nombre d'apprentis ayant été embauchés pour travailler sur le contrat, ainsi que leur métier spécialisé.

L'entrepreneur devrait fournir ces données conformément au format ci-dessous. Si aucun apprenti n'a été embauché pendant la durée du contrat, l'entrepreneur devrait soumettre un rapport portant la mention « néant ».

Les données devraient être présentées à l'autorité contractante au plus tard six mois après l'octroi du contrat ou à la fin du contrat, selon la première éventualité.

Nombre d'apprentis embauchés	Métier spécialisé

(Ajouter des lignes au besoin)

ANNEXE B – ATTESTATION D'ASSURANCE (N'est pas requise lors du dépôt de soumission)





Travaux publics et  
Services gouvernementaux  
Canada

Public Works and  
Government Services  
Canada

## ATTESTATION D'ASSURANCE

Page 1 de 2

Description et emplacement des travaux	N° de contrat. ED001-161863/B
<b>Remplacement du système mobile de transport des palettiers de l'ARC . édifice Joseph A. Chiz, 275 Pope Road, Summerside (Île du Prince Édouard)</b>	N° de projet R.074389.001

Nom de l'assureur, du courtier ou de l'agent	Adresse (N°, rue)	Ville	Province	Code postal
--	-------------------	-------	----------	-------------

Nom de l'assuré (Entrepreneur)	Adresse (N°, rue)	Ville	Province	Code Postal
--------------------------------	-------------------	-------	----------	-------------

Assuré additionnel

Sa majesté la Reine du chef du Canada représentée par le Ministre des Travaux publics et des Services gouvernementaux

Genre d'assurance	Compagnie et N° de la police	Date d'effet J / M / A	Date d'expiration J / M / A	Plafonds de garantie		
				Par sinistre	Global général annuel	Global - Risque après travaux
Responsabilité civile des entreprises  Responsabilité complémentaire/exc édentaire.				\$	\$	\$
				\$	\$	\$
Assurance des chantiers / Risques d'installation				\$		

J'atteste que les polices ci-dessus ont été émises par des assureurs dans le cadre de leurs activités d'assurance au Canada et que ces polices sont présentement en vigueur, comprennent les garanties et dispositions applicables de la page 2 de l'Attestation d'assurance, incluant le préavis d'annulation ou de réduction de garantie.

Nom de la personne autorisée à signer au nom de(s) l'assureur(s) (Cadre, agent, courtier)

Numéro de téléphone

Signature

Date J / M / A

#### Généralités

Les polices exigées à la page 1 de l'Attestation d'assurance doivent être en vigueur et doivent inclure les garanties énumérées sous le genre d'assurance correspondant de cette page-ci.

Les polices doivent assurer l'entrepreneur et doivent inclure, en tant qu'assuré additionnel, Sa Majesté la Reine du chef du Canada représentée par le Ministre des Travaux publics et des Services gouvernementaux.

Les polices d'assurance doivent comprendre un avenant prévoyant la transmission au Canada d'un préavis écrit d'au moins trente (30) jours en cas d'annulation de l'assurance ou de toute réduction de la garantie d'assurance.

Sans augmenter la limite de responsabilité, la police doit couvrir toutes les parties assurées dans la pleine mesure de la couverture prévue. De plus, la police doit s'appliquer à chaque assuré de la même manière et dans la même mesure que si une police distincte avait été émise à chacun d'eux.

#### Responsabilité civile des entreprises

La garantie d'assurance fournie ne doit pas être substantiellement inférieure à la garantie fournie par la dernière publication du formulaire BAC 2100.

La police doit inclure ou avoir un avenant pour l'inclusion d'une garantie pour les risques et dangers suivants si les travaux y sont assujettis :

- a) Dynamitage.
- b) Battage de pieux et travaux de caisson.
- c) Reprise en sous-œuvre.
- d) Enlèvement ou affaiblissement d'un support soutenant toute structure ou terrain, que ce support soit naturel ou non, si le travail est exécuté par l'entrepreneur assuré.

La police doit comporter:

- a) un « Plafond par sinistre » d'au moins 5 000 000 \$;
- b) un « Plafond global général » d'au moins 10 000 000 \$ par année d'assurance, si le contrat d'assurance est assujetti à une telle limite.
- c) un « Plafond pour risque produits/après travaux » d'au moins 5 000 000 \$.

Une assurance responsabilité complémentaire ou excédentaire peut être utilisée pour atteindre les plafonds obligatoires.

#### Assurance des chantiers / Risques d'installation

La garantie d'assurance fournie ne doit pas être inférieure à la garantie fournie par la plus récente édition des formulaires BAC 4042 et BAC 4047.

Le contrat doit permettre la mise en service et l'occupation du projet, en totalité ou en partie, pour les fins auxquelles le projet est destiné à son achèvement.

Le contrat d'assurance peut exclure ou avoir un avenant pour l'exclusion d'une garantie pour les pertes et dommages occasionnés par l'amiante, les champignons et spores, le cyber et le terrorisme.

La police doit avoir un plafond qui n'est pas inférieur à la somme de la valeur du contrat plus la valeur déclarée (s'il y a lieu) dans les documents contractuels de tout le matériel et équipement fourni par le Canada sur le chantier pour être incorporé aux travaux achevés et en faire partie. Si la valeur des travaux est modifiée, la police doit être modifiée pour refléter la valeur révisée du contrat.

Le contrat d'assurance doit stipuler que toute indemnité en vertu d'icelle doit être payée à sa Majesté ou selon les directives du Canada conformément à la CG10.2, « Indemnité d'assurance » (<https://achatsetventes.gc.ca/politiques-et-lignes-directrices/guide-des-clauses-et-conditions-uniformisees-d-achat/5/R/R2900D/2>).

		01/06 2016	02/12 2015	date
1	ISSUED FOR RE-TENDER			
0	ISSUED FOR TENDER			

CRA MOBILE PALLET  
RACKING CARRIAGE  
SYSTEM REPLACEMENT  
JOSEPH A. GHIZ BLDG.  
SUMMERSIDE, PE


### PARTIAL PLANS AND DETAIL

assigned	COLES ASSOCIATES LTD.	enq
date	1 JUNE 2016	
drawn	COLES ASSOCIATES LTD.	descri
date	1 JUNE 2016	
approved	N.L. P.ENG.	approval


nom	<i>R. J. MacPhee</i>	Soumission
ALSC Project Manager	Administrateur de projets TRSAC	
project number		no. du projet
		<b>R.074389.001</b>

A1 OF 1


E-DNA/100-L 532843




PARTIAL FLOOR PLAN  
SCALE: 1:200  
3  
A1




TYPICAL REMOVABLE METAL FLOOR DECKING PANELS



SECTION: DECK PANELS & RAILS



EXIST. PLAN-RAILS & PALLET RACKS



EXIST. PLAN- RAILS & DECK SUPPORT

## SPECIFICATIONS

### **CRA MOBILE PALLET RACKING CARRIAGE SYSTEM REPLACEMENT**

**275 POPE ROAD  
SUMMERSIDE, PE**



Prime Consultants:  
**Coles Associates Ltd.**

**Project No. R.074389.001**

**June 2016**

---

## TABLE OF CONTENTS

	Pages
<b>Division 01 - GENERAL REQUIREMENTS</b>	
Section 01 10 00 - Summary	6
Section 01 29 83 - Payment Procedures for Testing Laboratory Services	1
Section 01 32 00 - Prosecution and Progress	2
Section 01 32 13 - Scheduling of Work	3
Section 01 33 00 - Submittal Procedures	4
Section 01 35 24 - Special Procedures on Fire Safety Requirements	3
Section 01 35 25 - Special Procedures on Lockout Requirements	3
Section 01 35 29 - Health and Safety Requirements	7
Section 01 35 43 - Environmental Procedures	1
Section 01 35 53 - Security Procedures	2
Section 01 41 00 - Regulatory Requirements	1
Section 01 45 00 - Quality Control	2
Section 01 50 00 - Facilities and Controls	2
Section 01 51 00 - Temporary Utilities	1
Section 01 52 00 - Construction Facilities	1
Section 01 56 00 - Temporary Barriers and Enclosures	2
Section 01 61 00 - Common Product Requirements	4
Section 01 71 00 - Examination and Preparation	1
Section 01 73 00 - Execution	1
Section 01 74 00 - Cleaning and Waste Management	1

Section 01 77 00 - Closeout Procedures	2
Section 01 78 00 - Closeout Submittals	6
Section 01 91 13 - General Commissioning Requirements	8
<b>Division 10 - SPECIALTIES</b>	
Section 10 56 26 - Mobile Pallet Racking Carriage System	8

## **1 General**

### **1.1 SCOPE OF WORK**

- .1 The Contractor is to provide each item, and properly execute all work as specified herein, indicated by this performance specification and related drawings.
- .2 The Contractor shall coordinate, administer, and supervise all work, material acquisition and labour.
- .3 The Contractor shall complete the following:
  - .1 All Electrical modifications required to power the Mobile Pallet Racking Carriage System, designed by a Professional Engineer licensed to practice in the Province of Prince Edward Island.
  - .2 Canada Revenue Agency (CRA) will remove contents from pallet racks, upon three (3) days notice.
  - .3 Dismantling of the existing pallet racks and storage off site for reassembly on the new Mobile Pallet Racking Carriage System and new Rails (herein after referred to as the System).
  - .4 Remove existing mobile pallet racking system and rails including disconnecting from power source, decommission all electrical wires, conduit and components that will not be used in the new work in upper north west corner of room. Dispose of off-site.
  - .5 It is not expected that modifications to the sub-floor steel and removable metal floor decking panels will be required; however, if any modifications required to the metal floor decking panels shall be carried out to accommodate the new rail and carriage system.
  - .6 The existing steel support beams are to be used.
  - .7 Supply and installation of a new System, to be designed for flush rails and all associated wiring and controls.
  - .8 Assembly of the existing pallet racks on the new System.
  - .9 Deficiency review and correction.
  - .10 Placement of files on the pallet racks by CRA.
  - .11 Commissioning the System with loaded pallet racks.
  - .12 Provision of all manuals and warranties.
  - .13 Training of six (6) CRA staff.
- .4 Obtain and pay for the services of security personnel, employed by the Canadian Corps of Commissionaires to provide security supervision during the work of this Contract. Reference Section 01 35 53 - Security Procedures.
- .5 The Contractor will be responsible for identifying, protecting and relocating as required, any conduits, wires, cables or other sub-floor obstructions that run within the sub-floor steel support system to allow installation of new system.
- .6 The onsite work removal of existing system and installation of new system cannot begin before September 1st.

### **1.2 SCHEDULE**

- .1 Work to proceed at a schedule to meet the minimum following milestones:
  - .1 Tender Period: 7 June - 21 June 2016
  - .2 Supply and Installation Complete: 16 September 2016
  - .3 Commissioning and Deficiencies: 19 September 2016
  - .4 Manuals and Training: 20 September 2016
  - .5 100% Completion: 21 September 2016

### **1.3 EXISTING MOBILE PALLET RACKING CARRIAGE SYSTEM**

- .1 The existing shelving is five (5) rows with seven (7) bays in each row.
- .2 Overall length of each row is 658" (16713mm), and overall height of the end brackets is 108 1/4" (2750mm).
- .3 Each bay is 90 3/8" (2296mm) wide inside bracket dimension.
- .4 Each bay has a cross member that allows double stacking, and will accommodate four (4) skids of paper, each weighing up to 2500lbs (1134kg).
- .5 The overall size of each of the five carriages currently on site is 1168mm (3'10") x 16764mm (55').
- .6 Overall room size where carriage system is located is 10820mm (35'6") x 20731mm (68' 3/16").

#### **1.4 FAMILIARIZATION WITH SITE**

- .1 Before submitting their tender, it is recommended that bidders inspect and examine the site and its surroundings and satisfy themselves as to the form and nature of the work and materials necessary for the completion of the work, the means of access to the site, the accommodation they may require, and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. No allowance shall be made subsequently in this connection on account of error or negligence to properly observe and determine the conditions that will apply.
- .2 Bidders to coordinate site visit with Departmental Representative.

#### **1.5 COST BREAKDOWN**

- .1 Before submitting first progress claim submit breakdown of Contract price in detail as directed by Departmental Representative and aggregating contract price. Departmental Representative will provide the required forms for application of progress payment.
- .2 Provide cost breakdown in same format as the numerical and subject title system used in this specification project manual and thereafter sub-divided into major work components or building systems as directed by Departmental Representative.
- .3 Upon approval by Departmental Representative, cost breakdown will be used as basis for progress payment.

#### **1.6 PERMITS**

- .1 Provide appropriate notifications of project to municipal and provincial inspection authorities.
- .2 Obtain compliance certificates as prescribed by legislative and regulatory provisions of municipal, provincial and federal authorities as applicable to the performance of Work.
- .3 Submit to Departmental Representative, copy of application submissions and approval documents received for above referenced authorities.

#### **1.7 BILINGUAL NOTATIONS**

- .1 Any items supplied and installed under this contract which have operating instructions on them and which can be expected to be used by the public and building tenants, must have such operating instructions in bilingual format - English and French.
- .2 Factory embossed or recessed symbols illustrating equipment operation is an acceptable alternate to lettering.
- .3 Items supplied with factory - embossed or recessed lettering in one official language with an applied sticker or decal representing the second official language is not acceptable unless the Departmental Representative give prior approval before any such items are ordered.
- .4 Internationally recognized colour coding such as red and blue center pieces for plumbing brass is acceptable.
- .5 Public Works and Government Services Canada will not be responsible for re-stocking



or re-ordering costs incurred by the Contractor as a result of his failure to ensure bilingual designation on such items.

- .6 The Contractor is responsible for ensuring that all trades are made aware of these requirements.

## **1.8 BUILDING SMOKING ENVIRONMENT**

- .1 Comply with smoking restrictions. The building and grounds are non-smoking.

## **1.9 COORDINATION**

- .1 All Trades on site are responsible to co-operate and co-ordinate with each other.
- .2 Coordination prior to installation of all building components is mandatory.
- .3 Where work must be modified or reinstalled to be properly coordinated, the cost to do so will be paid by the Contractor. The Owner will not pay for uncoordinated work nor will the Owner pay to resolve uncoordinated work.

## **1.10 DAMAGE**

- .1 Where damage is done to work in progress or existing areas of the building or site, the cost to repair the damage will be paid by the Contractor.
- .2 The Owner will not participate in paying for such damage.

## **1.11 DEDUCTIONS FOR UNCORRECTED WORK**

- .1 If, in the opinion of the Departmental Representative, it is not expedient to correct defective work or work not done in accordance with the Contract documents, the Owner may deduct from the Contract price the difference in value between the work as done and that called for by the Contract, the amount of which shall be determined in the final instance by the Departmental Representative.

## **1.12 CORRECTION AFTER COMPLETION**

- .1 Subject to any special provisions in the Contract documents, the Contractor shall remedy any defects due to faulty materials or workmanship appearing the warranty period.

## **1.13 EMERGENCIES**

- .1 The Departmental Representative has authority in an emergency to stop the progress of the work whenever in his or her opinion, such stoppage may be necessary to ensure the safety of life, or of the structure. This includes authority to make such changes and to order, access and award the cost of such work extra to the Contract or otherwise as may in his or her opinion be necessary.

## **1.14 EXECUTION**

- .1 Execute work with least possible interference or disturbance to building operations, public and normal use of premises.

## **1.15 MITIGATION OF IMPACT ON EXISTING BUILDING**

- .1 This Contractor will recognize that the existing facility must remain fully functional with minimal disruption during the course of the Work. Any planned disruption in services must be brought to the attention of the Departmental Representative and receive prior approval before commencement.
- .2 This Contractor is responsible to ensure that the existing building is kept free from any contamination that may result from any of the Work.
- .3 The life safety and security systems in the existing building are required to remain functional during construction. This Contractor is responsible to ensure that such systems are not inadvertently activated or deactivated during construction.

#### **1.16 DOCUMENTS**

- .1 The Contract Documents are complementary and what is called for by any one shall be as binding as if called for by all.
- .2 Descriptions of materials or work which have well known technical or trade meanings shall be held to refer to such recognized standards.
- .3 Should the specifications conflict with the drawings, the specifications shall govern.
- .4 In the case of discrepancies between drawings, those of larger scale, or if the scale are the same, those of later date shall govern.
- .5 All drawings and specifications shall be interpreted in conformity with the agreement.

#### **1.17 PROTECTION OF WORK AND PROPERTY**

- .1 The Contractor shall maintain continuously adequate protection of all his or her work from damage and shall take reasonable precautions to protect the Owner's property from all injury arising in connection with this Contract. He or she shall make good any damage or injury to his or her work and shall make good any damage or injury to the property of the Owner resulting from the lack of reasonable protective precautions.

#### **1.18 COMMUNICATION**

- .1 All submissions and inquiries shall be directed to the Departmental Representative for review.
- .2 All direction will be transmitted to the Contractor by the Departmental Representative.

#### **1.19 CODES AND REGULATIONS**

- .1 Perform work in accordance with National Building Code of Canada (NBC) 2010 and any other code of provincial or local application, provided that in any case of conflict or discrepancy the more stringent requirements shall apply.
- .2 Meet or exceed requirements of contract documents and specified standards.
- .3 References to standards, including manufacturer's direction for installation shall be the latest edition.
- .4 All materials, components and equipment as well as construction methods shall comply with the latest edition of the National Building Code and all other applicable Provincial codes or regulations.
- .5 The latest edition of the Canadian Electrical Code shall govern all electrical work, whether pre-wired an/or assembled remote from the site or not.
- .6 All equipment supplied or installed shall be CSA approved for the intended use.
- .7 The latest edition of the PEI Occupational Health and Safety Act and Regulations shall govern safe construction practices.
- .8 Provide a copy of all certificates of acceptance issued by Provincial or local authorities.

#### **1.20 WORK SCHEDULE AND PROGRESS REPORTS**

- .1 The Contractor will prepare and maintain a consolidated schedule in weekly increments showing scheduled work versus actual work. The schedule shall indicate the contract commencement and completion date for the total project.
- .2 The Contractor is to develop a detailed schedule identifying specific components of project, including schematic, design development, working / shop drawings, approvals, file removal, demolition, cable / conduit relocation, structural system install, floor panel adjustment, rail install, carriage install, rack re-install, testing / deficiency, manual supply, file replacement, commissioning, training and turnover / 100% completion.
- .3 Provide updated schedule information from time to time as the progress of the work or Departmental Representative may require.
- .4 The Contractor shall furnish monthly progress reports from the date of commencement. These reports shall show the percentage of completion of the various divisions of work and contain comments on the general progress of the project.

**1.21 SUPERVISOR**

- .1 A full-time Site Superintendent to be dedicated to this site and be responsible to coordinate Contractor activities and coordinate with Departmental Representative and CRA activities.

**1.22 CRA ACTIVITIES**

- .1 The Contractor is not to negatively impact CRA activities in any way. The building is to remain fully functional.

**1.23 WORK PLAN**

- .1 The Contractor is to prepare and submit a weekly work plan by end of business Thursdays to Departmental Representative.
- .2 Work plan to identify work for the coming week, interruptions, deliveries, use of loading deck, updated schedule, CRA schedule requirements.
- .3 Work plan to be submitted through from Award to Final Completion, for all aspects of the project.

**1.24 CONTRACTOR'S USE OF SITE**

- .1 Do not unreasonably encumber site with materials or equipment.
- .2 Move stored products or equipment, which interfere with operations of Departmental Representative or other Contractors.
- .3 Obtain and pay for use of additional off site storage or work areas needed for operations.

**1.25 PROJECT MEETINGS**

- .1 Hold weekly project meetings at the site, in the Contractor's site office and at a time approved by Departmental Representative. In addition hold any additional meetings as the need arises or as directed by the Departmental Representative.
- .2 Notify all parties concerned of such meetings.
- .3 The Contractor will record minutes of meetings and distribute to all parties within three (3) days of meeting.
- .4 Failure of the Contractor to accurately record minutes or distribute the minutes in a timely manner will result in the Departmental Representative taking over the duties invoicing the owner and deducting an equal amount from the progress claims as compensation.

**1.26 SITE INSPECTOR**

- .1 No work is to be covered without having received approval from the Departmental Representative. The Departmental Representative will have the authority to cause any part of the work to cease, should, in his or her opinion, there be cause to do so.
- .2 This work shall be examined by the Departmental Representative and approval granted to resume when a satisfactory solution has been found out.

**1.27 SETTING OUT OF WORK**

- .1 Assume full responsibility for and execute complete layout of work to locations, lines and elevations.
- .2 Provide all equipment, materials and devices needed to lay out and construct work.
- .3 Supply such devices as straight edges and templates required to facilitate Departmental Representative's inspection of work.

**1.28 CONCEALMENT**

- .1 Conceal pipes, ducts and wiring in floor, wall and ceiling construction of finished areas except where indicated otherwise.

**1.29 LOCATION OF EQUIPMENT AND FIXTURES**

- .1 Location of equipment, fixtures and outlets indicated or specified are to be considered as approximate.
- .2 Locate equipment, fixtures and distribution systems to provide minimum interference and maximum usable space and in accordance with manufacturer's recommendations for safety, access and maintenance.
- .3 Inform Departmental Representative of impending installation and obtain his approval for actual location.
- .4 Submit field drawings to indicate relative position of various services and equipment when required by Departmental Representative.

#### **1.30 EXISTING SERVICES**

- .1 Before commencing work, establish the location and extent of service lines and notify Departmental Representative of findings if in conflict with information or intent shown.
- .2 Where unknown services are encountered, immediately advise Departmental Representative and confirm findings in writing.
- .3 Contractor shall pay for any or all repairs to existing services that have been damaged due to the Contractor's negligence in the course of his work.
- .4 Notify Departmental Representative and utilities of intended interruption of services and obtain permission.
- .5 Where Work involves breaking into or connecting to existing services, give Departmental Representative 24 hours notice for necessary interruption. Minimize duration of interruptions. Carry out Work at times as directed by governing authorities or Owner with minimum disturbance.
- .6 Provide temporary services when directed by Departmental Representative to maintain critical building and tenant systems.

#### **1.31 ADDITIONAL DRAWINGS**

- .1 The Departmental Representative may furnish as necessary for the execution of the work, additional instructions, by means of drawings or otherwise. All such additional instructions shall be consistent with the contract documents. In giving such additional instructions the Departmental Representative shall have authority to make minor changes in the work, consistent with the Contract.

**END OF SECTION**

## **1 General**

### **1.1 APPOINTMENT AND PAYMENT**

- .1 The Contractor will arrange and pay for the services of an independent Consultant to carry out the following tests:
  - .1 Inspection and testing required by laws, ordinances, rules, regulations or orders of public authorities.
  - .2 Inspection and testing performed exclusively for Contractor's convenience.
  - .3 Testing, adjustment and balancing of conveying systems, electrical equipment and systems.
  - .4 Mill tests and certificates of compliance.
  - .5 Where tests or inspections reveal work not in accordance with contract requirements, Contractor shall pay costs for additional tests or inspections as Departmental Representative may require to verify acceptability of corrected work.

### **1.2 CONTRACTOR'S RESPONSIBILITIES**

- .1 Provide labour, equipment and facilities to:
  - .1 Provide access to Work for inspection and testing.
  - .2 Facilitate inspections and tests.
  - .3 Make good Work disturbed by inspection and test.
  - .4 Provide storage on site for laboratory's exclusive use to store equipment and cure test samples.
- .2 Notify Departmental Representative sufficiently in advance of operations to allow for assignment of laboratory personnel and scheduling of test.
- .3 Where materials are specified to be tested, deliver representative samples in required quantity to testing laboratory.
- .4 Pay costs for uncovering and making good Work that is covered before required inspection or testing is completed and approved by Departmental Representative.
- .5 Provide Departmental Representative with two (2) sets of fully documented test reports, submitted immediately following the testing operations.

### **1.3 FINAL REPORT**

- .1 Submit to the Departmental Representative at completion of job, three (3) bound copies of inspection report. This report to include:
  - .1 All copies of test results, indexed to correspond with testing requirements of this Section.
- .2 Written report from the testing firm carrying out the work of this Contract stating that the work as itemized under Par. 4 of this Section has been performed in strict accordance with the requirements of the Contract documents.
- .3 The report will be signed and sealed by a Professional Engineer registered to practice in the Province of Prince Edward Island and practicing in the field of materials testing.

**END OF SECTION**

## **1 General**

### **1.1 TIME AND ORDER OF COMPLETION**

- .1 The Departmental Representative may direct the Contractor in writing as to the time, precedence or order in which any work to be done under the contract shall be performed.

### **1.2 TIME OF COMMENCEMENT**

- .1 The Contractor shall commence work within three (3) days after the execution of the Contract, unless specifically indicated or directed otherwise by the Departmental Representative, and shall proceed continuously, diligently and with all reasonable dispatch consistent with the Construction Schedule, and the proper execution of the work, until final completion. The rate of progress made with the work shall be such as to ensure its final completion within the specified time.

### **1.3 TIME OF COMPLETION**

- .1 The whole of the work to be done under this contract shall be finally completed in full accordance with all the terms and conditions of this contract on or before the day specified for such completion in the tender which forms part of this contract.
- .2 The Contractor will be responsible for all costs incurred for failure to complete the project within the project schedule, plus 20 working days.
- .3 Costs for Insurance and bonding extensions, Consultant fees and expenses for extended services will all be totaled and charged against the Contractors. Costs will be deducted from Progress Claims.

### **1.4 EXTENSION OF TIME**

- .1 An extension of time may be granted in writing by the Departmental Representative in the event of the work being delayed beyond the prescribed time for completion as a result of causes beyond the Contractor's control. Such extensions shall be for such time as the Departmental Representative may prescribe, and the Departmental Representative shall fix the terms on which the said extension may be granted. An application by the Contractor for an extension of time shall be made to the Departmental Representative in writing as least fifteen calendar days prior to the date of completion fixed by the contract. Where applicable, all bonds or other surety including Liability Insurance furnished to the Departmental Representative by the Contractor shall be amended where necessary at the expense of the Contractor to provide coverage beyond the date of any extension of time granted, and the Contractor shall furnish the Departmental Representative with evidence of such amendment of the bonds or other surety and Liability Insurance.
- .2 Any extension of time that may be granted to the Contractor shall be so granted and accepted without prejudice to any rights of the Owner whatsoever under the Contract, and all of such rights shall continue in full force and effect after the time limited in the Contract for the completion of the work and whenever in the Contract, power and authority is given to the Departmental Representative or any person to take any action consequent upon the act, default, breach, neglect, delay, non-observance or non-performance by the Contractor in respect of the work or Contract, or any portion thereof, such powers or authorities may be exercised from time to time and not only in the event of the happening of such contingencies before the time limited in the Contract for the completion of the work but also in the event of the same happening after the time so limited in the case of the Contractor being permitted to proceed with the execution of the work under an extension of time granted by the Departmental Representative.

### **1.5 SUSPENSION OF WORK**

- .1 The Contractor shall, upon written notice from the Departmental Representative,

discontinue or delay any or all of the work when, in the opinion of the Departmental Representative, it is unwise to proceed for any reason whatsoever, and the work shall not be resumed until the Departmental Representative shall in writing so direct.

#### **1.6 LABOUR DISPUTE**

- .1 Except to the extent that relief is granted under of the Contract, the Contractor shall bear the risk and responsibility of any loss, damage or expense to the work or to himself or any nature and kind whatsoever arising from strikes or labour disputes other than such loss, damage or expense caused by the failure of the Owner to meet its obligations under the Contract.

#### **1.7 CHARACTER AND EMPLOYMENT OF WORKERS**

- .1 The Contractor shall employ only orderly, competent and skillful workers to do the work and shall give preference to available residents in the area of the Contract. Whenever the Departmental Representative shall inform the Contractor in writing that any person or persons on the work are, in the opinion of the Departmental Representative, incompetent, unfaithful or disorderly, such person or persons shall be discharged from the work and shall not again be employed on the work without the consent in writing of the Departmental Representative.

#### **1.8 LIMITATIONS OF OPERATIONS**

- .1 The Departmental Representative may, in writing, require the Contractor to cease or limit operations under the Contract, on any day or days if the operations are of such nature that the Departmental Representative deems it necessary or expedient to do so.
- .2 The Contractor shall cooperate with other contractors, utility companies and the Departmental Representative and they shall be allowed access to their work. The Departmental Representative reserves the right to alter the method of operations on this Contract to avoid interference with other work.

**END OF SECTION**



## **1 General**

### **1.1 SUBMITTALS**

- .1 10 working days after award of contract and prior to commencement of Work, submit to Departmental Representative the following work management documents:
  - .1 Work Schedule as specified herein.
  - .2 Shop Drawing Submittal Schedule specified in Section 01 33 00 - Submittal Procedures.
  - .3 Health and Safety Plan specified in Section 01 35 29 - Health, Safety, and Emergency Response Procedures.
  - .4 List of workers requiring security clearance and those to be placed on Site Security Control list as specified in Section 01 35 53 - Security Procedures.

### **1.2 WORK SCHEDULE**

- .1 Upon notification of tender acceptance submit:
  - .1 Work schedule submitted within 7 calendar days of contract award.
- .2 Schedule to indicate all calendar dates from commencement to completion of all work within the time stated in the accepted tender.
- .3 Provide sufficient details in schedule to clearly illustrate entire implementation plan, depicting efficient coordination of tasks and resources, to achieve completion of Work on time and permit effective monitoring of Work progress in relation to established milestones.
- .4 Work schedule content to include as a minimum the following:
  - .1 Bar (GANTT) Charts, indicating all work activities, tasks and other project elements, their anticipated durations, planned dates for achieving key activities and major project milestones supported with;
  - .2 Written narrative on key elements of work illustrated in bar chart, providing sufficient details to demonstrate a reasonable implementation plan for completion of project within designated time.
  - .3 Generally Bar Charts derived from commercially available computerized project management system are preferred but not mandatory.
- .5 Work schedule must take into consideration and reflect the required sequence of Work, special conditions and operational restrictions as specified below.
- .6 Schedule Work in cooperation with the Departmental Representative. Departmental Representative's decision is final in regards to time and order of Work. Incorporate within Work Schedule, items identified by Departmental Representative during review of preliminary schedule.
- .7 Completed schedule shall be to the Departmental Representative's approval. When schedule has been approved by Departmental Representative, take necessary measures to complete work within scheduled time. Do not change schedule without Departmental Representative's approval.
- .8 It is the Contractor's responsibility to ensure all subtrades and subcontractors are made aware of the work restraints and operational restriction specified.
- .9 Schedule Updates:
  - .1 Submit when requested by Departmental Representative.
  - .2 Provide information and pertinent details explaining reasons for necessary changes to implementation plan.
  - .3 Identify problem areas, anticipated delays, impact on schedule and proposed corrective measures to be taken.
- .10 Departmental Representative will make interim reviews and evaluate progress of work based on approved schedule. Frequency of such reviews will be as decided by Departmental Representative. Address and take corrective measures on items of work



as identified by reviews and as directed by Departmental Representative. Update schedule accordingly.

- .11 In every instance, change or deviation from work scheduling, no matter how minimal the risk or impact on safety or inconvenience to tenant or public might appear, will be subject to prior review and approval by the Departmental Representative.

### 1.3 PROJECT PHASING

- .1 Be aware that Building must be kept operational for the full duration of work of this contract. Building services to areas under use by tenants must also be maintained at all times during the Facility's operational hours and as specifically defined in operational restrictions specified in this section.

### 1.4 OPERATIONAL RESTRICTIONS

- .1 The Contractor must recognize that building occupants will be affected by implementation of this contract. The Contractor must perform the work with utmost regard to the safety and conscience of building occupants and users. All work activities must be planned and scheduled with this in mind. The Contractor will not be permitted to disturb any other portion of the building without providing temporary facilities as necessary to ensure safe and direct passage through disturbed or affected areas
- .2 Contractor to meet with the Departmental Representative on a weekly basis to identify intended work areas, activities and scheduling for the coming week.
- .3 See Section 01 35 53 - Security Procedures in regards to:
  - .1 Special security requirements which must be observed in the course of work.
  - .2 Provisions of security personnel by Contractor as part of the work.
- .4 Limited Maneuvering Space on Site:
  - .1 Coordinate with Departmental Representative for loading/off loading. Parking is not available on-site.
- .5 Facility circulation maintained:
  - .1 Ensure that entrances, corridors, stairwells, exits and other circulation routes are maintained free and clear providing safe and uninterrupted passage for facility users and public at all times for duration of work.
  - .2 Maintain those areas clean and free of construction materials and equipment during operational hours of Facility. Provide temporary and adequate devices to ensure users are not exposed to construction hazardous conditions and are protected from exposure to dust, noise and hazardous materials.
  - .3 Maintain free escape routes accessible and fire fighting access open all times for the duration of the project. Do not under any circumstances block fire exit doors and do not leave construction materials or debris in corridors, stairwells and in building entrances and exits.
- .6 Safety Signage:
  - .1 Provide on site, and erect as required during progress of work, proper bilingual signage, mounted on self-supporting stands, warning the public and building occupants of construction activities in progress and alerting need to exercise caution in proceeding through disturbed areas of the facility, and directing building occupants through any detours which may be required.
  - .2 Signage to be professionally printed and mounted on wooden backing, colored and to express messages as directed by the Departmental Representative.
  - .3 Generally maximum size of sign should be in the order of 1.0 square meter. Number of signs required will be dependent on number of areas in facility under renovation at any one time.
  - .4 Include cost for the supply and installation of these signs in the tender price.

### 1.5 PROJECT MEETINGS

- .1 Schedule and administer project meetings, held on a minimum weekly basis, for entire duration of work and more often when directed by Departmental Representative as deemed necessary due to progress of work of particular situation.
- .2 Prepare agenda for meetings.
- .3 Notify participants in writing 4 days in advance of meeting date.
  - .1 Ensure attendance of all subcontractors.
  - .2 Departmental Representative will provide list of other attendees to be notified.
- .4 Hold meetings at project site or where approved by Departmental Representative.
- .5 Preside at meetings and record minutes.
  - .1 Indicate significant proceedings and decisions. Identify action items by parties.
  - .2 Distribute to participants by mail or by facsimile within 3 calendar days after each meeting.
  - .3 Make revisions as directed by Departmental Representative.
  - .4 Departmental Representative will advise whether submission of minutes by email is acceptable. Decision will be based on compatibility of software among participants.

#### 1.6 WORK COORDINATION

- .1 The General Contractor is responsible for coordinating the work of the various trades and predetermining where the work of such trades interfaces with each other.
  - .1 Designate one person from own employ having overall responsibility to review contract documents and shop drawings, plan and manage such coordination.
- .2 The General Contractor shall convene meetings between trades whose work interfaces and ensure that they are fully aware of the areas and the extent of where interfacing is required.
  - .1 Provide each trade with the plans and specs of the interfacing trade, as required, to assist them in planning and carrying out their respective work.
  - .2 Develop coordination drawings when deemed required illustrating potential interference between work of various trades and distribute to all affected parties including structural trade.
    - .1 Pay particularly close attention to overhead work above ceilings and within or near to building structural elements.
    - .2 Coordination drawings to identify all building elements, service lines, rough-in points and indicate from where various services are coming.
  - .3 Review coordination drawings at purposely called meetings. Have subcontractors sign-off on drawings and publish minutes of each meeting.
  - .4 Plan and coordinate work in such a way to minimize quantity of service line offsets.
  - .5 Submit copy of coordination drawings and meeting minutes to Departmental Representative for information purposes.
- .3 Submission of shop drawings and ordering of prefabricated equipment or prebuilt components shall only occur once coordination meeting for such items has taken place between trades and all conditions affecting the work of the interfacing trades has been made known and accounted for.
- .4 Work Cooperation:
  - .1 Ensure cooperation between trades in order to facilitate the general progress of the work and avoid situations of spatial interference.
  - .2 Ensure that each trade provides all other trades reasonable opportunity for the completion of the work and in such a way as to prevent unnecessary delays, cutting, patching and the need to remove and replace completed work.

#### END OF SECTION

## **1 General**

### **1.1 GENERAL**

- .1 All submittals are to be delivered within 30 days of award of Contract.
- .2 Make specified submittals to the Departmental Representative at commencement of Contract, before beginning work on site (and no later than 10 days after award. Include:
  - .1 Contract Security
  - .2 Proof of Insurance
  - .3 Workers' Compensation clearance letter
  - .4 Cost Breakdown
  - .5 Permits as required
  - .6 Construction schedule
  - .7 Corporate Safety Plan
  - .8 Site specific safety plan
  - .9 Shop drawing schedule
- .3 During Construction provide:
  - .1 Updated trade construction schedule
  - .2 Shop drawings as required
  - .3 Inspection and test reports
  - .4 Request for Information
  - .5 Submission required for payment purposes
- .4 At completion of Work provide
  - .1 Submission at completion of work as specified in Project Close Out, Commissioning, and Operations and Maintenance Data Sections.

### **1.2 ADMINISTRATIVE**

- .1 Refer to GC 3.10 Shop Drawings
- .2 Submit to Departmental Representative submittals listed for review. Submit 10 working days after award of contract in orderly sequence to not cause delay in Work. Failure to submit in ample time is not considered sufficient reason for extension of Contract Time and no claim for extension by reason of such default will be allowed.
- .3 Do not proceed with Work affected by submittal until review is complete.
- .4 Present shop drawings, product data, samples and mock-ups in SI Metric units.
- .5 Where items or information is not produced in SI Metric units converted values are acceptable.
- .6 Review submittals prior to submission to Departmental Representative. This review represents that necessary requirements have been determined and verified, or will be, and that each submittal has been checked and co-ordinated with requirements of Work and Contract Documents. Submittals not stamped, signed, dated and identified as to specific project will be returned without being examined and considered rejected.
- .7 Notify Departmental Representative, in writing at time of submission, identifying deviations from requirements of Contract Documents stating reasons for deviations.
- .8 Verify field measurements and affected adjacent Work are co-ordinated.
- .9 Contractor's responsibility for errors and omissions in submission is not relieved by Departmental Representative's review of submittals.
- .10 Contractor's responsibility for deviations in submission from requirements of Contract Documents is not relieved by Departmental Representative review.
- .11 Keep one reviewed copy of each submission on site.

### **1.3 SUBMITTAL SCHEDULES:**

- .1 Within 10 days following award of contract, prepare and submit a summary of all

- submittals required by the Trade Package.
- .2 Submittal schedule shall be formatted as follows:

- | SECTION<br>NUMBER | ITEM/<br>EQUIP | SHOP DWG<br>DEL DATE | ORDER<br>DATE | ITEM<br>DEL DATE |
|-------------------|----------------|----------------------|---------------|------------------|
|-------------------|----------------|----------------------|---------------|------------------|
- .3 The initial submission shall include completion of the first 3 columns of the above table example. Once approved shop drawings are received by the Contractor, the balance of the summary shall be updated and submitted accordingly.

#### 1.4 SHOP DRAWINGS AND PRODUCT DATA

- .1 The term "shop drawings" means drawings, diagrams, illustrations, schedules, performance charts, brochures and other data which are to be provided by Contractor to illustrate details of a portion of Work.
- .2 Indicate materials, methods of construction and attachment or anchorage, erection diagrams, connections, explanatory notes and other information necessary for completion of Work. Where articles or equipment attach or connect to other articles or equipment, indicate that such items have been co-ordinated, regardless of Section under which adjacent items will be supplied and installed. Indicate cross references to design drawings and specifications.
- .3 Allow 10 days for Departmental Representative's review of each submission.
- .4 Adjustments made on shop drawings by Departmental Representative are not intended to change Contract Price. If adjustments affect value of Work, state such in writing to Departmental Representative prior to proceeding with Work.
- .5 Make changes in shop drawings as Departmental Representative may require, consistent with Contract Documents. When resubmitting, notify Departmental Representative in writing of revisions other than those requested.
- .6 Submissions include:
- .1 Date and revision dates.
  - .2 Project title and number.
  - .3 Name and address of:
    - .1 Subcontractor.
    - .2 Supplier.
    - .3 Manufacturer.
  - .4 Contractor's stamp, signed by Contractor's authorized representative certifying approval of submissions, verification of field measurements and compliance with Contract Documents.
  - .5 Details of appropriate portions of Work as applicable:
    - .1 Fabrication.
    - .2 Layout, showing dimensions, including identified field dimensions, and clearances.
    - .3 Setting or erection details.
    - .4 Capacities.
    - .5 Performance characteristics.
    - .6 Standards.
    - .7 Operating weight.
    - .8 Wiring diagrams.
    - .9 Single line and schematic diagrams.
    - .10 Relationship to adjacent work.
- .7 After Departmental Representative's review, distribute copies.
- .8 Submit one transparency of shop drawings for each requirement requested in specification Sections and as Departmental Representative may reasonably request.

- .9 Submit 6 copies of product data sheets or brochures for requirements requested in specification Sections and as requested by Departmental Representative where shop drawings will not be prepared due to standardized manufacture of product.
- .10 Submit 3 copies of test reports for requirements requested in specification Sections and as requested by Departmental Representative.
  - .1 Report signed by authorized official of testing laboratory that material, product or system identical to material, product or system to be provided has been tested in accord with specified requirements.
  - .2 Testing must have been within 3 years of date of contract award for project.
- .11 Submit 3 copies of certificates for requirements requested in specification Sections and as requested by Departmental Representative.
  - .1 Statements printed on manufacturer's letterhead and signed by responsible officials of manufacturer of product, system or material attesting that product, system or material meets specification requirements.
  - .2 Certificates must be dated after award of project contract complete with project name.
- .12 Submit 3 copies of manufacturers instructions for requirements requested in specification Sections and as requested by Departmental Representative.
  - .1 Pre-printed material describing installation of product, system or material, including special notices and Material Safety Data Sheets concerning impedances, hazards and safety precautions.
- .13 Submit 3 copies of Manufacturer's Field Reports for requirements requested in specification Sections and as requested by Departmental Representative.
  - .1 Documentation of the testing and verification actions taken by manufacturer's representative to confirm compliance with manufacturer's standards or instructions.
- .14 Submit 3 copies of Operation and Maintenance Data for requirements requested in specification Sections and as requested by Departmental Representative.
- .15 Delete information not applicable to project.
- .16 Supplement standard information to provide details applicable to project.
- .17 If upon review by Departmental Representative, no errors or omissions are discovered or if only minor corrections are made, transparency will be returned and fabrication and installation of Work may proceed. If shop drawings are rejected, noted copy will be returned and resubmission of corrected shop drawings, through same procedure indicated above, must be performed before fabrication and installation of Work may proceed.

## 1.5 SAMPLES

- .1 Submit for review samples in duplicate as requested in respective specification Sections. Label samples with origin and intended use.
- .2 Deliver samples prepaid to Departmental Representative's business address.
- .3 Notify Departmental Representative in writing, at time of submission of deviations in samples from requirements of Contract Documents.
- .4 Where color, pattern or texture is criterion, submit full range of samples.
- .5 Adjustments made on samples by Departmental Representative are not intended to change Contract Price. If adjustments affect value of Work, state such in writing to Departmental Representative prior to proceeding with Work.
- .6 Make changes in samples which Departmental Representative may require, consistent with Contract Documents.
- .7 Reviewed and accepted samples will become standard of workmanship and material against which installed Work will be verified.

**1.6 CERTIFICATES AND TRANSCRIPTS**

- .1 Immediately after award of Contract, submit Workers' Compensation Board status.
- .2 Submit transcription of insurance immediately after award of Contract.

**END OF SECTION**

## **1 General**

### **1.1 SECTION INCLUDES**

- .1 Fire Safety Requirements.
- .2 Hot Work Permit.
- .3 Existing Fire Protection and Alarm Systems.

### **1.2 RELATED SECTIONS**

- .1 Section 01 35 29 - Health and Safety Requirements.

### **1.3 REFERENCES**

- .1 National Fire Code 2010.
- .2 National Building Code 2010.

### **1.4 DEFINITIONS**

- .1 Hot Work defined as:
  - .1 Welding work.
  - .2 Cutting of materials by use of torch or other open flame devices.
  - .3 Grinding with equipment which produces sparks.
  - .4 Use of open flame torches such as for roofing work.

### **1.5 SUBMITTALS**

- .1 Submit copy of Hot Work Procedures and sample of Hot Work permit to Departmental Representative for review, within 14 calendar days of acceptance of bid.
- .2 Submit in accordance with Section 01 33 00 - Submittal Procedures.

### **1.6 FIRE SAFETY REQUIREMENTS**

- .1 Implement and follow fire safety measures during Work. Comply with following:
  - .1 National Fire Code 2010.
  - .2 National Building Code 2010.
  - .3 Federal and Provincial Occupational Health and Safety Acts and Regulations.
- .2 In event of conflict between any provisions of above authorities the most stringent provision will apply. Should a dispute arise in determining the most stringent requirement, Departmental Representative will advise on the course of action to be followed.

### **1.7 HOT WORK AUTHORIZATION**

- .1 Obtain Departmental Representative's written "Authorization to Proceed" before conducting any form of Hot Work on site.
- .2 To obtain authorization submit to Departmental Representative:
  - .1 Contractor's typewritten Hot Work Procedures to be followed on site as specified below.
  - .2 Description of the type and frequency of Hot Work required.
  - .3 Sample Hot Work Permit to be used.
- .3 Upon review and confirmation that effective fire safety measures will be implemented and followed during performance of hot work, Departmental Representative will give authorization to proceed as follows:
  - .1 Issue one written "Authorization to Proceed" covering the entire project for duration of work or;
  - .2 Subdivide the work into pre-determined, individual activities, each activity requiring a separately written authorization to proceed.
- .4 Requirement for individual authorization will be based on:



- .1 Nature or phasing of work;
- .2 Risk to Facility operations;
- .3 Quantity of various trades needing to perform hot work on project or;
- .4 Other situation deemed necessary by Departmental Representative to ensure fire safety on premises.
- .5 Do not perform any Hot Work until receipt of Departmental Representative's written "Authorization to Proceed" for that portion of work.
- .6 In tenant occupied Facility, coordinate performance of Hot Work with Facility Manager through the Departmental Representative. When directed, perform Hot Work only during non-operative hours of the Facility. Follow Departmental Representative's directives in this regard.
- .7 Submit requests in sufficient time so as not to delay work.

#### **1.8 HOT WORK PROCEDURES**

- .1 Develop and implement safety procedures and work practices to be followed during the performance of Hot Work.
- .2 Hot Work Procedures to include:
  - .1 Requirement to perform hazard assessment of site and immediate work area beforehand for each hot work event in accordance with Safety Plan specified in Section 01 35 29 - Health and Safety Requirements.
  - .2 Use of a Hot Work Permit system with individually issued permit by Contractor's Superintendent to worker or subcontractor granting permission to proceed with Hot Work.
  - .3 Permit required for each Hot Work event.
  - .4 Designation of a person on site as a Fire Safety Watcher responsible to conduct a fire safety watch for a minimum duration of 30-60 minutes immediately following the completion of the Hot Work.
  - .5 Compliance with fire safety codes, standards and occupational health and safety regulations specified.
  - .6 Site specific rules and procedures in force at the site as provided by the Facility Manager.
- .3 Generic procedures, if used, must be edited and supplemented with pertinent information tailored to reflect specific project conditions. Label document as being the Hot Work Procedures for this contract.
- .4 Procedures shall clearly establish responsibilities of:
  - .1 Worker performing hot work,
  - .2 Person issuing the Hot Work Permit,
  - .3 Fire Safety Watcher,
  - .4 Subcontractor(s) and Contractor.
- .5 Brief all workers and subcontractors on Hot Work Procedures and of Permit system. Stringently enforce compliance.

#### **1.9 HOT WORK PERMIT**

- .1 Hot Work Permit to include the following:
  - .1 Project name and project number;
  - .2 Building name and specific room or area where hot work will be performed;
  - .3 Date of issue;
  - .4 Description of hot work type needed;
  - .5 Special precautions to be followed, including type of fire extinguisher needed;
  - .6 Name and signature of permit issuer.
  - .7 Name of worker to which the permit is issued.



- .8 Permit validity period not to exceed 8 hours. Indicate start time/date and termination time/date.
- .9 Worker's signature with time/date of hot work completion.
- .10 Stipulated time period of safety watch.
- .11 Fire Safety Watcher's signature with time/date.
- .2 Permit to be typewritten form. Industry Standard forms shall only be used if all data specified above is included on form.
- .3 Each Hot Work Permit to be completed in full, signed and returned to Contractor's Superintendent for safe keeping on site.

#### **1.10 FIRE PROTECTION AND ALARM SYSTEMS**

- .1 Fire protection and alarm systems shall not be:
  - .1 Obstructed.
  - .2 Shut-off, unless approved by Departmental Representative.
  - .3 Left inactive at the end of a working day or shift.
- .2 Do not use fire hydrants, standpipes and hose systems for purposes other than firefighting.
- .3 Costs incurred, from the fire department, Facility owner and tenants, resulting from negligently setting off false alarms will be charged to the Contractor in the form of financial progress payment reductions and holdback assessments against the Contract.

#### **1.11 DOCUMENTS ON SITE**

- .1 Keep Hot Work Permits and Hazard assessment documentation on site for duration of Work.
- .2 Upon request, make available to Departmental Representative or to authorized safety Representative for inspection.

**END OF SECTION**

## **1 General**

### **1.1 SECTION INCLUDES**

- .1 Procedures to isolate and lockout electrical facility and other equipment from energy sources.

### **1.2 RELATED SECTIONS**

- .1 Section 01 35 29 - Health and Safety Requirements.

### **1.3 REFERENCES**

- .1 CSA C22.1-12, Canadian Electrical Code, Part 1, Safety Standard for Electrical Installations.
- .2 CAN/CSA-C22.3 No.1-06, Overhead Systems.
- .3 CSA C22.3 No.7-06, Underground Systems.
- .4 COSH: Canada Occupational Health and Safety Regulations made under Part II of the Canada Labour Code.

### **1.4 DEFINITIONS**

- .1 Electrical Facility: means any system, equipment, device, apparatus, wiring, conductor, assembly or part thereof that is used for the generation, transformation, transmission, distribution, storage, control, measurement or utilization of electrical energy, and that has an amperage and voltage that is dangerous to persons.
- .2 Guarantee of Isolation: means a guarantee by a competent person in control or in charge that a particular facility or equipment has been isolated.
- .3 De-energize: in the electrical sense, that a piece of equipment is isolated and grounded, e.g. if the equipment is not grounded, it cannot be considered de-energized (DEAD).
- .4 Guarded: means that an equipment or facility is covered, shielded, fenced, enclosed, inaccessible by location, or otherwise protected in a manner that, to the extent that is reasonably practicable, will prevent or reduce danger to any person who might touch or go near such item.
- .5 Isolate: means that an electrical facility, mechanical equipment or machinery is separated or disconnected from every source of electrical, mechanical, hydraulic, pneumatic or other kind of energy that is capable of making it dangerous.
- .6 Live/alive: means that an electrical facility produces, contains, stores or is electrically connected to a source of alternating or direct current of an amperage and voltage that is dangerous or contains any hydraulic, pneumatic or other kind of energy that is capable of making the facility dangerous to persons.

### **1.5 COMPLIANCE REQUIREMENTS**

- .1 Comply with the following in regards to isolation and lockout of electrical facilities and equipment:
  - .1 Canadian Electrical Code.
  - .2 Federal and Provincial Occupational Health and Safety Acts and Regulations.
  - .3 Regulations and code of practice as applicable to mechanical equipment or other machinery being de-energized.
  - .4 Procedures specified herein.
- .2 In event of conflict between any provisions of above authorities the most stringent provision will apply.

### **1.6 SUBMITTALS**

- .1 Submit copy of lockout procedures, sample of lockout permit and lockout tags proposed for use in accordance with Section 01 33 00 - Submittal Procedures.. Submit within 14 calendar days of acceptance of bid.

## 1.7 ISOLATION OF EXISTING SERVICES

- .1 Obtain Departmental Representative's written authorization prior to working on existing live or active electrical facilities and equipment and before proceeding with isolation of such item.
- .2 To obtain authorization, submit to Departmental Representative the following documentation:
  - .1 Written request to isolate the particular service or facility and;
  - .2 Copy of Contractor's Lockout Procedures.
- .3 Make a Request for Isolation for each event, unless directed otherwise by Departmental Representative, as follows:
  - .1 Fill-out standard form in current use at the Facility as provided by Departmental Representative or;
  - .2 Where no form exist, make written request indicating:
    - .1 The equipment, system or service to be isolated and it's location;
    - .2 Duration of isolation period (ie: start time & date and completion time & date).
    - .3 Voltage of service feed to system or equipment being isolated.
    - .4 Name of person making the request.
- .4 Do not proceed with isolation until receipt of written notification from Departmental Representative granting the Isolation Request and authorization to proceed with the work.
  - .1 Note that Departmental Representative may designate another person at the Facility being authorized to grant the Isolation Request.
- .5 Conduct safe, orderly shut down of equipment or facility. De-energize, isolate and lockout power and other sources of energy feeding the equipment or facility.
- .6 Determine in advance, as much as possible, in cooperation with the Departmental Representative, the type and frequency of situations which will require isolation of existing services.
- .7 Plan and schedule shut down of existing services in consultation with the Departmental Representative and the Facility Manager. Minimize impact and downtime of Facility operations. Follow Departmental Representative's directives in this regard.
- .8 Conduct hazard assessment as part of the process in accordance with health and safety requirements specified Section 01 35 29 - Health and Safety Requirements.

## 1.8 LOCKOUTS

- .1 De-energize, isolate and lockout electrical facility, mechanical equipment and machinery from all potential sources of energy prior to working on such items.
- .2 Develop and implement clear and specific lockout procedures to be followed as part of the Work.
- .3 Prepare typed written Lockout Procedures describing safe work practices, procedures, worker responsibilities and sequence of activities to be followed on site by workforce to safely isolate an active piece of equipment or electrical facility and effectively lockout and tagout it's sources of energy.
- .4 Include as part of the Lockout Procedures a system of lockout permits managed by Contractor's Superintendent or other qualified person designated by him/her as being "in-charge" at the site.
  - .1 A lockout permit shall be issued to specific worker providing a Guarantee of Isolation before each event when work must be performed on a live equipment or electrical facility.
  - .2 Duties of person managing the permit system to include:
    - .1 Issuance of permits and lockout tags to workers.
    - .2 Determining permit duration.

- .3 Maintaining record of permits and tags issued.
- .4 Making a Request for Isolation to Departmental Representative when required as specified above.
- .5 Designating a Safety Watcher, when one is required based on type of work.
- .6 Ensuring equipment or facility has been properly isolated.
- .7 Collecting and safekeeping lockout tags returned by workers as a record of the event.
- .5 Clearly establish, describe and allocate responsibilities of:
  - .1 Workers.
  - .2 Person managing the lockout permit system.
  - .3 Safety Watcher.
  - .4 Subcontractor(s) and General Contractor.
- .6 Generic procedures, if used, must be edited and supplemented with pertinent information to reflect specific project requirements.
  - .1 Incorporate site specific rules and procedures in force at site as provided by Facility Manager through the Departmental Representative.
  - .2 Clearly label the document as being the Lockout procedures applicable to work of this contract.
- .7 Use energy isolation lockout devices specifically designed and appropriate for type of facility or equipment being locked out.
- .8 Use industry standard lockout tags.
- .9 Provide appropriate safety grounding and guards as required.

#### **1.9 CONFORMANCE**

- .1 Brief all workers and subcontractors on requirements of this section. Stringently enforce use and compliance.

#### **1.10 DOCUMENTS ON SITE**

- .1 Post Lockout Procedures on site in common location for viewing by workers.
- .2 Keep copies of Request for Isolation forms and lockout permits and tags issued to workers on site for full duration of Work.
- .3 Upon request, make available to Departmental Representative or to authorized safety representative for inspection.

**END OF SECTION**

## **1 General**

### **1.1 RELATED SECTIONS**

- .1 Section 01 35 24 - Special Procedures on Fire Safety Requirements.
- .2 Section 01 35 25 - Special Procedures on Lockout Requirements.

### **1.2 DEFINITIONS**

- .1 COSH: Canada Occupational Health and Safety Regulations made under Part II of the Canada Labour Code.
- .2 Competent Person: means a person who is:
  - .1 Qualified by virtue of personal knowledge, training and experience to perform assigned work in a manner that will ensure the health and safety of persons in the workplace, and;
  - .2 Knowledgeable about the provisions of occupational health and safety statutes and regulations that apply to the Work and;
  - .3 Knowledgeable about potential or actual danger to health or safety associated with the Work.
- .3 Medical Aid Injury: any minor injury for which medical treatment was provided and the cost of which is covered by Workers' Compensation Board of the province in which the injury was incurred.
- .4 PPE: personal protective equipment.

### **1.3 SUBMITTALS**

- .1 Make submittals in accordance with Section 01 33 00 - Submittal Procedures.
- .2 Submit site-specific Health and Safety Plan prior to commencement of Work.
  - .1 Submit within 10 work days of notification of Bid Acceptance. Allow for 5-10 days for Department review and recommendations prior to the commencement of work. Provide 3 copies.
  - .2 Departmental Representative will review Health and Safety Plan and provide comments.
  - .3 Revise the Plan as appropriate and resubmit within 5 work days after receipt of comments.
  - .4 Departmental Representative's review and comments made of the Plan shall not be construed as an endorsement, approval or implied warranty of any kind by Canada and does not reduce Contractor's overall responsibility for Occupational Health and Safety of the Work.
  - .5 Submit revisions and updates made to the Plan during the course of Work.
- .3 Submit name of designated Health and Safety Site Representative and support documentation specified in the Safety Plan.
- .4 Submit building permit, compliance certificates and other permits obtained.
- .5 Submit copy of Letter in Good Standing from Provincial Workers Compensation or other Department of Labour organization.
  - .1 Submit update of Letter of Good Standing whenever expiration date occurs during the period of Work.
- .6 Submit copies of reports or directions issued by Federal, Provincial and Territorial health and safety inspectors.
- .7 Submit copies of incident reports.
- .8 Submit WHMIS MSDS - Material Safety Data Sheets.

### **1.4 COMPLIANCE REQUIREMENTS**

- .1 Comply with Occupational Health and Safety Act for Province of Nova Scotia, and Regulations made pursuant to the Act.

- .2 Comply with Occupational Health and Safety Act for Province of New Brunswick, and General Regulations made pursuant to the Act.
- .3 Comply with Occupational Health and Safety Act for Province of Prince Edward Island, and Occupational Health and Safety Regulations made pursuant to the Act.
- .4 Comply with Occupational Health and Safety Act for Province of Newfoundland and Labrador, and Occupational Health & Safety Regulations made pursuant to the Act.
- .5 Comply with Canada Labour Code - Part II (entitled Occupational Health and Safety) and the Canada Occupational Health and Safety Regulations as well as any other regulations made pursuant to the Act.
  - .1 The Canada Labour Code can be viewed at: [www.http://laws-lois.justice.gc.ca/eng/acts/L-2\\_fulltext.html](http://laws-lois.justice.gc.ca/eng/acts/L-2_fulltext.html).
  - .2 Canadian Occupational Health and Safety Regulations can be viewed at: <http://laws-lois.justice.gc.ca/eng/regulations/SOR-86-304/index.html>.
  - .3 A copy may be obtained at: Canadian Government Publishing Public Works & Government Services Canada Ottawa, Ontario, K1A 0S9 Tel: 819-956-4800 or 1-800-635-7943 Publication No. L31-85/2000 (E or F).
- .6 Treasury Board of Canada Secretariat (TBS):
  - .1 Treasury Board, Fire Protection Standard April 1, 2010 [www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=17316&section=text](http://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=17316&section=text).
- .7 Canadian Standards Association (CSA):
  - .1 CSA S350-M1980(R2003), Code of Practice for Safety in Demolition of Structures.
- .8 Observe construction safety measures of:
  - .1 NBC 2010, Division B, Part 8.
  - .2 Municipal by-laws and ordinances.
- .9 In case of conflict or discrepancy between above specified requirements, the more stringent shall apply.
- .10 Maintain Workers Compensation Coverage in good standing for duration of Contract. Provide proof of clearance through submission of Letter in Good Standing.
- .11 Medical Surveillance: Where prescribed by legislation or regulation, obtain and maintain worker medical surveillance documentation.

## **1.5 RESPONSIBILITY**

- .1 Be responsible for health and safety of persons on site, safety of property on site and for protection of persons and environment adjacent to the site to extent that they may be affected by conduct of Work.
- .2 Comply with and enforce compliance by all workers, sub-contractors and other persons granted access to Work Site with safety requirements of Contract Documents, applicable federal, provincial, and local by-laws, regulations, and ordinances, and with site-specific Health and Safety Plan.

## **1.6 SITE CONTROL AND ACCESS**

- .1 Control the Work and entry points to Work Site. Approve and grant access only to workers and authorized persons. Immediately stop and remove non-authorized persons.
  - .1 Departmental Representative will provide names of those persons authorized by Departmental Representative to enter onto Work Site and will ensure that such authorized persons have the required knowledge and training on Health and Safety pertinent to their reason for being at the site, however, Contractor remains responsible for the health and safety of authorized persons while at the Work Site.
- .2 Isolate Work Site from other areas of the premises by use of appropriate means.
  - .1 Erect fences, hoarding, barricades and temporary lighting as required to

effectively delineate the Work Site, stop non-authorized entry, and to protect pedestrians and vehicular traffic around and adjacent to the Work and create a safe environment. See Section 01 50 00 - Facilities and Controls, for minimum acceptable requirements.

- .2 Post signage at entry points and other strategic locations indicating restricted access and conditions for access.
- .3 Provide safety orientation session to persons granted access to Work Site. Advise of hazards and safety rules to be observed while on site.
- .4 Ensure persons granted site access wear appropriate PPE. Supply PPE to inspection authorities who require access to conduct tests or perform inspections.
- .5 Secure Work Site against entry when inactive or unoccupied and to protect persons against harm. Provide security guard where adequate protection cannot be achieved by other means.

#### **1.7 PROTECTION**

- .1 Give precedence to safety and health of persons and protection of environment over cost and schedule considerations for Work.
- .2 Should unforeseen or peculiar safety related hazard or condition become evident during performance of Work, immediately take measures to rectify situation and prevent damage or harm. Advise Departmental Representative verbally and in writing.

#### **1.8 FILING OF NOTICE**

- .1 File Notice of Project with pertinent provincial health and safety authorities prior to beginning of Work.
  - .1 Departmental Representative will assist in locating address if needed.

#### **1.9 PERMITS**

- .1 Post permits, licenses and compliance certificates, specified in Section 01 35 29 - Health and Safety Requirements, Section 01 52 00 - Construction Facilities and Section 01 56 00 - Temporary Barriers and Enclosures.
- .2 Where a particular permit or compliance certificate cannot be obtained, notify Departmental Representative in writing and obtain approval to proceed before carrying out applicable portion of work.

#### **1.10 HAZARD ASSESSMENTS**

- .1 Perform site specific health and safety hazard assessment of the Work and its site.
- .2 Carryout initial assessment prior to commencement of Work with further assessments as needed during progress of work, including when new trades and subcontractors arrive on site.
- .3 Record results and address in Health and Safety Plan.
- .4 Keep documentation on site for entire duration of the Work.

#### **1.11 PROJECT/SITE CONDITIONS**

- .1 Following are potential health, environmental and safety hazards at the site for which Work may involve contact with:
  - .1 Facility on-going operations:
    - .1 Workers and operational activities at parking and loading docks..
    - .2 Interior workers and operational activities at interior of building in path to work site.
- .2 Above items shall not be construed as being complete and inclusive of potential health and safety hazards encountered during Work.
- .3 Include above items in the hazard assessment of the Work.



- .4 MSDS Data sheets of pertinent hazardous and controlled products stored on site can be obtained from Departmental Representative.

#### 1.12 MEETINGS

- .1 Attend pre-construction health and safety meeting, convened and chaired by Departmental Representative, prior to commencement of Work, at time, date and location determined by Departmental Representative. Ensure attendance of:
  - .1 Superintendent of Work.
  - .2 Designated Health & Safety Site Representative.
  - .3 Subcontractors.
- .2 Conduct regularly scheduled tool box and safety meetings during the Work in conformance with Occupational Health and Safety regulations.
- .3 Keep documents on site.

#### 1.13 HEALTH AND SAFETY PLAN

- .1 Prior to commencement of Work, develop written Health and Safety Plan specific to the Work. Implement, maintain, and enforce Plan for entire duration of Work and until final demobilization from site.
- .2 Health and Safety Plan shall include the following components:
  - .1 List of health risks and safety hazards identified by hazard assessment.
  - .2 Control measures used to mitigate risks and hazards identified.
  - .3 On-site Contingency and Emergency Response Plan as specified below.
  - .4 On-site Communication Plan as specified below.
  - .5 Name of Contractor's designated Health & Safety Site Representative and information showing proof of his/her competence and reporting relationship in Contractor's company.
  - .6 Names, competence and reporting relationship of other supervisory personnel used in the Work for occupational health and safety purposes.
- .3 On-site Contingency and Emergency Response Plan shall include:
  - .1 Operational procedures, evacuation measures and communication process to be implemented in the event of an emergency.
  - .2 Evacuation Plan: site and floor plan layouts showing escape routes, marshalling areas. Details on alarm notification methods, fire drills, location of firefighting equipment and other related data.
  - .3 Name, duties and responsibilities of persons designated as Emergency Warden (s) and deputies.
  - .4 Emergency Contacts: name and telephone number of officials from:
    - .1 General Contractor and subcontractors.
    - .2 Pertinent Federal and Provincial Departments and Authorities Having Jurisdiction.
    - .3 Local emergency resource organizations.
  - .5 Harmonize Plan with Facility's Emergency Response and Evacuation Plan. Departmental Representative will provide pertinent data including name of PWGSC and Facility Management contacts.
- .4 On-site Communication Plan:
  - .1 Procedures for sharing of work related safety information to workers and subcontractors, including emergency and evacuation measures.
  - .2 List of critical work activities to be communicated with Facility Manager which have a risk of endangering health and safety of Facility users.
- .5 Address all activities of the Work including those of subcontractors.
- .6 Review Health and Safety Plan regularly during the Work. Update as conditions warrant to address emerging risks and hazards, such as whenever new trade or subcontractor



- arrive at Work Site.
- .7 Departmental Representative will respond in writing, where deficiencies or concerns are noted and may request re-submission of the Plan with correction of deficiencies or concerns.
- .8 Post copy of the Plan, and updates, prominently on Work Site.

#### **1.14 SAFETY SUPERVISION**

- .1 Employ Health & Safety Site Representative responsible for daily supervision of health and safety of the Work.
- .2 Health & Safety Site Representative may be the Superintendent of the Work or other person designated by Contractor and shall be assigned the responsibility and authority to:
  - .1 Implement, monitor and enforce daily compliance with health and safety requirements of the Work
  - .2 Monitor and enforce Contractor's site-specific Health and Safety Plan.
  - .3 Conduct site safety orientation session to persons granted access to Work Site.
  - .4 Ensure that persons allowed site access are knowledgeable and trained in health and safety pertinent to their activities at the site or are escorted by a competent person while on the Work Site.
  - .5 Stop the Work as deemed necessary for reasons of health and safety.
- .3 Health & Safety Site Representative must:
  - .1 Be qualified and competent person in occupational health and safety.
  - .2 Have site-related working experience specific to activities of the Work.
  - .3 Be on Work Site at all times during execution of the Work.
- .4 All supervisory personnel assigned to the Work shall also be competent persons.
- .5 Inspections:
  - .1 Conduct regularly scheduled safety inspections of the Work on a minimum bi-weekly basis. Record deficiencies and remedial action taken.
  - .2 Conduct Formal Inspections on a minimum [monthly] basis. Use standardized safety inspection forms. Distribute to subcontractors.
  - .3 Follow-up and ensure corrective measures are taken.
- .6 Cooperate with Facility's Occupational Health and Safety representative should one be designated by Departmental Representative.
- .7 Keep inspection reports and supervision related documentation on site.

#### **1.15 TRAINING**

- .1 Use only skilled workers on Work Site who are effectively trained in occupational health and safety procedures and practices pertinent to their assigned task.
- .2 Maintain employee records and evidence of training received. Make data available to Departmental Representative upon request.
- .3 When unforeseen or peculiar safety-related hazard, or condition occur during performance of Work, follow procedures in place for Employee's Right to Refuse Work in accordance with Acts and Regulations of Province having jurisdiction and advise Departmental Representative verbally and in writing.

#### **1.16 MINIMUM SITE SAFETY RULES**

- .1 Notwithstanding requirement to abide by federal and provincial health and safety regulations; ensure the following minimum safety rules are obeyed by persons granted access to Work Site:
  - .1 Notwithstanding requirement to abide by federal and provincial health and safety regulations; ensure the following minimum safety rules are obeyed by persons granted access to Work Site:

- .2 Immediately report unsafe condition at site, near-miss accident, injury and damage.
- .3 Maintain site and storage areas in a tidy condition free of hazards causing injury.
- .4 Obey warning signs and safety tags.
- .2 Brief persons of disciplinary protocols to be taken for noncompliance. Post rules on site.

#### **1.17 CORRECTION OF NON-COMPLIANCE**

- .1 Immediately address health and safety non-compliance issues identified by authority having jurisdiction or by Departmental Representative.
- .2 Provide Departmental Representative with written report of action taken to correct non-compliance of health and safety issues identified.
- .3 Departmental Representative will stop Work if non-compliance of health and safety regulations is not corrected in a timely manner.

#### **1.18 INCIDENT REPORTING**

- .1 Investigate and report the following incidents to Departmental Representative:
  - .1 Incidents requiring notification to Provincial Department of Occupational Safety and Health, Workers Compensation Board or to other regulatory Agency.
  - .2 Medical aid injuries.
  - .3 Property damage in excess of \$10,000.00,
  - .4 Interruptions to Facility operations resulting in an operational lost to a Federal department in excess of \$5,000.00.
- .2 Submit report in writing.

#### **1.19 HAZARDOUS PRODUCTS**

- .1 Comply with requirements of Workplace Hazardous Materials Information System (WHMIS).
- .2 Keep MSDS data sheets for all products delivered to site.
  - .1 Post on site.
  - .2 Submit copy to Departmental Representative.
  - .3 For interior work in an occupied Facility, post additional copy in one or more publically accessible locations.

#### **1.20 BLASTING**

- .1 Blasting or other use of explosives is not permitted on site.

#### **1.21 POWDER ACTUATED DEVICES**

- .1 Use powder actuated fastening devices only after receipt of written permission from Departmental Representative.

#### **1.22 CONFINED SPACES**

- .1 Abide by occupational health and safety regulations regarding work in confined spaces.
- .2 Obtain an Entry Permit in accordance with Part XI of the Canada Occupational Health and Safety Regulations for entry into an existing identified confined space located at the Facility or premises of Work.
  - .1 Obtain permit from Facility Manager.
  - .2 Keep copy of permit issued.
- .3 Safety for Inspectors:
  - .1 Provide PPE and training to Departmental Representative and other persons who require entry into confined space to perform inspections.
  - .2 Be responsible for efficacy of equipment and safety of persons during their entry and occupancy in the confined space.

**1.23 SITE RECORDS**

- .1 Maintain on Work Site copy of safety related documentation and reports stipulated to be produced in compliance with Acts and Regulations of authorities having jurisdiction and of those documents specified herein.
- .2 Upon request, make available to Departmental Representative or authorized Safety Officer for inspection.

**1.24 POSTING OF DOCUMENTS**

- .1 Ensure applicable items, articles, notices and orders are posted in conspicuous location on Work Site in accordance with Acts and Regulations of Province having jurisdiction.
- .2 Post other documents as specified herein, including:
  - .1 Site specific Health and Safety Plan.
  - .2 WHMIS data sheets.
  - .3 Notices for safety as per paragraph 1.9, this Section.

**END OF SECTION**

**1 General**

**1.1 FIRES**

- .1 Fires and burning of rubbish on site not not permitted.

**1.2 DISPOSAL OF WASTES**

- .1 Do not bury rubbish and waste materials on site.
- .2 Do not dispose of waste or volatile materials, such as mineral spirits, oil or paint thinner into waterways, storm or sanitary sewers.

**1.3 POLLUTION CONTROL**

- .1 Maintain temporary erosion and pollution control features installed under this contract.
- .2 Control emissions from equipment and plant to local authorities emission requirements.
- .3 Prevent sandblasting and other extraneous materials from contaminating air beyond application area, by providing temporary enclosures.
- .4 Cover or wet down dry materials and rubbish to prevent blowing dust and debris.  
Provide dust control for temporary roads.

**1.4 SMOKING RESTRICTIONS**

- .1 Smoking is not permitted inside the building at any time or at any stage of construction.

**1.5 ENVIRONMENTAL PERMIT APPROVAL**

- .1 Comply with requirements contained in the Transportation and Public Works  
Environmental Management Division environmental approval permit for the project.

**END OF SECTION**

## **1 General**

### **1.1 GENERAL**

- .1 Due to the nature of this facility, and client operations therein, security regulations pertaining to site will be in place during the work resulting in need for:
  - .1 Control and limit of movement of construction workers inside building;
  - .2 Continuous escort and supervision of workers by security personnel;
  - .3 Specific rules and regulations as specified in this section and as directed by Departmental Representative to be stringently followed.
  - .4 All additional requirements found in the annex "Security Requirements Check List".
  - .5 Workers are required to sign at main entry daily, then proceed to loading bay for access to the work site. Passes to be returned at end of daily work.
- .2 It is the Contractor's responsibility to:
  - .1 Become familiar with and abide by security rules and regulations;
  - .2 Brief all workers and sub-contractors in respect of the security regulations and ensure that they abide by all rules and directives.
- .3 The Departmental Representative will coordinate a pre-construction meeting between Contractor, Facility Management and Security Personnel who will provide details and directives on control and movement on site.
- .4 Any infraction of site security regulations on the part of the Contractor, members of work force or any Sub-contractor in his employee, could result in:
  - .1 A fine, to a maximum of \$1,000.00, being levied against the General Contractor.
  - .2 Demand immediate removal of offending party from site.

### **1.2 SECURITY PERSONNEL**

- .1 Obtain and pay for the services of security personnel, employed by the Canadian Corps of Commissionaires to provide security supervision during the work of this contract.
- .2 Ensure that a minimum of two Commissionaires are present at site at all times, however provide sufficient Commissionaires to supervise workers at each individual work areas and to perform escort functions in order that no workers are left unsupervised on site inside the building.
- .3 Commissionaire must stay within the actual construction area(s) for the entire work shift, including time periods before and after while workers are still on the premises, and provide surveillance to ensure that all workers abide by security requirements and limit movement to approved work areas.
- .4 Commissionaire to also provide escort function between loading dock and/or approved entrance door and to work area(s).
- .5 Commissionaire shall report directly to the Departmental Representative. All worker(s) shall follow security directives given by Commissionaire.
- .6 Ensure Commissionaire is fitted and wears approved safety hard hat, safety footwear and other personnel protective equipment appropriate to work in accordance with Health and Safety regulations as specified in section 01 35 29.

### **1.3 SECURITY PASSES**

- .1 Visitor Tags are required for all personnel requiring access inside the building beyond the main public lobby. Such tags will be made available on application to the Security Personnel.
- .2 The Contractor is responsible to obtain tags before work commences, including those required by his sub-contractors, and to continually control their distribution and use by workers. Submit request for tags as early as possible prior to commencement of work.
- .3 All personnel must wear the visitor tag at all times when circulating inside the building,

- regardless of daytime or nighttime work hours.
- .4 For the duration of this contract, anyone not in possession of the visitor tag will not be allowed access.
- .5 At end of project, return to Departmental Representative all tags issued to workers and to subcontractors. Departmental Representative will deduct from final contract payment, \$100.00 for each pass not returned regardless of the reason the pass is not returned.
- .6 Immediately report any lost, stolen or destroyed passes through the Departmental Representative to the Building's Security Personnel Manager.

#### **1.4 SECURITY CONTROL LIST**

- .1 Provide to Departmental Representative a list of employee names from workforce and from Sub-contractors who will be present at site during course of work.
- .2 List to include names, addresses and telephone number of all persons.
- .3 Update list as work progresses.
- .4 Ensure that each worker can provide proof of identity upon demand, when requested by Security Personnel, Departmental Representative or Facility Management.
- .5 Contractor's Security Personnel shall not allow access onto site of persons not identified on security control list.

#### **1.5 SITE SECURITY**

- .1 Where work of this contract requires use of a permanently locked door, it is Contractor's responsibility to ensure that door is unlocked and locked after each use or provide a competent security guard, posted at door, when door must remain open for an elongated period of time during a particular work shift.
  - .1 Notify Building Security when security doors will be used and stringently follow all directives to ensure building security is effectively maintained.
  - .2 When work must be carried out during "off- hours" or beyond the work hours previously agreed upon at start of work, Notify Departmental Representative a minimum of 48 hours in advance and follow all directives regarding access and the circulation of workers. Provide notice as soon as possible in order to minimize the impact on Building Security and Tenant operations.

**END OF SECTION**

## **1 General**

### **1.1 REFERENCES AND CODES**

- .1 Perform Work in accordance with National Building Code of Canada (NBC) 2010 including all amendments up to tender closing date and other codes of provincial or local application provided that in case of conflict or discrepancy, more stringent requirements apply.
- .2 Meet or exceed requirements of:
  - .1 Contract documents.
  - .2 Specified standards, codes and referenced documents.

### **1.2 HAZARDOUS MATERIAL DISCOVERY**

- .1 Asbestos: Demolition of spray or trowel-applied asbestos is hazardous to health. Should material resembling spray or trowel-applied asbestos be encountered in course of demolition work, immediately stop work and notify Departmental Representative.
- .2 Should material suspected of containing PCB's be encountered in the course of demolition work, immediately stop work and notify Departmental Representative.

**END OF SECTION**

## **1 General**

### **1.1 RELATED SECTIONS**

- .1 Section 01 33 00 - Submittal Procedures.
- .2 Section 01 78 00 - Closeout Submittals.

### **1.2 INSPECTION**

- .1 Allow Departmental Representative access to Work. If part of Work is in preparation at locations other than Place of Work, allow access to such Work whenever it is in progress.
- .2 Give timely notice requesting inspection if Work is designated for special tests, inspections or approvals by Departmental Representative instructions, or law of Place of Work.
- .3 If Contractor covers or permits to be covered Work that has been designated for special tests, inspections or approvals before such is made, uncover such Work, have inspections or tests satisfactorily completed and make good such Work.
- .4 Departmental Representative may order any part of Work to be examined if Work is suspected to be not in accordance with Contract Documents. If, upon examination such work is found not in accordance with Contract Documents, correct such Work and pay cost of examination and correction. If such Work is found in accordance with Contract Documents, Owner shall pay cost of examination and replacement.

### **1.3 INDEPENDENT INSPECTION AGENCIES**

- .1 Independent Inspection/Testing Agencies are to be engaged by Contractor for purpose of inspecting and/or testing portions of Work. Cost of such services will be borne by Contractor.
- .2 Provide equipment required for executing inspection and testing by appointed agencies.
- .3 Employment of Inspection/Testing Agencies does not relax responsibility to perform Work in accordance with Contract Documents.
- .4 If defects are revealed during inspection and/or testing, appointed agency may request additional inspection and/or testing to ascertain full degree of defect. Correct defect and irregularities as advised by Departmental Representative at no cost to Owner. Pay costs for retesting and re inspection.

### **1.4 PROCEDURES**

- .1 Notify appropriate agency and Departmental Representative in advance of requirement for tests, in order that attendance arrangements can be made.
- .2 Submit samples and/or materials required for testing, as specifically requested in specifications. Submit with reasonable promptness and in an orderly sequence so as not to cause delay in Work.
- .3 Provide labour and facilities to obtain and handle samples and materials on site. Provide sufficient space to store and cure test samples.

### **1.5 REJECTED WORK**

- .1 Remove defective Work, whether result of poor workmanship, use of defective products or damage and whether incorporated in Work or not, which has been rejected by Departmental Representative as failing to conform to Contract Documents. Replace or re-execute in accordance with Contract Documents.
- .2 Make good other Contractor's work damaged by such removals or replacements promptly.
- .3 If in opinion of Departmental Representative it is not expedient to correct defective Work or Work not performed in accordance with Contract Documents, Owner may deduct from Contract Price difference in value between Work performed and that called for by



Contract Documents, amount of which shall be determined by Departmental Representative.

**1.6 REPORTS**

- .1 Submit 3 copies of inspection and test reports to Departmental Representative.
- .2 Provide copies to Subcontractor of work being inspected or tested.

**1.7 TESTS AND MIX DESIGNS**

- .1 Furnish test results and mix designs as may be requested.
- .2 The cost of tests and mix designs beyond those called for in Contract Documents or beyond those required by law of Place of Work shall be appraised by Departmental Representative and may be authorized as recoverable.

**1.8 MILL TESTS**

- .1 Submit mill test certificates as requested.

**1.9 EQUIPMENT AND SYSTEMS**

- .1 Submit adjustment and balancing reports for mechanical, electrical and building equipment systems.

**END OF SECTION**

## **1 General**

### **1.1 SITE ACCESS AND PARKING**

- .1 The Departmental Representative will designate Contractor's access to project site as well as parking location for workers, trailers and equipment.
- .2 The Contractor will provide and maintain signs, barricades and other devices required to indicate construction activities or other temporary and unusual conditions resulting from project work, at no cost.

### **1.2 SNOW REMOVAL**

- .1 All snow removal on site by Owner, except shoveling immediately around Contractor's trailers, etc.

### **1.3 BUILDING ACCESS**

- .1 Use only access doors, and circulation routes within building as designated by Departmental Representative to access interior work.

### **1.4 CONTRACTOR'S SITE OFFICE**

- .1 Be responsible for and provide own site office, including electricity, heat, lights and communications as listed below. Locate site office as directed by Departmental Representative.
- .2 The Contractor will provide, at no cost to the Owner, an office heated to 22 C, lighted 750 Lx and ventilated, one space of sufficient size to accommodate site meetings for Contractor, Trades, Departmental Representative and Owner. Site office to be furnished with meeting table and chairs, drawing laydown table, desk and storage space to accommodate documents required to be maintained on site. The use of the existing building is not acceptable.
- .3 The Contractor will provide a cellular phone line for the site supervisor.

### **1.5 LOADING DOCK**

- .1 The loading dock is essential for the activities of CRA. Provide the Departmental Representative with a two (2) day notice for use of loading dock so dock and activities may be coordinated.
- .2 Requirements for use of loading dock are to be included in the weekly work plan submission.

### **1.6 STORAGE SHEDS**

- .1 Provide adequate weather tight sheds with raised floors, for storage of materials, tools and equipment which are subject to damage by weather.
- .2 Provide heat when materials being stored are subject to frost damage.
- .3 Under no circumstances will Departmental Representative accept materials damaged due to exposure to weather elements, for incorporation into construction. Departmental Representative will determine what constitutes damaged material.

### **1.7 LAYOUT**

- .1 Contractor shall be responsible for detailed setting out of his work.

### **1.8 MATERIAL STORAGE**

- .1 Locate site storage trailers where directed by Departmental Representative. Place in location of least interference with existing facility operations.
- .2 Material storage space on site is limited. Coordinate delivery to minimize storage period on site before being needed for incorporation into work.

### **1.9 REMOVAL OF TEMPORARY FACILITIES**

- .1 Remove temporary facilities from site when directed by Departmental Representative.

**1.10 WASTE REMOVAL**

- .1 The Contractor will provide bins as required. Contractor responsible for placement and sorting of waste in the collection bins and removal of waste from site.

**END OF SECTION**

## **1 General**

### **1.1 RELATED SECTIONS**

- .1 Section 01 50 00 - Facilities and Controls.
- .2 Section 01 52 00 - Construction Facilities.
- .3 Section 01 56 00 - Temporary Barriers and Enclosures.

### **1.2 INSTALLATION AND REMOVAL**

- .1 Provide temporary utilities controls in order to execute work expeditiously.
- .2 Remove from site all such work after use.

### **1.3 SANITARY FACILITIES**

- .1 The Contractor will provide, at no cost to the Owner, sanitary facilities for work force in accordance with governing regulations and ordinances for entire duration of project. Facilities within the existing building are not available to the Contractor's work force.
- .2 The Contractor will post notices and take such precautions as required by local health authorities. Keep area and premises in sanitary condition.
- .3 Sanitary facilities must be located as directed by Departmental Representative.

### **1.4 POWER**

- .1 Power supply is available and will be provided for construction usage at no cost.
  - .1 Make arrangements for the use of such services through the Departmental Representative.
  - .2 Departmental Representative will designate and approve each location of existing power source to which connections can be made to obtain temporary power service.
  - .3 Connect to existing power supply in accordance with Canadian Electrical Code.
- .2 120 volt power only is available on site.

### **1.5 HEATING AND VENTILATING**

- .1 Heating by existing facility systems at Owner's cost.
- .2 Ventilating:
  - .1 Prevent accumulations of dust, fumes, mists, vapors or gases in areas occupied during construction.
  - .2 Provide local exhaust ventilation to prevent harmful accumulation of hazardous substances into atmosphere of occupied areas.
  - .3 Ventilate storage spaces containing hazardous or volatile materials.
  - .4 Continue operation of ventilation and exhaust system for time after cessation of work process to assure removal of harmful contaminants, coordinate with Departmental Representative.
- .3 Submit tenders assuming existing equipment and systems will be used for heating and ventilating.

### **1.6 FIRE PROTECTION**

- .1 Provide and maintain temporary fire protection equipment during performance of Work required by insurance companies, authorities having jurisdiction, governing codes, regulations and bylaws.

**END OF SECTION**

## **1 General**

### **1.1 RELATED SECTIONS**

- .1 Section 01 50 00 - Facilities and Controls.
- .2 Section 01 51 00 - Temporary Utilities.
- .3 Section 01 56 00 - Temporary Barriers and Enclosures.

### **1.2 REFERENCES**

- .1 Canadian Construction Documents Committee (CCDC)
  - .1 CCDC 2-2008, Stipulated Price Contract.
- .2 Canadian General Standards Board (CGSB)
  - .1 CGSB 1-GP-189M-84, Primer, Alkyd, Wood, Exterior.
  - .2 CGSB 1.59-97, Alkyd Exterior Gloss Enamel.
- .3 Canadian Standards Association (CSA International)
  - .1 CAN3-A23.1-/A23.2-94, Concrete Materials and Methods for Concrete Construction/Method of Test for Concrete.
  - .2 CSA-0121-M1978, Douglas Fir Plywood.
  - .3 CAN/CSA-Z321-96, Signs and Symbols for the Occupational Environment.

### **1.3 INSTALLATION AND REMOVAL**

- .1 Provide construction facilities in order to execute work expeditiously.
- .2 Remove from site all such work after use.

### **1.4 SCAFFOLDING**

- .1 Provide and maintain scaffolding.
- .2 Design, construct and maintain scaffolding in rigid, secure and safe manner in accordance with CAN/CSA-S269.2-M87(R1998).
- .3 Erect scaffolding independent of walls. Remove when no longer required.

### **1.5 HOISTING**

- .1 Provide, operate and maintain hoists and cranes required for moving of workers, materials and equipment. Make financial arrangements with Subcontractors for use thereof.
- .2 Hoists and cranes shall be operated by qualified operator.

### **1.6 SITE STORAGE/LOADING**

- .1 Confine work and operations of employees by Contract Documents. Do not unreasonably encumber premises with products.
- .2 Do not load or permit to load any part of Work with a weight or force that will endanger the Work.

### **1.7 EQUIPMENT, TOOL AND MATERIALS STORAGE**

- .1 Provide and maintain, in a clean and orderly condition, lockable weatherproof sheds for storage of tools, equipment and materials.
- .2 Locate materials not required to be stored in weatherproof sheds on site in a manner to cause least interference with work activities.
- .3 Provide adequate weather tight, heat and ventilation appropriate for the use and storage of equipment, tools and materials.

**END OF SECTION**

## **1 General**

### **1.1 RELATED SECTIONS**

- .1 Section 01 50 00 - Facilities and Controls.
- .2 Section 01 51 00 - Temporary Utilities.
- .3 Section 01 52 00 - Construction Facilities.

### **1.2 REFERENCES**

- .1 Canadian General Standards Board (CGSB)
  - .1 CGSB 1.189M-84, Primer, Alkyd, Wood, Exterior.
  - .2 CGSB 1.59-97, Alkyd Exterior Gloss Enamel.
- .2 Canadian Standards Association (CSA International)
  - .1 CSA-O121-M1978, Douglas Fir Plywood.

### **1.3 INSTALLATION AND REMOVAL**

- .1 Provide temporary controls in order to execute Work expeditiously.
- .2 Remove from site all such work after use.

### **1.4 DUST CONTROL BARRIERS**

- .1 Prior to starting work, cover all return air louvers with cheese cloth to avoid drawing dust into the system filters.
- .2 Meager attempts at controlling dust will not be tolerated. Failure to provide effective dust control during work and to perform satisfactory cleaning thereafter will result in Departmental Representative to proceed and obtain a separate cleaning service agency to perform cleaning to tenant's satisfaction with cost for such services being charged against this Contract in the form of financial holdbacks.
- .3 Obtain Departmental Representative's approval before erecting any dust partitions simply to underside of finish ceiling.
- .4 Construction of dust barriers, enclosures and placement of temporary protective devices to be performed during Facility non-operational off-hour periods.

### **1.5 GUARD RAILS AND BARRICADES**

- .1 Provide secure, rigid guard rails and barricades around deep excavations, open shafts, open stair wells, open edges of floors and roofs, and other areas where a change in elevation of greater than 900mm exists.
- .2 Provide as required by governing authorities.

### **1.6 ACCESS TO EXITS**

- .1 Maintain access to all existing exits at all times.

### **1.7 FIRE ROUTES**

- .1 Maintain access to property including overhead clearances for use by emergency response vehicles.

### **1.8 PROTECTION OF BUILDING FINISHES**

- .1 Provide protection for finished and partially finished building finishes and equipment during performance of Work.
- .2 Provide necessary screens, covers, and hoardings.
- .3 Confirm with Departmental Representative locations and installation schedule 3 days prior to installation.
- .4 Be responsible for damage incurred due to lack of or improper protection.

### **1.9 PROTECTION OF LANDSCAPE ELEMENT**

- .1 Provide protection for finished and partially finished building finishes and equipment during performance of Work.
- .2 Be responsible for damage incurred due to lack of or improper protection.

**END OF SECTION**

## **1 General**

### **1.1 GENERAL**

- .1 Use new material and equipment unless otherwise specified.
- .2 Within 7 days of written request by Departmental Representative, submit following information for materials and products proposed for supply:
  - .1 Name and address of manufacturer.
  - .2 Trade name, model and catalog number.
  - .3 Performance, descriptive and test data.
  - .4 Manufacturer's installation or application instructions.
  - .5 Evidence of arrangements to procure.
- .3 Use products of one manufacturer for equipment or material of same type or classification unless otherwise specified.

### **1.2 REFERENCE STANDARDS**

- .1 Conform to reference standards, in whole or in part as specifically requested in specifications.
- .2 If there is question as to whether any product or system is in conformance with applicable standards, Departmental Representative reserves right to have such products or systems tested to prove or disprove conformance.
- .3 Conform to latest date of issue of referenced standards in effect on date of submission of Bids, except where specific date or issue is specifically noted.

### **1.3 CONFORMANCE**

- .1 When material or equipment is specified by standard or performance specifications, upon request of Departmental Representative, obtain from manufacturer an independent testing laboratory report, stating that material or equipment meets or exceeds specified requirements.

### **1.4 SUBSTITUTION OF MATERIAL**

- .1 Proposals for substitution may be submitted only after award of Contract. Such requests must include statements of respective costs of items originally specified and proposed substitutions.
- .2 Proposals will be considered by Departmental Representative if:
  - .1 Products selected by tenderer from those specified, are not available, or
  - .2 Delivery date of products selected from those specified would unduly delay completion of Contract.
  - .3 Alternative products to those specified, which are brought to attention of, and considered by Departmental Representative as equivalent to those specified and will result in credit to Contract amount.
  - .4 Should proposed substitution be accepted either in part or in whole, assume full responsibility and costs when substitution affects other work on project. Pay for design or drawing changes required as a result of substitution.
  - .5 Amounts of all credits arising from approval of substitutions will be determined by Departmental Representative and Contract price will be reduced accordingly. No substitutions will be permitted without prior written approval of Departmental Representative.

### **1.5 QUALITY OF PRODUCTS**

- .1 Products, materials, equipment and articles (referred to as products throughout specifications) incorporated in Work shall be new, not damaged or defective, and of best quality (compatible with specifications) for purpose intended. If requested, furnish



evidence as to type, source and quality of products provided.

- .2 Defective products, whenever identified prior to completion of Work, will be rejected, regardless of previous inspections. Inspection does not relieve responsibility, but is precaution against oversight or error. Remove and replace defective products at own expense and be responsible for delays and expenses caused by rejection.
- .3 Should any dispute arise as to quality or fitness of products, decision rests strictly with Departmental Representative based upon requirements of Contract Documents.
- .4 Unless otherwise indicated in specifications, maintain uniformity of manufacture for any particular or like item throughout building.
- .5 Permanent labels, trademarks and nameplates on products are not acceptable in prominent locations, except where required for operating instructions, or when located in mechanical or electrical rooms.

#### **1.6 QUALITY OF WORK**

- .1 Ensure Quality of Work is of highest standard, executed by workers experienced and skilled in respective duties for which they are employed. Immediately notify Departmental Representative if required Work is such as to make it impractical to produce required results.
- .2 Do not employ anyone unskilled in their required duties. Departmental Representative reserves right to require dismissal from site, workers deemed incompetent or careless.
- .3 Decisions as to standard of Quality of Work in cases of dispute rest solely with Departmental Representative, whose decision is final.

#### **1.7 AVAILABILITY**

- .1 Immediately upon signing Contract, review product delivery requirements and anticipate foreseeable supply delays for any items. If delays in supply of products are foreseeable, notify Departmental Representative of such, in order that substitutions or other remedial action may be authorized in ample time to prevent delay in performance of Work.
- .2 In event of failure to notify Departmental Representative at commencement of Work and should it subsequently appear that Work may be delayed for such reason, Departmental Representative reserves right to substitute more readily available products of similar character, at no increase in Contract Price or Contract Time.

#### **1.8 TRANSPORTATION**

- .1 Pay costs of transportation and handling of products required in performance of Work.

#### **1.9 STORAGE, HANDLING AND PROTECTION**

- .1 Handle and store products in manner to prevent damage, adulteration, deterioration and soiling and in accordance with manufacturer's instructions when applicable.
- .2 Store packaged or bundled products in original and undamaged condition with manufacturer's seal and labels intact. Do not remove from packaging or bundling until required in Work.
- .3 Store products subject to damage from weather in weatherproof enclosures.
- .4 Store cementitious products clear of earth or concrete floors, and away from walls.
- .5 Keep sand, when used for grout or mortar materials, clean and dry. Store sand on wooden platforms and cover with waterproof tarpaulins during inclement weather.
- .6 Store sheet materials, lumber and on flat, solid supports and keep clear of ground. Slope to shed moisture.
- .7 Store and mix paints in heated and ventilated room. Remove oily rags and other combustible debris from site daily. Take every precaution necessary to prevent spontaneous combustion.
- .8 Remove and replace damaged products at own expense and to satisfaction of Departmental Representative.

- .9 Touch-up damaged factory finished surfaces to Departmental Representative's satisfaction. Use touch-up materials to match original. Do not paint over name plates.

#### **1.10 MANUFACTURER'S INSTRUCTIONS**

- .1 Unless otherwise indicated in specifications, install or erect products in accordance with manufacturer's instructions. Do not rely on labels or enclosures provided with products. Obtain written instructions directly from manufacturers.
- .2 Notify Departmental Representative in writing, of conflicts between specifications and manufacturer's instructions, so that Departmental Representative may establish course of action.
- .3 Improper installation or erection of products, due to failure in complying with these requirements, authorizes Departmental Representative to require removal and re-installation at no increase in Contract Price or Contract Time.

#### **1.11 CO-ORDINATION**

- .1 Ensure cooperation of workers in laying out Work. Maintain efficient and continuous supervision.
- .2 Be responsible for coordination and placement of openings, sleeves and accessories.

#### **1.12 FASTENINGS - GENERAL**

- .1 Provide metal fastenings and accessories in same texture, color and finish as base metal in which they occur.
- .2 Prevent electrolytic action between dissimilar metals.
- .3 Use non-corrosive fasteners, anchors and spacers for securing exterior work.
- .4 Space anchors within limits of load bearing or shear capacity and ensure that they provide positive permanent anchorage. Wood plugs not acceptable.
- .5 Keep exposed fastenings to minimum, space evenly and lay out neatly.
- .6 Fastenings which cause spalling or cracking are not acceptable.
- .7 Obtain Departmental Representative's approval before using explosive actuated fastening devices. If approval is obtained comply with CSA Z166-1975, and observe restrictions in Section 01 35 29 - Health, Safety and Emergency Response Procedures.

#### **1.13 FASTENINGS - EQUIPMENT**

- .1 Use fastenings of standard commercial sizes and patterns with material and finish suitable for service.
- .2 Use heavy hexagon heads, semi-finished unless otherwise specified. Use No. 304 stainless steel for exterior areas.
- .3 Bolts may not project more than one diameter beyond nuts.
- .4 Use plain type washers on equipment, sheet metal and soft gasket lock type washers where vibrations occur and resilient washers with stainless steel.

#### **1.14 LOCATION OF FIXTURES**

- .1 Consider location of fixtures, outlets, and mechanical and electrical items indicated as approximate.
- .2 Inform Departmental Representative of conflicting installation. Install as directed.

#### **1.15 CONCEALMENT**

- .1 In finished areas, conceal pipes, ducts and wiring in floors, walls and ceilings, except where indicated otherwise.
- .2 Before installation, inform Departmental Representative if there is interference. Install as directed by Departmental Representative.

#### **1.16 REMEDIAL WORK**

- .1 Perform remedial work required to repair or replace parts or portions of Work identified as defective or unacceptable. Coordinate adjacent affected Work as required.
- .2 Perform remedial work by specialists familiar with materials affected. Perform in a manner to neither damage nor put at risk any portion of Work.

**1.17 CONSTRUCTION EQUIPMENT AND PLANT**

- .1 On request, prove to the satisfaction of Departmental Representative that the construction equipment and plant are adequate to manufacture, transport, place and finish work to quality and production rates specified. If inadequate, replace or provide additional equipment or plant as directed.
- .2 Maintain construction equipment and plant in good operating order.

**END OF SECTION**

**1 General**

**1.1 EXISTING SERVICES**

- .1 Before commencing work, establish location and extent of all utilities in area of Work and notify Departmental Representative of findings.
- .2 Remove abandoned service lines. Cap or otherwise seal lines at cut-off points as directed by Departmental Representative.

**1.2 LOCATION OF EQUIPMENT AND FIXTURES**

- .1 Locate equipment, fixtures and distribution systems to provide minimum interference and maximum usable space and in accordance with manufacturer's recommendations for safety, access and maintenance.
- .2 Inform Departmental Representative of impending installation and obtain approval for actual location.
- .3 Submit field drawings to indicate relative position of various services and equipment when required by Departmental Representative.
- .4 Record locations of maintained, re-routed and abandoned services.

**END OF SECTION**

## **1 General**

### **1.1 RELATED SECTIONS**

- .1 Section 01 10 00 - Summary
- .2 Section 01 33 00 - Submittal Procedures.

### **1.2 MATERIALS**

- .1 Required for original installation.
- .2 Change in Materials: Submit request for substitution in accordance with Section 01 33 00 - Submittal Procedures.

### **1.3 PREPARATION**

- .1 Inspect existing conditions, including elements subject to damage or movement during cutting and patching.
- .2 After uncovering, inspect conditions affecting performance of Work.
- .3 Beginning of cutting or patching means acceptance of existing conditions.
- .4 Provide supports to assure structural integrity of surroundings; provide devices and methods to protect other portions of project from damage.
- .5 Provide protection from elements for areas which may be exposed by uncovering work; maintain excavations free of water.

### **1.4 EXECUTION**

- .1 Execute cutting, fitting, and patching including excavation and fill, to complete Work.
- .2 Fit several parts together, to integrate with other Work.
- .3 Uncover Work to install ill-timed Work.
- .4 Remove and replace defective and non-conforming Work.
- .5 Remove samples of installed Work for testing.
- .6 Provide openings in non-structural elements of Work for penetrations of mechanical and electrical Work.
- .7 Execute Work by methods to avoid damage to other Work, and which will provide proper surfaces to receive patching and finishing.
- .8 Cut rigid materials using masonry saw or core drill. Pneumatic or impact tools not allowed on masonry work without prior approval.
- .9 Restore work with new products in accordance with requirements of Contract Documents.
- .10 Fit Work airtight to pipes, sleeves, ducts, conduit, and other penetrations through surfaces.
- .11 At penetration of fire rated wall, ceiling, or floor construction, completely seal voids with firestopping material, full thickness of the construction element.
- .12 Refinish surfaces to match adjacent finishes: For continuous surfaces refinish to nearest intersection; for an assembly, refinish entire unit.
- .13 Conceal pipes, ducts and wiring in floor, wall and ceiling construction of finished areas except where indicated otherwise.

**END OF SECTION**

## **1 General**

### **1.1 RELATED SECTION**

- .1 Section 01 77 00 - Closeout Procedures.
- .2 All Sections

### **1.2 PROJECT CLEANLINESS**

- .1 Maintain Work in tidy condition, free from accumulation of waste products and debris, including that caused by Owner or other Contractors.
- .2 Make arrangements with and obtain permits from authorities having jurisdiction for disposal of waste and debris.
- .3 Provide on-site containers for collection of waste materials and debris. Coordinate location of waste bins with the Departmental Representative.
- .4 Provide and use clearly marked separate bins.
- .5 Remove waste and debris from site and deposit in waste container at end of each working day.
- .6 Clean interior areas prior to start of finish work, and maintain areas free of dust and other contaminants during finishing operations.
- .7 Store volatile waste in covered metal containers, and remove from premises at end of each day.
- .8 Provide adequate ventilation during use of volatile or noxious substances. Use of building ventilation systems is not permitted for this purpose.
- .9 Use only cleaning materials recommended by manufacturer of surface to be cleaned, and as recommended by cleaning material manufacturer.
- .10 Schedule cleaning operations so that resulting dust, debris and other contaminants will not fall on wet, newly painted surfaces nor contaminate building systems.

### **1.3 CLEANING DURING CONSTRUCTION**

- .1 Maintain work site in a tidy condition, free from accumulations of waste material and debris. Clean areas on a daily basis.
- .2 Keep existing building entrances, corridors and stairwells used by workers in clean dust free condition at all times. Conduct thorough cleaning of these areas at end of each work shift.
- .3 Schedule cleaning operations so that resulting dust, debris and other contaminants will not fall on wet, newly painted surfaces nor contaminate building systems.
- .4 Immediately clean all dust, dirt, smears, scuffs and soiled surfaces in lobbies, corridors, stairwells and within tenant occupied areas resulting from use by workers.

### **1.4 FINAL CLEANING**

- .1 Prior to final review, remove surplus products, tools, construction machinery and equipment.
- .2 Remove waste products and debris.

**END OF SECTION**

## **1 General**

### **1.1 RELATED SECTIONS**

- .1 Section 01 78 00 - Closeout Submittals.
- .2 Section 01 91 31 - General Commissioning Requirements.

### **1.2 INSPECTION AND DECLARATION**

- .1 Contractor's Inspection:
  - .1 Contractor and all Subcontractors shall conduct an inspection of Work, identify deficiencies and defects, and repair as required to conform to Contract Documents.
    - .1 Notify Departmental Representative in writing of satisfactory completion of Contractor's Inspection and that corrections have been made.
    - .2 Request Departmental Representative's Inspection.
- .2 Departmental Representative's Inspection:
  - .1 Departmental Representative, Owner and Contractor will perform inspection of Work to identify obvious defects or deficiencies. Contractor shall correct Work accordingly.
- .3 Completion: submit written certificate that following have been performed:
  - .1 Work has been completed and inspected for compliance with Contract Documents.
  - .2 Defects have been corrected and deficiencies have been completed.
  - .3 Equipment and systems have been tested, adjusted and are fully operational.
  - .4 Systems have been commissioned.
  - .5 Operation of systems have been demonstrated to Owner's personnel.
  - .6 Work is complete and ready for Final Inspection.
- .4 Final Inspection:
  - .1 When items noted above are completed, request final inspection of Work by Owner and Departmental Representative. If Work is deemed incomplete by Departmental Representative complete outstanding items and request re inspection.
  - .2 When Departmental Representative consider deficiencies and defects have been corrected and it appears requirements of Contract have been substantially performed, make application for Certificate of Substantial Performance.
  - .3 Date of Owner's acceptance of submitted declaration of Substantial Performance shall be date for commencement for warranty period and commencement of lien period unless required otherwise by lien statute of Place of Work.
  - .4 When Departmental Representative consider final deficiencies and defects have been corrected and it appears requirements of Contract have been totally performed, make application for final payment. If Work is deemed incomplete by Owner, complete outstanding items and request re-inspection. Cost of re-inspection will be deducted from final payment.

### **1.3 TOTAL PERFORMANCE**

- .1 The Contractor shall inspect the work to establish its completion in accordance with the Contract Documents and when satisfied of this completion request of the Departmental Representative a final inspection.
- .2 The Departmental Representative will compile a final deficiency list at this inspection and issue it to the Contractor and Owner.
- .3 The Contractor shall correct final deficiencies before a date agreed upon by the Contractor and Departmental Representative.
- .4 When the Contractor has satisfied himself that these corrections have been completed in

a satisfactory manner by his inspection, he shall schedule a re-inspection by the Departmental Representative, and the Owner if required, within five working days of the Contractor's request.

- .5 When the Departmental Representative is satisfied that all deficiencies have been rectified and the work is complete, the Contractor shall submit an application for the final progress payment.
- .6 When "seasonal deficiencies", as determined by the Owner and/or Departmental Representative exist, a sum of money will be withheld.

#### **1.4 WARRANTY PERIOD**

- .1 The Owner will advise the Departmental Representative of defects observed during Warranty periods.
- .2 The Departmental Representative will notify the Contractor of these defects and request him to remedy the defects in accordance with the Contract Documents.
- .3 Thirty days before expiration of Warranties the Owner, the Departmental Representative and the Contractor will review the work as arranged by the Contractor noting defects of products and workmanship.
- .4 The Contractor shall immediately remedy such noted defects.

#### **1.5 DEFICIENCIES**

- .1 The following is a list of deficiencies to be corrected. This acceptance is not to be constructed as relieving the Contractor from the responsibility of correcting other defects in the work as may become apparent during the Guarantee/Warranty Period.

- .1 \_\_\_\_\_
- .2 \_\_\_\_\_
- .3 \_\_\_\_\_

**END OF SECTION**



## **1 General**

### **1.1 SECTION INCLUDES**

- .1 Project Record Documents as follows:
  - .1 As-Built drawings;
  - .2 As-Built specifications;
  - .3 Reviewed shop drawings.
- .2 Operations and Maintenance data as follows:
  - .1 Operations and Maintenance Manual;
  - .2 Maintenance Materials;
  - .3 Spare Parts;
  - .4 Special Tools.

### **1.2 RELATED SECTIONS**

- .1 Section 01 45 00 - Quality Control.
- .2 Section 01 77 00 - Closeout Procedures.
- .3 Section 01 91 13 - General Commissioning Requirements.

### **1.3 PROJECT RECORD DOCUMENTS**

- .1 Departmental Representative will provide two white print sets of contract drawings and two copies of Specifications Manual specifically for "as-built" purposes.
- .2 Maintain at site one set of the contract drawings and specifications to record actual as-built site conditions.
- .3 Maintain up-to-date, real time as-built drawings and specifications in good condition and make available for inspection by the Departmental Representative at any time during construction.
- .4 As-Built Drawings:
  - .1 Record changes in red ink on the prints. Mark only on one set of prints and at completion of project and prior to interim inspection, neatly transfer notations to second set (also by use of red ink). Submit both sets to Departmental Representative. All drawings of both sets shall be stamped "As-Built Drawings" and be signed and dated by Contractor.
  - .2 Show all modifications, substitutions and deviations from what is shown on the contract drawings or in specifications.
  - .3 Record following information:
    - .1 Location of internal utilities and appurtenances concealed in construction, referenced to visible and accessible features of structure;
    - .2 Field changes of dimension and detail;
    - .3 Location of all capped or terminated services and utilities.
    - .4 Chases for mechanical, electrical and other services;
    - .5 Ceiling and floor elevations;
    - .6 Reflected ceiling plan condition showing finished layout of all ceiling-mounted services and devices;
    - .7 Plumbing, heating, air conditioning and ventilation, sprinkler and electrical service installation locations; all to be dimensioned and referenced to building columns or load bearing walls;
    - .8 All design elevations, sections, floor plans and details dimensioned and marked-up to consistently report finished installation conditions;
    - .9 Any details produced in the course of the contract by the Departmental Representative to supplement or to change existing design drawings must also be marked-up and dimensioned to reflect final as-built

- conditions and appended to the as-built drawing document;
- .10 All change orders issued over the course of the contract must be documented on the finished as-built documents, accurately and consistently depicting the changed condition as it applies to all affected drawing details.
- .5 As-built Specifications: legibly mark in red each item to record actual construction, including:
  - .1 Manufacturer, trade name, and catalogue number of each product actually installed, particularly items substituted from that specified.
  - .2 Changes made by Addenda and Change Orders.
  - .3 Mark up both copies of specifications; stamp "as-built", sign and date similarly to drawings as per above clause.
- .6 Maintain As-built documents current as the contract progresses. Departmental Representative will conduct reviews and inspections of the documents on a regular basis. Frequency of reviews will be subject to Departmental Representative's discretion. Failure to maintain as-builts current and complete to satisfaction of the Departmental Representative shall be subject to financial penalties in the form of progress payment reductions and holdback assessments.

#### 1.4 REVIEWED SHOP DRAWINGS

- .1 Compile full set of shop drawings and product data reviewed on project and incorporate into Operations and Maintenance Manual. Supply number of shop drawing sets equal to the required number of final Operations and Maintenance manuals.
- .2 Submit shop drawing sets at same time and as part of the contents of the Operation and Maintenance manuals specified in this section.

#### 1.5 OPERATIONS AND MAINTENANCE MANUALS

- .1 Definition: an organized compilation of operating and maintenance data including detailed technical information, documents and records describing operation and maintenance of individual products or systems as specified in individual sections of the specifications.
- .2 Manual Language: final manuals to be in English language.
- .3 Number of copies required:
  - .1 Submit 2 interim copies of the manual for review and inspection by Departmental Representative. Make revisions and additions as directed and resubmit.
  - .2 Upon review and acceptance by Departmental Representative, submit 3 final copies. Initial copies are not to be considered as part of the final copies unless they have been fully revised and are identical to the final approved version.
- .4 Submission Date: submit complete operation and maintenance manual to Departmental Representative 3 weeks prior to application for Interim Certificate of Completion of project.
- .5 Binding:
  - .1 Assemble, coordinate, bind and index required data into Operation and Maintenance Manual.
  - .2 Use vinyl, hard covered, 3 "D" ring binders, loose leaf, sized for 215 x 280 mm paper, with spine pocket.
  - .3 Where multiple binders are needed, correlate data into related consistent groupings.
  - .4 Identify contents of each binder on spine.
  - .5 Organize and divide data into sections same as 16 division numerical order of contract specifications and thereafter subdivided into various equipment or building systems.

- .6 Material: separate each section by use of cardboard dividers and labels. Provide tabbed fly leaf for each separate product or system within each section and with typed description of product and major component parts of equipment.
- .7 Type lists and notes. Do not hand write.
- .8 Drawings, diagrams and manufacturers' literature must be legible. Provide with reinforced, punched binder tab. Bind in with text; fold larger drawings to size of text pages.
- .6 Manual Contents:
  - .1 Cover sheet containing:
    - .1 Date submitted.
    - .2 Project title, location and project number.
    - .3 Names and addresses of Contractor, and all Sub-contractors.
  - .2 Table of Contents: provide full table of contents in each binder(s), clearly indicate which contents are in each binder.
  - .3 List of maintenance materials.
  - .4 List of spare parts.
  - .5 List of special tools.
  - .6 Original or certified copy of Warranties and Guarantees.
  - .7 Copies of approvals, and certificates issued by Inspection Authorities.
  - .8 Copies of reports and results from tests designated as Contractor's responsibilities.
  - .9 Product Information Data on all materials, equipment and systems as specified in individual sections of the specifications to include:
    - .1 List of equipment including manufacturer's name, supplier, local source of supplies and service depot(s). Provide full addresses and telephone numbers.
    - .2 Nameplate information including equipment number, make, size, capacity, model number and serial number.
    - .3 Parts list.
    - .4 Installation details.
    - .5 Operating instructions.
    - .6 Maintenance instructions for equipment.
    - .7 Maintenance instructions for finishes.
- .7 Shop drawings:
  - .1 Bind one complete set of reviewed shop drawings into each copy of operations and maintenance manual.
  - .2 Bind the shop drawings in a manner such that they correspond with the specification section they relate to.
  - .3 Where large quantity of data is supplied due to size of project, fold and bind professionally into separate correctly sized binder.
- .8 Equipment and Systems Data: the following list indicates the type of data and extent of information required to be included for each item of equipment and for each system:
  - .1 Description of unit or system, and component parts. Give function, normal operation characteristics, and limiting conditions. Include performance curves, with engineering data and tests, and complete nomenclature and commercial number of replaceable parts.
  - .2 Panel board circuit directories: provide electrical service characteristics, controls, and communications.
  - .3 Include installed color coded wiring diagrams.
  - .4 Operating Procedures: include start-up, break-in, and routine normal operating instructions and sequences. Include regulation, control, stopping, shut-down,

- and emergency instructions. Include summer, winter, and any special operating instructions.
- .5 Maintenance Requirements: include routine procedures and guide for trouble-shooting; disassembly, repair, and reassembly instructions; and alignment, adjusting, balancing, and checking instructions.
- .6 Servicing and lubrication schedule, and list of lubricants required.
- .7 Manufacturer's printed operation and maintenance instructions.
- .8 Sequence of operation by controls manufacturer.
- .9 Provide original manufacturer's parts list, illustrations, assembly drawings, and diagrams required for maintenance.
- .10 Provide installed control diagrams by controls manufacturer.
- .11 Provide Contractor's coordination drawings, with installed color coded piping diagrams.
- .12 Provide charts of valve tag numbers, with location and function of each valve, keyed to flow and control diagrams.
- .13 Provide list of original manufacturer's spare parts, current prices, and recommended quantities to be maintained in storage.
- .14 Include test and balancing reports.
- .15 Additional requirements as specified in individual specification sections.
- .9 Materials and Finishes Maintenance Data:
  - .1 Building Products, Applied Materials, and Finishes: include product data, with catalogue number, size, composition, and color and texture designations.
  - .2 Instructions for cleaning agents and methods, precautions against detrimental agents and methods, and recommended schedule for cleaning and maintenance.
  - .3 Moisture-protection and Weather-exposed Products: include manufacturer's recommendations for cleaning agents and methods, precautions against detrimental agents and methods, and recommended schedule for cleaning and maintenance.
  - .4 Additional Requirements: as specified in individual specifications sections.

#### **1.6 SPARE PARTS, TOOLS AND MAINTENANCE MATERIALS**

- .1 Provide spare parts, special tools and extra materials for maintenance purposes in quantities specified in individual specification sections.
- .2 Tag all items with associated function or equipment.
- .3 Provide items of same manufacture and quality as items in Work.
- .4 Deliver to site in well packaged condition. Store in location as directed by Departmental Representative.
- .5 Clearly mark as to contents indicating:
  - .1 Part number.
  - .2 Identification of equipment or system for which parts are applicable.
  - .3 Installation instructions or intended use as applicable.
  - .4 Name, address and telephone number of nearest supplier.
- .6 Prepare and submit complete inventory list of items supplied. Include list within Maintenance Manual.

#### **1.7 SPECIAL TOOLS**

- .1 Provide special tools, in quantities specified in individual specification section.
- .2 Provide items with tags identifying their associated function and equipment.
- .3 Deliver to site; place and store.
- .4 Receive and catalog all items. Submit inventory listing to Departmental Representative.

Include approved listings in Maintenance Manual.

## **1.8 SUBMISSION**

- .1 Prepare instructions and data using personnel experienced in maintenance and operation of described products.
- .2 Copy will be returned after final inspection, with Departmental Representative's comments.
- .3 Revise content of documents as required prior to final submittal.
- .4 Two weeks prior to Substantial Performance of the Work, submit to the Departmental Representative, three final copies of operating and maintenance manuals in English.
- .5 Ensure spare parts, maintenance materials and special tools provided are new, undamaged or defective, and of same quality and manufacture as products provided in Work.
- .6 If requested, furnish evidence as to type, source and quality of products provided.
- .7 Defective products will be rejected, regardless of previous inspections. Replace products at own expense.
- .8 Pay costs of transportation.
- .9 Failure to deliver maintenance materials, spare parts, special tools and as-builts will delay progress payments.

## **1.9 FORMAT**

- .1 Organize data in the form of an instructional manual.
- .2 Binders: vinyl, hard covered, 3 'D' ring, loose leaf 219 x 279 mm with spine and face pockets.
- .3 When multiple binders are used, correlate data into related consistent groupings. Identify contents of each binder on spine.
- .4 Cover: Identify each binder with type or printed title 'Project Record Documents'; list title of project and identify subject matter of contents.
- .5 Arrange content by systems, under Section numbers and sequence of Table of Contents.
- .6 Provide tabbed fly leaf for each separate product and system, with typed description of product and major component parts of equipment.
- .7 Text: Manufacturer's printed data, or typewritten data.
- .8 Drawings: provide with reinforced punched binder tab. Bind in with text; fold larger drawings to size of text pages.

## **1.10 CONTENTS - EACH VOLUME**

- .1 Table of Contents: provide title of project;
  - .1 date of submission; names,
  - .2 addresses, and telephone numbers of Departmental Representative, Consultant and Contractor with name of responsible parties;
  - .3 schedule of products and systems, indexed to content of volume.
- .2 For each product or system:
  - .1 List names, addresses and telephone numbers of subcontractors and suppliers, including local source of supplies and replacement parts.
- .3 Product Data: mark each sheet to clearly identify specific products and component parts, and data applicable to installation; delete inapplicable information.
- .4 Drawings: supplement product data to illustrate relations of component parts of equipment and systems, to show control and flow diagrams.
- .5 Typewritten Text: as required to supplement product data. Provide logical sequence of instructions for each procedure, incorporating manufacturer's instructions specified in Section 01 45 00 - Quality Control and Section 01 77 00 - Closeout Procedures.

- .6 Training: Refer to Section 01 91 13 - General Commissioning Requirements.

#### **1.11 RECORDING ACTUAL SITE CONDITIONS**

- .1 Record information on 2 sets of blue line opaque drawings, and in copy of Project Manual.
- .2 Provide felt tip marking pens, maintaining separate colors for each major system, for recording information.
- .3 Record information concurrently with construction progress. Do not conceal Work until required information is recorded.
- .4 Contract Drawings and shop drawings: legibly mark each item to record actual construction, including:
  - .1 Measured depths of elements of foundation in relation to finish first floor datum.
  - .2 Measured horizontal and vertical locations of underground utilities and appurtenances, referenced to permanent surface improvements.
  - .3 Measured locations of internal utilities and appurtenances, referenced to visible and accessible features of construction.
  - .4 Field changes of dimension and detail.
  - .5 Changes made by change orders.
  - .6 Details not on original Contract Drawings.
  - .7 References to related shop drawings and modifications.
- .5 Specifications: legibly mark each item to record actual construction, including:
  - .1 Manufacturer, trade name, and catalog number of each product actually installed, particularly optional items and substitute items.
  - .2 Changes made by Addenda and change orders.
- .6 Other Documents: maintain manufacturer's certifications, required by individual specifications sections.

#### **1.12 STORAGE, HANDLING AND PROTECTION**

- .1 Store spare parts, maintenance materials, and special tools in manner to prevent damage or deterioration.
- .2 Store in original and undamaged condition with manufacturer's seal and labels intact.
- .3 Store components subject to damage from weather in weatherproof enclosures.
- .4 Store paints and freezable materials in a heated and ventilated room.
- .5 Remove and replace damaged products at own expense and to satisfaction of Departmental Representative.

#### **1.13 WARRANTIES AND BONDS**

- .1 Separate each warranty or bond with index tab sheets keyed to Table of Contents listing.
- .2 List Subcontractor, supplier, and manufacturer, with name, address, and telephone number of responsible principal.
- .3 Obtain warranties and bonds, executed in duplicate by Subcontractors, suppliers, and manufacturers where specifically requested by individual specification sections, within ten days after completion of the applicable item of work.
- .4 Except for items put into use with Owner's permission, leave date of beginning of time of warranty until the Date of Substantial Performance is determined.
- .5 Verify that documents are in proper form, contain full information, and are notarized.
- .6 Co-execute submittals when required.
- .7 Retain warranties and bonds until time specified for submittal.

**END OF SECTION**

## **1 General**

### **1.1 RELATED SECTIONS**

- .1 Section 01 78 00 - Close Out Submittals

### **1.2 COMMISSIONING OBJECTIVE**

- .1 Perform commissioning activities in order to achieve the following objectives:
  - .1 Collect data on equipment and systems supplied; and to document their installation;
  - .2 Conduct checks and tests on fully installed building component, equipment, systems and integrated systems to:
    - .1 Verify whether they operate in accordance with requirements of Contract Documents;
    - .2 Verify performance against design criteria and user requirements and measure peak capacities;
  - .3 Prepare a Building Management Manual (BMM) which contains operations and maintenance data, as-built record documents, commissioning reports, training data and other critical information for future use by Facility operational staff;
  - .4 Ensure transfer of knowledge on the operations, maintenance and management of the Facility to Owner and Operational personnel by means of appropriate training.
- .2 Commissioning activities conducted by Owner and/or Departmental Representative does not replace checks, tests, adjustments, balancing and other performance verification responsibilities to be performed by Trade Contractor as part of the work and as specified in other sections of the Specifications.

### **1.3 DEFINITIONS**

- .1 For the purpose of this contract, the following terms, used in this section, as they relate directly or indirectly to the commissioning process, shall be deemed to have the meaning as defined hereafter.
- .2 Commissioning Process: a planned program of tasks, activities and procedures carried out systematically during the Construction and Occupancy Stages in accordance with the commissioning objectives, specified in clause 1.2 above, to:
  - .1 Verify whether the fully installed equipment, systems and integrated systems operate in accordance with contract documents and design criteria and;
  - .2 Ensure that appropriate documentation is compiled to effectively train Operation and Maintenance staff and prepare a comprehensive Building Management Manual (BMM).
- .3 Commission (ie: to commission a building component or system): tests and checks conducted on all systems and integrated systems of Facility; carried out only after they are fully installed, functional and Contractor's Performance Verification responsibilities have been completed and approved.
  - .1 Contractor provides assistance during this process by operating equipment and systems, by troubleshooting and making adjustments as may be required.
  - .2 Systems are run under their full operation and under various modes to determine if they function correctly, consistently, at peak efficiency and interactively with each other as intended in accordance with Contract Documents and design criteria.
  - .3 During these checks, adjustments may be made enhancing performance to meet environmental or user requirements.
- .4 Contractor: means the Contractor, however it also refers to any personnel from Subcontractors, including the controls subcontractors, suppliers and manufacturer



- representatives with whom the Contractor contracts or obtains services for the performance of work and designated commissioning duties.
- .5 Departmental Representative: persons from the civil, architectural, mechanical and electrical design disciplines of the Departmental Representative firm(s) engaged by Owner to prepare the final design and contract documents.
  - .6 Design Criteria: All those factors included in the design of a Facility prescribed by the tenant needs or as determined by Departmental Representative as necessary in order to meet all Facility functional and user operational requirements.
  - .7 Installation/Start-up Checks:(sometimes referred to as pre-functional checks). Checks and inspections to be performed by Contractor during the pre-start-up and start-up of a particular equipment or system component.
    - .1 Checklist sheets are produced which include the following data:
      - .1 Product manufacturer's installation instructions and recommended checks and;
      - .2 Special procedures as specified in relevant sections of Specifications;
      - .3 Other items considered good installation and engineering industry practices deemed appropriate for proper and efficient operation.
    - .2 Standard Installation/Start-up Checklist sheets prepared by equipment manufacturer are acceptable for use. Supplement with additional data representative of specific project conditions as deemed required by Departmental Representative.
    - .3 Use Checklist sheets for all equipment installation. Document in writing on checklist the various checks made, deficiencies noted and corrective action taken.
    - .4 Installing Sub-Contractor to sign Checklist sheets upon completion, certifying that stated checks and inspections have been performed.
  - .8 Performance Verification: (sometimes referred to Functional Testing) checks, running dynamic tests and adjustments carried out by Contractor on equipment and systems, upon their installation, to ensure they operate correctly, efficiently and function independently and interactively with other systems as intended in accordance with contract documents and manufacturer's recommendations.
    - .1 Performance Verification shall not be considered part of the commissioning process. It is however considered an essential and integral part of Contractor's responsibilities in the equipment installation process which must be stringently conducted, successfully completed and approved by Owner before a piece of equipment or system is considered fully installed and functional.
    - .2 Facility components and systems will not be commissioned until performance verification has been completed and approved.
  - .9 Product Information (PI Data): a compilation of data gathered on a particular piece of equipment, typically produced by manufacturer, which includes nameplate information, installation/startup instructions, parts list, operating instructions, maintenance guidelines and other pertinent technical data and recommended checks that is necessary to prepare for start-up and functional testing and used during operation and maintenance of such equipment. This documentation is included in the Building Management Manual (BMM) at completion of work.

#### **1.4 CONTRACTOR'S COMMISSIONING RESPONSIBILITIES**

- .1 General:
  - .1 Coordinate the participation of the various subcontractors, their specialists and manufacturer's representatives in providing the commissioning activities described below.
  - .2 Ensure that workers and manufacturer's personnel are knowledgeable and qualified to interpret system functions and intended design criteria.



- .3 Develop a commissioning schedule.
- .4 Notify Departmental Representative in writing when Facility is ready for be commissioned. Give 14 calendar day notice.
- .5 Commissioning of Facility and designated systems will only commence once that required documentation has been received and all installed equipment and systems have undergone successful performance verification.
- .6 Be aware that inspection certificate will only be issued by Departmental Representative when:
  - .1 All commissioning documentation has been received, reviewed for suitability and approved by Departmental Representative;
  - .2 Designated facility components and systems have been commissioned and;
  - .3 Training has been completed.
- .7 Non-Conformance of Performance Verification Requirements:
  - .1 Should incorrectly installed or malfunctioning equipment, system components or associated controls be found while Facility is being commissioned, Contractor shall be required to re-verify 100% of all equipment and components within the non functional system, including other related system as deemed required by Departmental Representative, to correct deficiencies and ensure effective performance.
  - .2 Costs to correct work and any additional tests or inspections, as deemed required by Departmental Representative, to determine acceptability and proper performance of such items to be paid for by Contractor.
    - .1 Above costs held against Contractor will be as financial penalties in the form of progress payment reductions or holdback assessments.
- .2 Prior to Facility being Commissioned:
  - .1 Submit commissioning documentation as specified in clause 1.8 for use during commissioning.
  - .2 Carryout pre-start-up and start-up of equipment.
  - .3 Conduct performance verification on all installed equipment and systems. Ensure they are fully functional.
  - .4 Address deficiencies in Work identified during performance verification of equipment and systems. Conduct additional performance verification checks and tests to ensure acceptability of Work.
  - .5 Arrange for special tools and devices, identified at commissioning meeting(s), as deemed required to assist with commissioning.
  - .6 Provide access ladders, two way radios and other equipment required by Team when facility will be commissioned.
- .3 When Facility is being Commissioned:
  - .1 Provide qualified tradespersons to be present at site to assist commissioning activity.
  - .2 Assist in commissioning architectural and structural building component, and mechanical, electrical and civil systems specified and as follows:
    - .1 Operate designated building component, mechanical/electrical equipment and system under all modes of operation and conduct checks and tests as directed by Departmental Representative.
    - .2 Check and verify that building component, equipment, systems and integrated systems, including their controls, are functioning and responding correctly and interactively with each other.
    - .3 Test systems independently and then in unison with other related systems.

- .4 Conduct all Commissioning checks and tests in presence of and witnessed by Departmental Representative.
- .3 Specific procedures used to commission Facility may be provided by Departmental Representative which includes:
  - .1 Sequential order of building component and system to be tested.
  - .2 Running systems under various anticipated modes and demands (example: high and low cooling or heating loads, duplicating outside temperature conditions, fire alarm and power failure conditions etc...).
  - .3 Operating designated equipment at peak capacities, recording output data against design criteria.
- .4 Run component or systems as long as necessary to effectively commission all items as deemed required by Departmental Representative.
- .5 Monitor equipment and system responses.
- .6 Record test results, measurements and other data.
- .7 Assist in analyzing results. Identify system deficiencies and components not responding as intended.
- .8 Correct deficiencies and system non-conformance issues. Adjust, calibrate or fine tune system components as required. Debug system software as may be required.
- .9 Retest systems when directed to confirm compliance.
- .4 Upon completion of Facility Commissioning:
  - .1 Provide training to Maintenance & Operational personnel as specified in clause 1.7 below.
  - .2 Turn over any filled-in checks sheets or reports resulting from commissioning.
- .5 During Warranty period at Occupancy Stage:
  - .1 Fine tune components, systems and integrated systems and continue system debugging to optimize Facility performance.
  - .2 Rectify warranty issues.
  - .3 Submit written report to Departmental Representative.
    - .1 Indicate results noted and corrective action taken.
    - .2 Note improvements made to operating parameters and control settings.
    - .3 Recommend modifications deemed advisable to improve performance, environmental conditions, energy consumptions and other issues.
  - .4 Departmental Representative to be present during such work.

## 1.5 COMMISSIONING SCHEDULE

- .1 Address commissioning activities within the construction work schedule. Clearly identify allocated time period for commissioning and training activities.
- .2 Provide a commissioning schedule at the 60% construction stage in order that specific issues and individual details of commissioning can be reviewed, discussed and dealt with from that period onward to project completion. Submit updates thereafter,
- .3 Indicate allocated time period and anticipated dates for:
  - .1 Submission of commissioning documentation, including O&M Manuals.
  - .2 Equipment and system start-up and performance verification, making them ready to be commissioned.
  - .3 Allocated period to commission designated building components and systems.
  - .4 Training period.
  - .5 Work during Warranty period.
- .4 Submit schedule to Departmental Representative for review.

## 1.6 INSTRUCTORS

- .1 Contractor and certified factory-trained manufacturers' personnel: to provide instruction on the following:
  - .1 Start-Up, operation, shut-down of equipment, components and systems.
  - .2 Control features, reasons for, results of, implications on associated systems of, adjustment of set points of control and safety devices.
  - .3 Instructions on servicing, maintenance and adjustment of systems, equipment and components.
- .2 Contractor and equipment manufacturer to provide instruction on:
  - .1 Start-up, operation, maintenance and shut-down of equipment they have certified installation, started up and carried out PV tests.

#### **1.7 TRAINING OBJECTIVES**

- .1 Training to be detailed and duration to ensure:
  - .1 Safe, reliable, cost-effective operation of systems in normal and emergency modes under all conditions.
  - .2 Effective on-going inspection, measurements of system performance.
  - .3 Proper preventive maintenance, diagnosis and trouble-shooting.
  - .4 Ability to update documentation.
- .2 Ability to operate equipment and systems under emergency conditions until appropriate qualified assistance arrives.

#### **1.8 TRAINING MATERIALS**

- .1 Contractor to be responsible for content and quality.
- .2 Training materials to include:
  - .1 "As-Built" Contract Documents.
  - .2 Operating Manual.
  - .3 Maintenance Manual.
  - .4 Management Manual.
  - .5 Testing, Adjusting and Balancing and Performance Verification Reports.
- .3 Training materials to be in a format that permits future training procedures to same degree of detail.
- .4 Supplement training materials:
  - .1 Transparencies for overhead projectors.
  - .2 Multimedia presentations.
  - .3 Manufacturer's training videos.
- .5 Equipment models.

#### **1.9 RESPONSIBILITIES**

- .1 Be responsible for:
  - .1 Implementation of training activities,
  - .2 Coordination among instructors,
  - .3 Quality of training, training materials,
- .2 Departmental Representative will evaluate training and materials.
- .3 Upon completion of training, provide written report, signed by Instructors, witnessed by Departmental Representative.
  - .1 Report to include a list of all attendees.

#### **1.10 TRAINING CONTENT**

- .1 Training to include demonstrations by Instructors using the installed equipment and systems.
- .2 Content includes:

- .1 Review of facility and occupancy profile.
- .2 Functional requirements.
- .3 System philosophy, limitations of systems and emergency procedures.
- .4 Review of system layout, equipment, components and controls.
- .5 Equipment and system start-up, operation, monitoring, servicing, maintenance and shut-down procedures.
- .6 System operating sequences, including step-by-step directions for starting up, shut-down, operation of valves, dampers, switches, adjustment of control settings and emergency procedures.
- .7 Maintenance and servicing.
- .8 Trouble-shooting diagnosis.
- .9 Inter-Action among systems during integrated operation.
- .10 Review of O&M documentation.
- .3 Provide specialized training as specified in relevant Technical Sections of the construction specifications.

#### **1.11 VIDEO-BASED TRAINING**

- .1 Manufacturer's videotapes to be used as training tool with Departmental Representative's review and written approval 3 months prior to commencement of scheduled training.
- .2 On-Site training videos:
  - .1 Videotape training sessions for use during future training.
  - .2 To be performed after systems are fully commissioned.
  - .3 Organize into several short modules to permit incorporation of changes.
- .3 Production methods to be professional quality.

#### **1.12 TRAINING**

- .1 Allow for sufficient time to conduct adequate training, practice and questions, minimum eight (8) hours.
- .2 Commence process of familiarizing O&M personnel in the early stages of work on purpose and operation of various equipment and systems. Continue process throughout the entire construction duration.
  - .1 Provide informal briefings during occasional site visits, at planned commissioning meetings and during the final commissioning site activities.
- .3 Conduct formal demonstration and training sessions only after all identified systems have been commissioned and Departmental Representative has given approval to proceed with the training process.
- .4 Provide training and demonstration on equipment, sub-systems, systems and integrated systems.
- .5 Carryout training in accordance with requirements of Section 01 91 13 - General Commissioning Requirements.
- .6 Submit written agenda of training session(s) 4 weeks before hand for review by Departmental Representative.
- .7 Submit training manuals for review 2 weeks prior to actual training.
- .8 Ensure required tools and O&M Manuals are on site for training and system demonstration.
- .9 As a minimum, the training sessions to cover the following information:
  - .1 Introduction.
  - .2 Description of the system.
  - .3 Instructions on start-up procedures, system check-lists and emergency procedures.

- .4 Operational procedures, automatic operations and emergency modes.
- .5 Instructions on all aspects of system maintenance, including routine servicing, lubrication, overhaul and factory servicing.
- .6 Information concerning the scope of warranties and their use.
- .7 A description of normal tools required for servicing the systems/equipment.
- .10 Submit typewritten record of training sessions given and list of attendees. Use forms of format approved by Departmental Representative.

#### **1.13 DESCRIPTION**

- .1 Owner will provide list of personnel to receive instructions, and will co-ordinate their attendance at agreed-upon times.

#### **1.14 SUBMITTALS**

- .1 Submittals: in accordance with Section 01 33 00 - Submittal Procedures.
- .2 Submit schedule of time and date for demonstration of each item of equipment and each system two weeks prior to designated dates, for Departmental Representative's approval.
- .3 Submit reports within one week after completion of demonstration, that demonstration and instructions have been satisfactorily completed.
- .4 Record signatures of all attendees.
- .5 Give time and date of each demonstration, with list of persons present.

#### **1.15 CONDITIONS FOR DEMONSTRATIONS**

- .1 Equipment has been inspected and put into operation in accordance with respective applicable Sections.
- .2 Testing, adjusting, and balancing has been performed and equipment and systems are fully operational.
- .3 Provide copies of completed operation and maintenance manuals for use in demonstrations and instructions.

#### **1.16 PREPARATIONS**

- .1 Verify that conditions for demonstration and instructions comply with requirements.
- .2 Verify that designated personnel are present.

#### **1.17 DEMONSTRATION AND INSTRUCTIONS**

- .1 Demonstrate start-up, operation, control, adjustment, trouble-shooting, sequencing, winter/summer operating, servicing, and maintenance of each item of equipment at scheduled times, at the equipment location.
- .2 Instruct personnel in phases of operation and maintenance using operation and maintenance manuals as basis of instruction.
- .3 Review contents of manual in detail to explain aspects of operation and maintenance.
- .4 Prepare and insert additional data in operations and maintenance manuals when need for additional data becomes apparent during instructions.

#### **1.18 COMMISSIONING DOCUMENTATION**

- .1 Submit the following documentation for use during commissioning and for incorporation thereafter into a Building Management Manual (BMM).
- .2 Operations and Maintenance Manuals, Project Record Documents and other data as specified in Section 01 78 00 - Closeout Submittals. Data to include:
  - .1 Equipment Product Information (PI Data) complete with:
    - .1 Nameplate info,
    - .2 Installation instructions,

- .3 Operating procedures and
- .4 Maintenance guidelines.
- .5 Reviewed shop drawings,
- .6 As-built record drawings and Specifications.
- .2 Completed Installation/Start-up Checklist sheets used.
- .3 Copy of any static and dynamic test and reports conducted.
- .4 Reports as specified in various trade sections.
- .3 Documentation to include detailed information and number of copies as specified for maintenance manuals of Section 01 78 00 - Closeout Submittals.

**END OF SECTION**

## **1 General**

### **1.1 OBJECTIVE**

- .1 The Canada Revenue Agency (CRA) has a requirement to acquire a powered mobile pallet racking carriage system (hereinafter referred to as the "System") that will integrate with CRA's existing pallet rack components. The new System will replace the existing mobile pallet racking carriage system unit in use at the Joseph A. Ghiz Building, at 275 Pope Road, Summerside, PEI.

### **1.2 BACKGROUND**

- .1 The current mobile pallet racking carriage system has been in place for twenty-two (22) years, and is the "AisleSaver" brand manufactured by the White Mfg Co. The current carriage system has become obsolete, and suppliers are no longer available to perform maintenance or to supply replacement parts. The current carriage system functionality today is limited since CRA can only load approximately 30-50% of the capacity required, or the carriage system will not move.

### **1.3 REFERENCES**

- .1 American National Standards Institute (ANSI) Standards:
  - .1 Applicable standards for fasteners used for assembly.
- .2 American Society for Testing and Materials (ASTM) Standards:
  - .1 Applicable standards for steel sheet materials used for fabrication.
- .3 American Institute of Steel Construction (AISC) Standards:
  - .1 Applicable standards for steel materials used for fabrication.
- .4 Canadian Standards Association (CSA):
  - .1 Listings for electrical equipment and devices described in this specification.

### **1.4 SYSTEM DESCRIPTION**

- .1 The System supplied by the Contractor must be new, unused, non-refurbished, and must be the most recent version of the equipment manufactured within the previous twelve (12) months from contract award date.
- .2 The Contractor must ensure that all electrical equipment supplied is certified for use in accordance with the appropriate Canadian Electrical Code or ULC certified, and must plug into existing electrical supply.
- .3 The System must include Electric Motors to drive and stop each single (or double) carriage independently. 3-phase gear motors.
- .4 Soft starts and stops controlled by variable frequency drive compliant to ISO 13849-1 Cat 3/PL d.
- .5 The System must include Dual Controls, one at each end of each carriage, each of which will open system to desired aisle.
- .6 Rails to be flush with floor.
- .7 The System must include minimum 156mm diameter drive wheels and free wheels for carriages.
- .8 The System must be manufactured and delivered with a fully welded frame assembly and welded trolleys and assembled with bolts.
- .9 The System must provide a minimum ¼ hp AC gear motors. Up to 4 motors by carriage. Mechanical synchronized with full-length drive shaft.
- .10 Safety Features:
  - .1 The System must include the following safety features:
    - .1 Sensors which must automatically stop all carriage movement if any obstruction is in place, and which must also indicate the aisle where the obstruction is occurring. At floor level, in-aisle. Compliant to ISO 13849



- PL c/Cat 2.
- .2 System entry sensor at front and back compliant to ISO 13849-1 PL e/Cat 4.
- .3 Emergency stops at front and back to stop any and all movement with one push of one button.
- .4 Indicators which verify that, when aisle has opened to desired position that the aisle is in use. Low profile carriages.
- .5 A beacon, light, or alarm to indicate that carriages are moving.
- .6 Stops at the ends of all tracks as a safety feature.
- .7 Be installed such that all chains, gears and moving parts are shielded for protection of all users.
- .11 Capacity:
  - .1 Overall weight capacity of each single carriage after shelving weight shall be no less than 21,772 kg (48,000 lbs), exclusive of pallet racking and carriage component weights. All carriages have to be at 32,000 lbs/double section. Structural steel.
- .12 Functionality:
  - .1 The System must be UL approved and must have standard industrial control components.
  - .2 Each double or single row must be able to move independently, and allow the aisle to be opened to access each row. It is not necessary to access each row from either side, with the exception of the single row on the south side of the room.
  - .3 Double rows are acceptable for four of the rows if manufacturer so chooses. All shelves will still need to be accessible, however it is acceptable that they are only accessible from one side.
  - .4 Each mobile carriage must act independently from all others and be capable of moving in either direction on the track. The system must move each row of shelving if an operator were to push one button/switch and then release. The system must automatically open the aisle that the operator chooses, without need of further input from the operator.
  - .5 Mechanical Ratchet power failure solution to move carriages in case of power failure.
  - .6 All menus and parameters accessible from any carriage PIN-Code Control keypad.
  - .7 Advanced automatic movements. Aisles can be configured to close and lock at specific times. System can be configured to open a specific aisle after a specific amount of time. System can be configured to evenly distribute the space between to carriages to create smaller multiple aisles.
  - .8 (option) Building alarm interface to connect building fire alarm system to mobile system. Activates configured automated movement.
  - .9 Remote monitoring and control software to connect to mobile system from PC. When in control, prevents mobiles systems from being operated by others. Email notification, system operation logs, access to every parameter, and visual display of system electrical components statuses.
  - .10 Remote control tablet to control mobile system remotely by wifi.
  - .11 Rugged remote control tablet compliant to MIL-STD-801F protection against dust, water, extreme temperatures and 4-foot drops to concrete to control mobile system remotely by wifi.
  - .12 MO
- .13 Finishes:
  - .1 Fabricated Metal Components and Assemblies: Manufacturer's standard powder



- coat paint finish.
- .2 Columns, End Panels, Accessible Ends: Manufacturer's standard powder coat paint finish in standard available colors.
- .3 Final color selections will be made by Departmental Representative prior to fabrication from the Manufacturer's full range of standard colors.

## **1.5 DESIGN**

- .1 The Contractor must provide an electronic drawing(s) of the System, which must include the following:
  - .1 All required dimensions and elevations.
  - .2 The number of linear filing inches provided, and the total floor space occupied.
  - .3 The proposed layout of the System, showing that the System will be fully compatible with existing shelving, and that the new carriage system will fit in room known as "Paper Stores Room".

## **1.6 SUBMITTALS**

- .1 Product Data:
  - .1 Submit manufacturer's product literature and installation instructions for full carriage system and controls. Include data substantiating that products to be furnished comply with requirements of the contract documents.
- .2 Shop Drawings:
  - .1 Show fabrication, assembly, and installation details including descriptions of procedures and diagrams.
  - .2 Furnish floor layout.
  - .3 Provide technical and installation manuals for System with necessary dimensions for rail layout and system configuration at the project site. Include installed weight, load criteria, furnished specialties, and accessories.
  - .4 Provide layout dimensions to demonstrate the existing pallet racking will be supported and anchored to the system.
  - .5 Provide layout, dimensions, and identification of each unit corresponding to sequence of installation and erection procedures. Specifically include the following:
    - .1 Location, position and configuration of tracks on all floors.
    - .2 Plan layouts of positions of carriages, including all required clearances.
    - .3 Details of shelving, indicating method and configuration of installation in carriages.
  - .6 Provide installation schedule and complete erection procedures to ensure proper installation.
  - .7 Show locations of wiring and disconnects required for operating mobile carriage system.
- .3 Samples:
  - .1 Provide minimum 76mm square example of each color and texture on actual substrate for each component to remain exposed after installation.

## **1.7 QUALITY ASSURANCE**

- .1 Installer Qualifications:
  - .1 Engage an experienced installer who is a manufacturer's authorized representative for the specified products for installing carriages and anchoring shelving units to carriages.

## **1.8 DELIVERY STORAGE AND HANDLING**

- .1 Follow manufacturer's instructions and recommendations for delivery, storage and

handling requirements.

## **1.9 PROJECT CONDITIONS**

- .1 Field Measurements:
  - .1 Verify dimensions before fabrication. Indicate verified measurements on Shop Drawings. Coordinate fabrication and delivery to ensure no delay in progress of the Work.

## **1.10 SEQUENCING AND SCHEDULING**

- .1 Provide a Gantt chart schedule which shows total project tasks in detail such that CRA may maintain its operations uninterrupted. Update as directed by Departmental Representative.

## **1.11 WARRANTY**

- .1 Provide a written warranty, executed by Contractor, Installer, and Manufacturer, agreeing to repair or replace units which fail in materials or workmanship. This warranty shall be in addition to, and not a limitation of, other rights the Owner may have under General Conditions provisions of the Contract Documents.
- .2 Warrant the entire System installation against defects in materials and workmanship for a period of five (5) years from date of Substantial Performance.

## **1.12 WASTE MANAGEMENT AND DISPOSAL**

- .1 Collect and separate for disposal waste material generated by this Section.
- .2 Place in appropriate on-site bins in accordance with Waste Management Plan.
- .3 A clean worksite is mandatory at all times. Failure to maintain the site in a clean, safe condition shall result in the Owner initiating a clean-up and related costs being deducted from progress claims.

# **2 Products**

## **2.1 MANUFACTURERS**

- .1 General: Products are based upon mobilized storage Montel Saferak 32.
- .2 Other manufacturers meeting the specification requirements may bid as Approved Equals.

## **2.2 BASIC MATERIALS**

- .1 General:
  - .1 Provide materials and quality of workmanship which meet or exceed established industry standards for products specified.
  - .2 Use furniture grade sheet metal for component fabrication unless indicated otherwise.
  - .3 Material thickness/gauges are manufacturer's option unless indicated otherwise.
- .2 Plastic Laminates: NEMA LD-3, GP-28, Vertical Grade.
- .3 Electrical Devices and Controls: C-UL US for type of application and service.

## **2.3 MANUFACTURED COMPONENTS**

- .1 Powered Systems
  - .1 Design System to match existing layout, one (1) fixed rack to remain as existing and five (5) mobile racks. 5 mobile carriage systems to be replaced.
  - .2 Soft-start carriage movement reduces system start-up amperage draw and eliminates jostling of stored materials during movement.
  - .3 Positive direct wheel AC motor drive with soft start / stop, dynamic braking, current limiting and automatic time out.

- .1 Provides smooth, even carriage movement.
  - .2 Protects material stored.
  - .3 Provides longer system life.
- .4 Laser distance sensors for precise programmable carriage positioning.
- .5 UL to assure electrical safety.
- .6 Dual controls for accessing a system module from both the front and rear.
- .2 Wheels:
  - .1 156mm diameter load and drive wheels.
  - .2 Precision machined solid steel wheels.
- .3 Uniframe Wheel Assemblies & Carriage Base
  - .1 Fully welded uniframe wheel assemblies.
    - .1 Provides maximum strength for the load and cyclic stress requirements of a mobile system.
    - .2 One piece construction assures wheel alignment.
  - .2 Assembled structural steel carriage base.
- .4 Multiple Synchronized Motors
  - .1 Number of motors varies with load, thereby, providing the most cost effective design.
  - .2 Provide smooth, even carriage movement.
  - .3 Maintains proper carriage alignment through closed loop motor feedback and control on all individual motors within carriage regardless of length or weight load distribution. Eliminate racking and binding without the use of tubular or solid steel drive shaft systems.
- .5 Cross Bracing:
  - .1 Keeps wheel assemblies in exact alignment.
  - .2 Provides rigid base for racking or shelving.
- .6 Photo Sweep:
  - .1 Extends the entire length of both sides of the carriage, stopping movement and slightly backing carriage away when an obstruction is detected.
  - .2 Two invisible light beam positioned at bottom edge of every carriage provides added safety.
  - .3 Standard on all Saferak 32 mobilized storage systems.
- .7 Aisle Entry Sensor:
  - .1 Automatically stops or prevents carriage movement when a user enters an aisle.
  - .2 Should a user enter a closing aisle, the system will stop all carriage movement and that aisle will need to be reset to resume operation.
  - .3 Manual reset at the opened aisle provides additional safety by prompting users to visually check the open aisle before resetting system.
  - .4 Solid state circuitry and photoelectric technology ensures long term system reliability.
  - .5 Standard on all Saferak 32 mobilized storage systems.
- .8 Beacon & Horn:
  - .1 Flashing beacon warns of carriage movement.
  - .2 Horn warns of carriage movement in areas where beacon cannot be seen.
- .9 System Movement Indicators:
  - .1 The amber light above the control panel blinks while the system is moving. Furthermore, a horn sounds for the first 3-seconds of system movement
- .10 Safety Override Key:
  - .1 Used when the user cannot correct a problem causing the carriage to fail safe.
  - .2 Touch and hold the "MOVE" button in the direction you wish to move the

carriage. The system will move at half speed. An audible "beep" alerts users that the system is operating without safeties.

- .11 Covered Wiring Raceway:
  - .1 Protects wiring from abuse and contamination.
- .12 Festoon Cables Power Distribution System:
  - .1 Access aisle can be large as needed.
  - .2 Keeps aisle free from wiring obstructions.

## **2.4 FABRICATION**

- .1 General: Coordinate fabrication and delivery to ensure no delay in progress of the Work.
- .2 Wheels: Provide precision ground and balanced units with permanently shielded and lubricated bearings.
- .3 Carriages: Fabricate to ensure no more than 6mm maximum deviation from a true straight line. Splice and weld to ensure no permanent set or slippage in any spliced or welded joint when exposed to forces encountered in normal operating circumstances.

## **3 Execution**

### **3.1 DISMANTLING**

- .1 Dismantle, remove, and dispose all existing carriages, and finish material that will not be used on the new System. This includes removal of any and all of the existing carriage system from the premises at 275 Pope Road, Summerside PE.
- .2 Must provide CRA with three (3) working days of notice before arriving on site to begin the dismantling of the existing carriage system to allow for the removal of material from the Paper Storage Room and for the implementation of structural modifications to the sub-floor structural rail / steel plate support system.

### **3.2 ASSEMBLY**

- .1 The Contractor shall:
  - .1 Supply and install a System in accordance with the specifications set out in this Statement of Requirement that will integrate with the existing racking system.
  - .2 Receive, unload, store, and transport all the equipment to the staging and/or installation area.
  - .3 Unpack all the pieces and inspect all the pieces for shipping damage. All damaged items will be rejected.
  - .4 Incorporate racking/shelves salvaged during the dismantling of the existing carriage.
  - .5 Provide all necessary parts and fasteners with delivery to ensure a complete and proper installation.
  - .6 Complete installation by factory certified installers and must complete assembly in accordance with the manufacturer's written instructions and as per the electronic drawings.
  - .7 Maintain a clean, orderly, and safe working area at all times and must clean up the installation site by removing scrap material, debris, packing materials, and other debris from the work area at the end of each working day.
  - .8 Provide a walk through no later than three (3) days upon completion of the installation with the Departmental Representative to verify the operating condition of all the pieces.
  - .9 Complete all deficiencies and make all adjustments not requiring new parts within three (3) business days of receiving a deficiency list from the Departmental Representative or submit an action plan for approval by the Project Authority with delivery and completion dates for deficiencies requiring more than three (3) business days of completion time.

### 3.3 INSTALLATION

- .1 Shelving Units Installation:
  - .1 General: Follow layout to match existing manufacturer's printed installation instructions. Position units level, plumb; at proper location relative to adjoining units and related work.
  - .2 Carriages:
    - .1 Place movable carriages on rails. Ensure that all wheels track properly and centering wheels are properly seated on centering rails. Fasten multiple carriage units together to form single movable base where required.
    - .2 Position fixed carriage units to align with movable units; make final leveling adjustments with leveling screws.
  - .3 Shelving Units:
    - .1 Permanently fasten shelving units to fixed and movable carriages with vibration-proof fasteners.
    - .2 Stabilize shelving units following manufacturer's written instructions. Reinforce shelving units to withstand the stress of movement where required and specified.
  - .4 Wiring:
    - .1 Make final control wiring connections between modules under single control.
    - .2 Test wiring for continuity and proper connections with regulated field power supply before making final power connections.
    - .3 Make final wiring connections to permanent power source. Connection to power source by others.
    - .4 Test system operation by cycling all units through complete operations sequences.

### 3.4 FIELD QUALITY CONTROL

- .1 Verify shelving unit alignment and plumb after installation. Correct if required following manufacturer's instructions.
- .2 Remove components of System which are chipped, scratched, or otherwise damaged and which do not match adjoining work. Replace with new, undamaged, matching units.

### 3.5 ADJUSTING

- .1 Adjust components and accessories to provide smoothly operating, visually acceptable installation.

### 3.6 DEFICIENCIES

- .1 Conduct deficiency review with Departmental Representative and CRA present.
- .2 Test all functional requirements.
- .3 Correct all deficiencies prior to commissioning.

### 3.7 COMMISSIONING

- .1 CRA to load racking prior to commissioning.
- .2 Commission System confirming all operations.
- .3 Pay costs for CRA to unload then reload of System fails commissioning.

### 3.8 CLEANING

- .1 Immediately upon completion of mobile shelving installation, clear components and surfaces. Remove surplus materials, rubbish and debris resulting from mobile shelving

installation upon completion of work and leave areas of installation in neat, clean condition.

**3.9 DEMONSTRATION/TRAINING**

- .1 Schedule and conduct demonstration of use and safety features of equipment with Owner's personnel.
- .2 Training session should include lecture and demonstration of all maintenance and repair procedures that end user personnel would normally perform.
- .3 Provide an instruction manual in English format or bilingual (English and French) format and must provide training to the Departmental Representative and onsite staff members on the proper use of the system, including operation of the system, health and safety issues, and other general information pertinent to the daily operation of the system. This training must occur prior to CRA's acceptance of the mobile shelving system.

**3.10 CLIENT SUPPORT**

- .1 The work shall take place during regular working hours: 07:30 AM to 4:00 PM.
- .2 CRA will be responsible for removing all existing printed material from the areas where the installation is to occur and loading all printed materials on to the completed installation prior to commissioning, such that commissioning can be done with a fully loaded system.
- .3 CRA will provide access to the loading dock.
- .4 CRA will provide the existing shelving system to be integrated with the new System.

**END OF SECTION**