



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions
- TPSGC
11 Laurier St./11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Furniture Division/Division des ameublements
11 Laurier St. / 11, rue Laurier
6B1, Place du Portage
Gatineau
Québec
K1A 0S5

| | |
|---|--|
| Title - Sujet SOFT SEATING & TABLES/AREAS RMSO | |
| Solicitation No. - N° de l'invitation EP715-162134/B | Amendment No. - N° modif. 001 |
| Client Reference No. - N° de référence du client 20162134 | Date 2016-06-09 |
| GETS Reference No. - N° de référence de SEAG PW-\$SPQ-407-71004 | |
| File No. - N° de dossier pq407.EP715-162134 | CCC No./N° CCC - FMS No./N° VME |
| Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-06-15 | Time Zone Fuseau horaire Eastern Daylight Saving Time EDT |
| F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/> | |
| Address Enquiries to: - Adresser toutes questions à: Miller, Tracey | Buyer Id - Id de l'acheteur pq407 |
| Telephone No. - N° de téléphone (819) 420-2949 () | FAX No. - N° de FAX () - |
| Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: | |

Instructions: See Herein

Instructions: Voir aux présentes

| | |
|--|--|
| Delivery Required - Livraison exigée | Delivery Offered - Livraison proposée |
| Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur | |
| Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur | |
| Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) | |
| Signature | Date |

This amendment is raised for the following reasons;

- A) Modifications
- B) To post Questions and Answers received from the industry to date

MODIFICATIONS

1. 5.3.1.1.5, **Seat #1 to be deleted and replaced with the following:**
Bench Legs height must be between 1" to 4" H X 1 ½" to 3" W X 3/8" to 3" D. +/-13 mm (1/2")
2. 5.3.3.2.2, **Seat #3 to be deleted and replaced with the following:**
Shelf beneath the seat to be fabric, high pressure laminate, polyester mesh or plastic finish with coordinating edge material.
3. 5.3.5.1.4, **Seat #5 to be deleted and replaced with the following:**
Base style must be with legs or glides.
4. 5.3.7.2.1, **Table #7 to be deleted and replaced with the following:**
Table top must be high pressure laminate with coordinating edge material. Thickness is to be 1 ¼" minimum. +/- 1/4"
5. 6.4.1 Delivery (for both Groups 1 & 2), **Delivery - Firm Quantity to be deleted and replaced with the following:**
All firm deliverables must be delivered 4-8 weeks after contract award.
6. 5.3.2.4.1, **Seat #2a & 2b to be deleted and replaced with the following:**
Overall dimensions must be a minimum of 66 ½ "W to max. 72"W x min. 26"D to max. 30"D x min. 28"H to max. 36"H, +/-25.4mm (1").

QUESTIONS AND ANSWERS

Q1 - 5.3.1 Collaborative Seat #1

Can the bench legs be up to 4"h and a +/- 2" on the width and 3/8" or greater deep?

A1. *Please refer to modification #1 above.*

Q2 - 5.3.1 Collaborative Seat #1

Our standard leg is 4.5"h, since there is no function reason or benefits of different leg heights please confirm if our standard leg is acceptable.

A2. *4 ½ " is acceptable;*

Q3 - 5.3.3 Collaborative - Seat #3:

Please confirm we can submit with our shelf that comes standard as a black polyester mesh.

A3. *Yes, the black polyester mesh is acceptable for the shelf beneath the seat.*

Q4 - 5.3.5 Collaborative - Seat #5

We provide as a standard, black plastic glides that pass all testing standards on our ottoman instead of legs. Since there is no function requirement for difference support styles on an ottoman, please confirm glides will be acceptable.

A4. *Yes, glides will be acceptable.*

Q5. 5.3.7 Collaborative - Table #7

Our surfaces are 1" thick with HPL finish and pass all testing requirements. Please confirm our 1" thick surface will be acceptable.

A5. *Yes, 1" thick will be acceptable.*

Q6 - 6.4.1 Delivery (for both Groups 1 & 2)

Delivery - Firm Quantity

Ship Dates:

4 to 6 week delivery dates are requested. This is ok for standard product but we must create specials to comply with the specifications derived from others' product. Can you confirm if 6 to 9 week delivery dates are acceptable?

A6. *We will accept 4-8 weeks delivery date after award of contract.*

Q7 - 5.3.2 Collaborative - Seat #2a & 2b

Seat 2 A – would an overall width of 65.75" OR 74" be acceptable to bid. No floor plan was provided in the tender, so I assume there is flexibility on the dimensions unless the end user client must fit only the tolerance mentioned in the tender ?

A7. *The width of 65.75" will be accepted*

Q8. *Our fabrics and upholstery are warranted for 5 years from delivery date, can you please confirm this is acceptable?*

A8. *Please refer to 6.3.1 General Conditions of the solicitation.*