

PART 1 - GENERAL

- 1.1 Description .1 This section specifies requirements for portable or local commercial truck weigh scales for weighing of materials where measurement for placement is based on mass.
- .2 Weigh scales are to be set up off site at a location arranged for and paid for by the Contractor.
- 1.2 Requirements of Regulatory Agencies .1 Prior to use, have weigh scales certified as meeting requirements of Statutes of Canada, Chapter 36, Weights and Measures Act, and subsequent amendments. Display certificate in a prominent position.
- 1.3 Measurement for Payment .1 Measurement for items of this section will not be made. Include all costs in the lump sum bid price for Mobilization and Demobilization.
- 1.4 Equipment .1 Weigh Scales: of sufficient capacity to weigh loaded vehicles in a single operation.
- .2 Scale House:
- .1 To enclose mass indicator and in which the Departmental Representative can perform work and maintain records.
- .2 To be weatherproof and have minimum 750 lx of illumination, one sliding window facing scale platform, one other window for cross ventilation, shelf desk at least 600mm x 1800mm, and heat to maintain inside temperature at 20 degrees celsius. Entrance door not to face onto scale platform.
- .3 Provide sufficient number of approved weigh tickets, in triplicate, with consecutive serial numbers.
- .4 Existing commercial scales may be utilized if available.
- .5 Provide, install and maintain scales, scale house and ramps, convenient to project site, at location approved by Departmental Representative.
- 1.5 Operation .1 Departmental Representative at scales will perform or monitor weighing of materials.

- 1.6 Maintenance
- .1 Maintain scale platform and scale mechanism clean and free from gravel, asphalt, snow, ice, and debris.
 - .2 Maintain approach and exit ramps in good condition free from sags and ruts.
 - .3 Have scales recertified if requested by Departmental Representative.
- 1.7 Removal
- .1 Remove scales and scale house when no longer required by Departmental Representative.
 - .2 Level approach and exit ramps and regrade to approval of Department Representative.