



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving - PWGSC / Réception des soumissions
- TPSGC**
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Vehicles & Industrial Products Division
11 Laurier St./11, rue Laurier
7A2, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Title - Sujet MULTIPLE PUMPS	
Solicitation No. - N° de l'invitation W8482-178454/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client W8482-178454	Date 2016-07-06
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-371-70952	
File No. - N° de dossier hp371.W8482-178454	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-07-18	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Modérie, Christine	Buyer Id - Id de l'acheteur hp371
Telephone No. - N° de téléphone (873) 469-3327 ()	FAX No. - N° de FAX (819) 953-2953
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment No. 003 to the solicitation is raised to incorporate additional information to the line items description.

4320-21-904-1983 – Item 001

MAXIMUM DISCHARGE FLOW RATE	809.4 GALLONS PER MINUTE
TOTAL HEAD	335.0 FEET
OPERATING SPEED AT RATED CAPACITY	3600.0 REVOLUTIONS PER MINUTE
MEDIA FOR WHICH DESIGNED	WATER, SALT
PUMPING ELEMENT OPERATING POSITION	VERTICAL
CENTRIFUGAL PUMP DESIGN	RADIAL FLOW
CENTRIFUGAL PUMP IMPELLER QUANTITY	1
CENTRIFUGAL PUMP IMPELLER SUCTION TYPE	SINGLE
STAGE QUANTITY	1
PUMP QUANTITY	1
INTAKE CONNECTION QUANTITY	1
INTAKE CONNECTION TYPE	ROUND FLANGE
DISCHARGE CONNECTION QUANTITY	1
DISCHARGE CONNECTION TYPE	ROUND FLANGE
PRIME MOVER TYPE	ELECTRIC MOTOR
PRIME MOVER COOLING MEDIUM	AIR
PRIME MOVER QUANTITY	1
PRIME MOVER POWER RATING	75.0 HORSEPOWER
CURRENT TYPE	AC
VOLTAGE IN VOLTS	440.0
FREQUENCY IN HERTZ	60.0
PHASE	THREE
CURRENT RATING IN AMPS	85.0

4320-21-904-1985 – Item 002

MAXIMUM DISCHARGE FLOW RATE	676.0 GALLONS PER MINUTE
TOTAL HEAD	40.2 FEET
OPERATING SPEED AT	1200.0 REVOLUTIONS PER MINUTE

RATED CAPACITY	
MEDIA FOR WHICH DESIGNED	WATER, SALT
PUMPING ELEMENT OPERATING POSITION	VERTICAL
CENTRIFUGAL PUMP DESIGN	RADIAL FLOW
CENTRIFUGAL PUMP IMPELLER QUANTITY	1
CENTRIFUGAL PUMP IMPELLER SUCTION TYPE	SINGLE
STAGE QUANTITY	1
PUMP QUANTITY	1
INTAKE CONNECTION QUANTITY	1
INTAKE CONNECTION TYPE	ROUND FLANGE
DISCHARGE CONNECTION QUANTITY	1
DISCHARGE CONNECTION TYPE	ROUND FLANGE
PRIME MOVER TYPE	ELECTRIC MOTOR
PRIME MOVER COOLING MEDIUM	AIR
PRIME MOVER QUANTITY	1
PRIME MOVER POWER RATING	10.0 HORSEPOWER
CURRENT TYPE	AC
VOLTAGE IN VOLTS	440.0
FREQUENCY IN HERTZ	60.0
PHASE	THREE
CURRENT RATING IN AMPS	4.0
SPECIAL FEATURES	NONSUBMERSIBLE

4320-21-904-1989 – Item 003

MAXIMUM DISCHARGE FLOW RATE	352.0 GALLONS PER MINUTE
TOTAL HEAD	335.0 FEET
OPERATING SPEED AT RATED CAPACITY	3600.0 REVOLUTIONS PER MINUTE
MEDIA FOR WHICH DESIGNED	WATER, SALT
PUMPING ELEMENT OPERATING POSITION	HORIZONTAL
CENTRIFUGAL PUMP DESIGN	RADIAL FLOW
CENTRIFUGAL PUMP	1

IMPELLER QUANTITY	
CENTRIFUGAL PUMP IMPELLER SUCTION TYPE	SINGLE
STAGE QUANTITY	1
PUMP QUANTITY	1
INTAKE CONNECTION QUANTITY	1
INTAKE CONNECTION TYPE	ROUND FLANGE
DISCHARGE CONNECTION QUANTITY	1
DISCHARGE CONNECTION TYPE	ROUND FLANGE
PRIME MOVER TYPE	ELECTRIC MOTOR
PRIME MOVER COOLING MEDIUM	AIR
PRIME MOVER QUANTITY	1
PRIME MOVER POWER RATING	50.0 HORSEPOWER
CURRENT TYPE	AC
VOLTAGE IN VOLTS	440.0
FREQUENCY IN HERTZ	60.0
PHASE	THREE
CURRENT RATING IN AMPS	58.0
SPECIAL FEATURES	NONSUBMERSIBLE.

4320-21-912-4344 – Item 004

4320-20-008-7952 – Item 005

4320-20-008-6161 – Item 006

(No info to post, OEM for more info)

All other terms and conditions remain unchanged.