



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving - PWGSC / Réception des soumissions
- TPSGC**
11 Laurier St./11 rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Ce document comporte une exigence en matière de sécurité - This document contains a security requirement

Vendor/Firm Name and Address

Raison sociale et adresse du fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Construction Services Division/Division des services de construction
11 Laurier St./11 Rue Laurier
3C2, Place du Portage
Phase III
Gatineau, Québec K1A 0S5

Title - Sujet AIP2-ALEXANDRA BRIDGE STEEL REPAIRS	
Solicitation No. - N° de l'invitation EP731-170347/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client 20170347	Date 2016-07-08
GETS Reference No. - N° de référence de SEAG PW-\$\$\$FG-358-71160	
File No. - N° de dossier fg358.EP731-170347	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-07-21	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B.	
Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Michaud, Jasmin	Buyer Id - Id de l'acheteur fg358
Telephone No. - N° de téléphone (873) 469-4920 ()	FAX No. - N° de FAX (819) 956-8335
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation Amendment number 001 is raised to:

- 1) DELETE “Bid and Acceptance Form” including “Appendix 1” and REPLACE WITH “Revised Bid and Acceptance Form - R1” including “Appendix 1 – R1” attached hereto, where changes have been made to the following sections:

- BA06 CONSTRUCTION TIME
- UNIT PRICE TABLE

All references in the Solicitation to “Bid and Acceptance Form” are hereby replaced with “Revised Bid and Acceptance Form R1”. In addition, all references in the Solicitation to “Appendix 1” are hereby replaced with “Appendix 1 – R1”

- 2) Issue Addendum 002 attached hereto.

Note, Addendum No. 1 will not be issued as it was incorporated into the original contract documents issued for tender.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.

Solicitation No. - N° de l'invitation

EP731-170347

Client Ref. No. - N° de réf. du client

20170347

Amd. No. - N° de la modif.

01

File No. - N° du dossier

fg358EP731-170347

Buyer ID - Id de l'acheteur

fg358

CCC No./N° CCC - FMS No./N° VME

REVISED BID AND ACCEPTANCE FORM – R1

BA01 IDENTIFICATION

Alexandra Bridge Structural Steel Repairs For Piers 2 and 3 Areas
Ontario, Quebec

BA02 BUSINESS NAME AND ADDRESS OF BIDDER

Name: _____

Address: _____

Telephone: _____ Fax: _____ PBN: _____

E-mail address: _____

BA03 THE OFFER

The Bidder offers to Canada to perform and complete the Work for the above named project in accordance with the Bid Documents for the **TOTAL BID AMOUNT INDICATED IN APPENDIX 1 – R1**.

BA04 BID VALIDITY PERIOD

The bid shall not be withdrawn for a period of thirty (30) days following the date of solicitation closing.

BA05 ACCEPTANCE AND CONTRACT

Upon acceptance of the Contractor's offer by Canada, a binding Contract shall be formed between Canada and the Contractor. The documents forming the Contract shall be the contract documents identified in Contract Documents (CD).

BA06 CONSTRUCTION TIME

The Contractor shall perform and complete the Work within forty-two (42) weeks from the date of notification of acceptance of the offer.

BA07 BID SECURITY

The Bidder is enclosing bid security with its bid in accordance with GI08 - Bid Security Requirements of R2710T - General Instructions - Construction Services - Bid Security Requirements.

BA08 SIGNATURE

Name and title of person authorized to sign on behalf of Bidder (Type or print)

Signature

Date

APPENDIX 1 – R1**COMBINED PRICE FORM (3 pages)**

- 1) The prices per unit shall govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- 2) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.

LUMP SUM

The Lump Sum Amount designates Work to which a Lump Sum Arrangement applies.

- (a) Work included in the Lump Sum Amount represents all work not included in the unit price table.

LUMP SUM AMOUNT (LSA)

Excluding applicable tax(es)

UNIT PRICE TABLE

The Unit Price Table designates Work to which a Unit Price Arrangement applies.

- (a) Work included in each item is as described in the referenced specification section.
 (b) The Price per Unit shall not include any amounts for Work that is not included in that unit price Item.
 (c) The unit rates for any given item cannot be \$0.00 or nil. Failure to comply will render the bid non-responsive.

Item	Specification Reference	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per Unit applicable tax(es) extra (PU)	Extended amount (EQ x PU) applicable tax(es) extra
1	02 41 16.01 05 12 33 09 97 19	Pin spacer replacement	Each	13		
2	02 41 16.01 05 12 33 09 97 19	Exterior pin plate replacement - Type 1	Each	1		
3	02 41 16.01 05 12 33 09 97 19	Exterior pin plate replacement - Type 2	Each	6		
4	02 41 16.01 05 12 33 09 97 19	Bottom chord bracing gusset plate replacement - Type 1	Each	15		
5	02 41 16.01 05 12 33 09 97 19	Bottom chord bracing gusset plate replacement - Type 2	Each	1		
6	02 41 16.01 05 12 33 09 97 19	Bottom chord bracing gusset plate replacement - Type 3	Each	3		
7	02 41 16.01 05 12 33 09 97 19	Bottom chord bracing gusset plate replacement - Type 4	Each	8		
8	02 41 16.01 05 12 33 09 97 19	Diaphragm Top Flange Replacement at Piers 2 and 3	Each	2		
9	02 41 16.01 05 12 33 09 97 19	Batten plate replacement – Type 1 (batten plate with stiffening angles)	Each	5		
10	02 41 16.01 05 12 33 09 97 19	Batten plate replacement – Type 1 (stiffening angles only)	Each	6		
11	02 41 16.01 05 12 33 09 97 19	Batten plate replacement – Type 2 (batten plate with stiffening angles)	Each	8		
12	02 41 16.01 05 12 33 09 97 19	Batten plate replacement – Type 2 (stiffening angles only)	Each	1		

Item	Specification Reference	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per Unit applicable tax(es) extra (PU)	Extended amount (EQ x PU) applicable tax(es) extra
13	02 41 16.01 05 12 33 09 97 19	Bottom batten plate replacement – Type 3 (batten plate with stiffening angles)	Each	2		
14	02 41 16.01 05 12 33 09 97 19	Top batten plate replacement – Type 3a (batten plate with stiffening angles and clip angles)	Each	6		
15	02 41 16.01 05 12 33 09 97 19	Top batten plate replacement – Type 3b (batten plate with stiffening angles and clip angles)	Each	5		
16	02 41 16.01 05 12 33 09 97 19	Top batten plate replacement – Type 3a/3b (clip angles only)	Each	1		
17	02 41 16.01 05 12 33 09 97 19	Top batten plate replacement – Type 4	Each	3		
18	02 41 16.01 05 12 33 09 97 19	Top batten plate replacement – Type 4a	Each	7		
19	02 41 16.01 05 12 33 09 97 19	Batten plate replacement – Type 5 (batten plate with stiffening angles)	Each	4		
20	02 41 16.01 05 12 33 09 97 19	Batten plate replacement – Type 5a	Each	2		
21	02 41 16.01 05 12 33 09 97 19	Top batten plate replacement – Type 6	Each	1		
22	02 41 16.01 05 12 33 09 97 19	Batten plate replacement – Type 6a	Each	1		
23	02 41 16.01 05 12 33 09 97 19	Batten plate replacement – Type 6b	Each	1		
24	02 41 16.01 05 12 33 09 97 19	Lattice bar replacement - Type 1	Each	273		
25	02 41 16.01 05 12 33 09 97 19	Lattice bar replacement - Type 2	Each	10		
26	02 41 16.01 05 12 33 09 97 19	Lattice bar replacement - Type 3	Each	87		
27	02 41 16.01 05 12 33 09 97 19	Lattice bar replacement - Type 4	Each	69		
28	02 41 16.01 05 12 33 09 97 19	Bottom chord mid-height diaphragm plate replacement	Each	4		
29	02 41 16.01 05 12 33 09 97 19	Bottom chord centre web strengthening - L32W-L33W	Each	1		
30	02 41 16.01 05 12 33 09 97 19	Exterior cover plate replacement - L30W	Each	1		
31	02 41 16.01 05 12 33 09 97 19	Bottom chord flange angle replacement	Meter	600		
32	02 41 16.01 05 12 33 09 97 19	Bottom chord exterior web strengthening - L11W-L12W	Each	1		
33	02 41 16.01 05 12 33 09 97 19	Bottom chord full lattice replacement to new X pattern	Each	32		

Item L	Specification Reference	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per Unit applicable tax(es) extra (PU)	Extended amount (EQ x PU) applicable tax(es) extra
34	02 41 16.01 05 12 33 09 97 19	Top Chord flange angle replacement	Meter	8		
35	02 41 16.01 05 12 33 09 97 19	Vertical web patch repair - Type 1	Each	19		
36	02 41 16.01 05 12 33 09 97 19	Vertical web patch repair - Type 2	Each	5		
37	02 41 16.01 05 12 33 09 97 19	Vertical bearing block replacement	Each	2		
38	02 41 16.01 05 12 33 09 97 19	Vertical flange angle replacement - Type 1	Meter	18		
39	02 41 16.01 05 12 33 09 97 19	Vertical flange angle replacement - Type 2	Meter	3		
40	02 41 16.01 05 12 33 09 97 19	Diagonal flange angle replacement - Type 1	Meter	5		
41	02 41 16.01 05 12 33 09 97 19	Diagonal flange angle replacement - Type 2	Meter	24		
42	02 41 16.01 05 12 33 09 97 19	Diagonal web patch repair	Meter	2		
43	02 41 16.01 05 12 33 09 97 19	Vertical Cross-Frame Brace Repair - Type 1 - Angle replacement	Meter	10		
44	02 41 16.01 05 12 33 09 97 19	Vertical Cross-Frame Brace Repair - Type 1 - Connection replacement	Each	7		
45	02 41 16.01 05 12 33 09 97 19	Vertical Cross-Frame Brace Repair - Type 2 - Connection replacement	Each	6		
46	02 41 16.01 05 12 33 09 97 19	Knee brace replacement - Angle replacement	Meter	20		
47	02 41 16.01 05 12 33 09 97 19	Knee brace replacement - Connection replacement	Each	11		
48	02 41 16.01 05 12 33 09 97 19	Truss sway brace full replacement	Each	4		
49	02 41 16.01 05 12 33 09 97 19	Floorbeam web patch repair at truss vertical	Each	6		
50	02 41 16.01 05 12 33 09 97 19	Floorbeam web patch repair at intermediate locations	Each	1		
51	02 41 16.01 05 12 33 09 97 19	Floorbeam unused clip angle and corbel removal	Each	83		
52	02 41 16.01 05 12 33 09 97 19	Floorbeam top tension strap replacement	Each	5		
53	02 41 16.01 05 12 33 09 97 19	Floorbeams 14 & 22 - Clip angle and filler plate replacement	Each	4		
54	02 41 16.01 05 12 33 09 97 19	Girder bottom flange splice repair at Floorbeam 14	Each	2		

Solicitation No. - N° de l'invitation

EP731-170347

Client Ref. No. - N° de réf. du client

20170347

Amd. No. - N° de la modif.

01

File No. - N° du dossier

fg358EP731-170347

Buyer ID - Id de l'acheteur

fg358

CCC No./N° CCC - FMS No./N° VME

Item	Specification Reference	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per Unit applicable taxe(s) extra (PU)	Extended amount (EQ x PU) applicable taxe(s) extra
55	02 41 16.01 05 12 33 09 97 19	Existing rivet replacement with bolt	Each	276		
56	02 41 16.01 05 12 33 09 97 19	Existing bolt replacement with bolt	Each	32		
57	05 12 33	Repair east lane railing posts at south trestle	Each	5		
58	02 41 16.01 03 10 00 03 20 00 09 97 19	Bearing seat repairs at piers 2 & 3	Each	4		
TOTAL EXTENDED AMOUNT (TEA)						
Excluding applicable taxe(s)						

Addendum No. 1 will not be issued as it was incorporated into the original contract documents issued for tender.

Drawings revised in Addendum No. 1 are as follows : S05, S13, S14, S15, S17, S18, S19, S21, S22.

No changes were made to the specifications in Addendum No. 1.

The following changes in the bid documents are effective immediately. This addendum will form part of the contract documents.

SPECIFICATIONS

- 1 Table of Contents
 - .1 delete Table of Contents; and,
 - .2 replace with attached Table of Contents, Addendum No. 2.
- 2 Section 01 00 10 – General Instructions
 - .3 delete Section 01 00 10 – General Instructions; and,
 - .4 replace with attached Section 01 00 10 – General Instructions, Addendum No. 2.
 - .1 Inserted article: Item 29 of Table 1.
- 3 Section 05 12 33 – Structural Steel for Bridges
 - .5 delete Section 05 12 33 – Structural Steel for Bridges; and,
 - .6 replace with attached Section 05 12 33 – Structural Steel for Bridges, Addendum No. 2.
 - .1 Revised articles: 1.3.2.51, 1.3.2.53
 - .2 Inserted articles: 1.3.1.18, 1.3.2.21, 1.3.2.22, 1.3.2.23, 1.3.2.52, 1.3.2.54, 1.3.2.57.

PLANS

- 1 Title Page
 - .1 delete the title page; and,
 - .2 replace with attached title page.
- 2 Drawing S26 – Miscellaneous Repairs Outside Limits
 - .1 add Drawing S26 – Structural Steel XXII Miscellaneous Repairs Outside Limits.