

DRAWIN IG NOTES \bigcirc

PROVIDE NEW SQ D MASTERPACT BREAKERS 600V, 800A, 85KA DRAW OUT TYPE. LSI MICROLOGIC 5.0A ELECTRONIC TRIP UNIT SUPPLY AND INSTALL 2 NEW DOORS TO MATCH NEW

 \triangleright

NEW SQ D MASTERPACT BREAKERS 00A, 85KA

Branch
de l'immobilier

GENERAL NOTES

National Research Council Canada Administrative Services and Property Management Conseil national
de recherches Canada

Division des services
administratifs et gestion

Date Printed CONTRACTORS TO CHECK AND VERIFY ALL DIMENSIONS ON SITE PRIOR TO DEMOLITION OR CONSTRUCTION AND REPORT ANY ERRORS OR OMISSIONS TO NRC DEPARTMENTAL REPRESENTATIVE.

CONTRACTORS MUST VISIT THE SITE & FULLY FAMILLARIZE THEMSELVES WITH THE SCOPE OF THE WORK.

CONTRACTORS MUST VISIT THE SITE & FULLY FAMILLARIZE THEMSELVES WITH THE SCOPE OF THE WORK.

CONTRACT THE SPREAD OF DUST & DEBRIS BEYOND THE WORK AREA AND CLEAN ALL SURFACES AT COMPLETION.

MAKE GOOD ALL SURFACES AFFECTED BY THIS WORK.

FILL ALL HOLES, PATCH & PAINT ALL SURFACES IN CONTRACT AREA. COLOUR SCHEME TO MATCH EXISTING.

REMOVE MEANS REMOVE AND DISPOSE OF OFF SITE UNLESS OTHERWISE NOTED.

PROVIDE LABELS TO NEW DEVICES TO INDICATE POWER SOURCE. UPDATE PANEL SCHEDULES AFTER JOB COMPLETION.

THE WORD "PROVIDE" MEANS SUPPLY, INSTALL, CONNECT AND TEST.

THE WORD "WIRING" MEANS WIRES/CABLE AND RACEWAY.

ALL WIRE TO BE IN EMT UNLESS OTHERWISE NOTED.

COORDINATE ALL SHUTDOWNS WITH THE NRC DEPARTMENTAL REPRESENTATIVE.OUTAGE IS ONLY SCHEDULED DURING WEEKEND OR AFTER HOUR, UNLESS OTHERWISE SPECIFIED BY NRC REPRESENTATIVE

ANY MEEKEND OUTAGE MUST BE CARRIED BETWEEN SAME DAY 1800 AND MONDAY OJOO ANY AFTER HOUR OUTAGE MUST BE CARRIED BETWEEN SAME DAY 1800 AND NEXT DAY OJOO ALL LOADS TO BE RESUMED AT THE END OF ALL LOADS TO BE RESUMED AT THE END OF ALL LOADS TO BE RESUMED AT THE END OF OUTAGE
CONTRACTOR TO VERIFY INTEGRITY OF EXISTING RACEWAY BEFORE PULLING
CABLE/WIRE.
ALWAYS PERFORM SCAN BEFORE CORE DRILL.
VERIFY PHASING AND ROTATION, MATCH EXISTING SYSTEM.
CONTRACTOR IS RESPONSIBLE FOR REPAIR OF ANY DAMAGES TO ANY EXISTING BUILDING COMPONENT CAUSED BY CONSTRUCTION ACTIVITIES. Verify for so

O ZZ

XXXXX Revision Date imprimée	1	d DD MM YYYY	Date	MM YYYY				

all dime ame	dd mm yyyy	Date	MM YYYY			
nsions	WW I		xxxx			
and						
site		Rev				
all dimensions and site conditions and be responsible		Revision				
and						
be	Ď					
respo	ıte in					
nsible	Date imprimée	By: Par:	555			

0

 \Box \mathbf{C}

റ ⊳

A Detail no.
No. du détail
B Location drawing r
sur dessin no.
C Drawing no.
dessin no.

BUILDING M-24 SWITCHBOARD BREKAER REPLACEMENT MONTREAL ROAD CAMPUS

SINGLE LINE DIAGRAM

ž Ş B.V A1-009194 EQ1 of/de AS NOTED MAY/2016 <u>П</u>

5223-E01

SPM A1 (841x594)

G

ш

D

 \circ

 ϖ

_ _

ス ⊂