

## ADDENDUM PAGEAU MOREL NO. 005

Mechanical

**1 GENERAL**

- 1.1 This addendum is part of and shall be read jointly with the tender documents. In the case of contradiction, this document has precedence.

**2 SCOPE**

- 2.1 Specification clarification.

**3 ELECTROMECHANICAL DESCRIPTION**

- 3.1 Mechanical Specification – Section 21 13 13 – Wet Pipe Sprinkler Systems.

- 3.1.1 Article 2.12.5 has been modified and should be read as follows:

- .5 Minimum depth of cover: 1.0 metre at finish grade. ***The depth of the city main service must be frost proof and coordinated with Civil Engineering design service.***

- 3.2 Mechanical Specification – 23 07 15 - Thermal Insulation for Piping

- 3.2.1 Articles 2.2.4 and 2.2.4.1 were modified and shall read as follows:

- 2.2.4 TIAC Code C-2: mineral ***rigid moulded mineral fibre*** faced with factory applied vapour retarder jacket (as scheduled in PART 3 of this section).

- .1 Mineral fibre: to CAN/ULC-S702, ~~ASTM C547~~.

- 3.3 MECHANICAL Drawing

- 3.3.1 No revision of the drawings.

- 3.4 Electrical Specification – Section

- 3.4.1 No revision to specifications.

- 3.5 ELECTRICAL Drawings

- 3.5.1 No revision of the drawings.