



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Travaux publics et Services gouvernementaux
Canada

Place Bonaventure, portail Sud-Est
800, rue de La Gauchetière Ouest
7^{ème} étage

Montréal

Québec

H5A 1L6

FAX pour soumissions: (514) 496-3822

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Travaux publics et Services gouvernementaux Canada
Place Bonaventure, portail Sud-Est
800, rue de La Gauchetière Ouest
7^{ème} étage
Montréal
Québec
H5A 1L6

Title - Sujet Parts/Repairs batteries lift truck		
Solicitation No. - N° de l'invitation W3380-15B005/A		Date 2016-07-29
Client Reference No. - N° de référence du client W3380-15B005		Amendment No. - N° modif. 002
File No. - N° de dossier MTA-6-39006 (309)	CCC No./N° CCC - FMS No./N° VME	
GETS Reference No. - N° de référence de SEAG PW-\$MTA-309-13907		
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale		2016-06-16
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-08-29		Time Zone Fuseau horaire Heure Avancée de l'Est HAE
Address Enquiries to: - Adresser toutes questions à: Paradis, Mary		Buyer Id - Id de l'acheteur mta309
Telephone No. - N° de téléphone (514) 496-3874 ()		FAX No. - N° de FAX (514) 496-3822
Delivery Required - Livraison exigée		
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: MINISTÈRE DE LA DEFENSE NATIONALE Garnison Longue-Pointe 6769, rue Notre-Dame Est Montréal, Québec H1N 3E9 Canada		
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

Solicitation No. - N° de l'invitation
W3380-15B005/A
Client Ref. No. - N° de réf. du client
W3380-15B005

Amd. No. - N° de la modif.
002
File No. - N° du dossier
MTA 6-39006

Buyer ID - Id de l'acheteur
MTA 309
CCC No./N° CCC - FMS No./N° VME

THE ABOVE MENTIONED REQUEST FOR STANDING OFFER HAS BEEN AMENDED AS FOLLOWS:

DELETE:

**ANNEX "B"
BASIS OF PAYMENT**

NOTE TO OFFERORS:

1. Firm prices are required for all items in the table below.
All applicable taxes are extra to the prices on the table below.

OFFERS THAT DO NOT MEET THIS REQUIREMENT WILL BE REJECTED.

Period: From the date of issue until December 31, 2017 (Firm years)

Parts and labour as described in Appendix A.

TABLE 1

Description	Period		Total	Total
	Date of issue until December 31, 2016	From January 1 to December 31 2017		
	YEAR 1	YEAR 2	YEAR 1	YEAR 2
a. Hourly repair rate multiplied by estimated number of hours (regular hours*) *From Monday to Friday between 7am and 4pm	\$ _____ X <u>100</u> hrs	\$ _____ X <u>100</u> hrs	\$ _____	\$ _____
b. Hourly repair rate multiplied by estimated number of hours (outside regular hours , including week-ends)	\$ _____ X <u>100</u> hrs	\$ _____ X <u>100</u> hrs	\$ _____	\$ _____
c. The batteries listed below are just an example of what we use and is not an exhausted list. Therefore, we have selected these batteries for the financial evaluation.	The estimated number of batteries used in a year is 10 units	The estimated number of batteries used in a year is 10 units		
Model: 18-125-15 Dimension: 38,00 x 17,75 x 30,50 Voltage: 36 volts Amperage -hours : 875 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>2</u> units	\$ _____ X <u>2</u> units	\$ _____	\$ _____
Model: 18-85-07 Dimension: 25,50 x 8,56 x 23 Voltage: 24 volts Amperage -hours : 225 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>3</u> units	\$ _____ X <u>3</u> units	\$ _____	\$ _____

Solicitation No. - N° de l'invitation
W3380-15B005/A
 Client Ref. No. - N° de réf. du client
W3380-15B005

Amd. No. - N° de la modif.
002
 File No. - N° du dossier
MTA 6-39006

Buyer ID - Id de l'acheteur
MTA 309
 CCC No./N° CCC - FMS No./N° VME

Model: 24-85-19 Dimension: 38,25 x 29,75 x 22,50 Voltage: 48 volts Amperage -hours : 765 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>2</u> units	\$ _____ X <u>2</u> units	\$ _____	\$ _____
Model: 18-125-13 Dimension: 38,00 x 15,50 x 31,00 Voltage: 36 volts Amperage -hours : 750 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>3</u> units	\$ _____ X <u>3</u> units	\$ _____	\$ _____

Period: Option year

Parts and labour as described in Appendix A.

TABLE 2

Description	Period	Total
	From January 1 to December 31 2018	
a. Hourly repair rate multiplied by estimated number of hours (regular hours*) *From Monday to Friday between 7am and 4pm	\$ _____ X <u>100</u> hrs	\$ _____
b. Hourly repair rate multiplied by estimated number of hours (outside regular hours, including week-ends)	\$ _____ X <u>100</u> hrs	\$ _____
c. . The batteries listed below are just an example of what we use and is not an exhausted list. Therefore, we have selected these batteries for the financial evaluation.	The estimated number of batteries used in a year is 10 units.	The estimated number of batteries used in a year is 10 units.
Model: 18-125-15 Dimension: 38,00 x 17,75 x 30,50 Voltage: 36 volts Amperage -hours : 875 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>2</u> units	\$ _____
Model: 18-85-07 Dimension: 25,50 x 8,56 x 23 Voltage: 24 volts Amperage -hours : 225 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>3</u> units	\$ _____

Solicitation No. - N° de l'invitation
W3380-15B005/A
Client Ref. No. - N° de réf. du client
W3380-15B005

Amd. No. - N° de la modif.
002
File No. - N° du dossier
MTA 6-39006

Buyer ID - Id de l'acheteur
MTA 309
CCC No./N° CCC - FMS No./N° VME

Model: 24-85-19 Dimension: 38,25 x 29,75 x 22,50 Voltage: 48 volts Amperage -hours : 765 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>2</u> units	\$ _____
Model: 18-125-13 Dimension: 38,00 x 15,50 x 31,00 Voltage: 36 volts Amperage -hours : 750 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>3</u> units	\$ _____

INSERT:

**ANNEX "B"
BASIS OF PAYMENT**

NOTE TO OFFERORS:

2. Firm prices are required for all items in the table below.
All applicable taxes are extra to the prices on the table below.

OFFERS THAT DO NOT MEET THIS REQUIREMENT WILL BE REJECTED.

Period: From the date of issue until December 31, 2017 (Firm years)

Parts and labour as described in Annex A.

TABLE 1

Description	Period		Total	Total
	Date of issue until December 31, 2016	From January 1 to December 31 2017		
	YEAR 1	YEAR 2	YEAR 1	YEAR 2
a. Hourly repair rate multiplied by estimated number of hours (regular hours*) *From Monday to Friday between 7am and 4pm	\$ _____ X 100 hrs	\$ _____ X 100 hrs	\$ _____	\$ _____
b. Hourly repair rate multiplied by estimated number of hours (outside regular hours , including week-ends)	\$ _____ X 100 hrs	\$ _____ X 100 hrs	\$ _____	\$ _____
c. The batteries listed below are just an example of what we use and is not an exhausted list. Therefore, we have selected these batteries for the financial evaluation.	The estimated number of batteries used in a year is 10 units	The estimated number of batteries used in a year is 10 units		
Model: 18-125-15 Dimension: 38,00 x 17,75 x 30,50 Voltage: 36 volts Amperage -hours : 875 AH Battery cost multiplied by estimated number of batteries	\$ _____ X 2 units	\$ _____ X 2 units	\$ _____	\$ _____
Model: 18-85-07 Dimension: 25,50 x 8,56 x 23 Voltage: 24 volts Amperage -hours : 225 AH Battery cost multiplied by estimated number of batteries	\$ _____ X 3 units	\$ _____ X 3 units	\$ _____	\$ _____

Solicitation No. - N° de l'invitation
W3380-15B005/A
 Client Ref. No. - N° de réf. du client
W3380-15B005

Amd. No. - N° de la modif.
002
 File No. - N° du dossier
MTA 6-39006

Buyer ID - Id de l'acheteur
MTA 309
 CCC No./N° CCC - FMS No./N° VME

Model: 24-85-19 Dimension: 38,25 x 29,75 x 22,50 Voltage: 48 volts Amperage -hours : 765 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>2</u> units	\$ _____ X <u>2</u> units	\$ _____	\$ _____
Model: 18-125-13 Dimension: 38,00 x 15,50 x 31,00 Voltage: 36 volts Amperage -hours : 750 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>3</u> units	\$ _____ X <u>3</u> units	\$ _____	\$ _____

Period: Option year

Parts and labour as described in Annex A.

TABLE 2

Description	Period	Total
	From January 1 to December 31 2018	
a. Hourly repair rate multiplied by estimated number of hours (regular hours*) *From Monday to Friday between 7am and 4pm	\$ _____ X <u>100</u> hrs	\$ _____
b. Hourly repair rate multiplied by estimated number of hours (outside regular hours, including week-ends)	\$ _____ X <u>100</u> hrs	\$ _____
c. . The batteries listed below are just an example of what we use and is not an exhausted list. Therefore, we have selected these batteries for the financial evaluation.	The estimated number of batteries used in a year is 10 units.	The estimated number of batteries used in a year is 10 units.
Model: 18-125-15 Dimension: 38,00 x 17,75 x 30,50 Voltage: 36 volts Amperage -hours : 875 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>2</u> units	\$ _____
Model: 18-85-07 Dimension: 25,50 x 8,56 x 23 Voltage: 24 volts Amperage -hours : 225 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>3</u> units	\$ _____

Solicitation No. - N° de l'invitation
W3380-15B005/A
 Client Ref. No. - N° de réf. du client
W3380-15B005

Amd. No. - N° de la modif.
002
 File No. - N° du dossier
MTA 6-39006

Buyer ID - Id de l'acheteur
MTA 309
 CCC No./N° CCC - FMS No./N° VME

Model: 24-85-19 Dimension: 38,25 x 29,75 x 22,50 Voltage: 48 volts Amperage -hours : 765 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>2</u> units	\$ _____
Model: 18-125-13 Dimension: 38,00 x 15,50 x 31,00 Voltage: 36 volts Amperage -hours : 750 AH Battery cost multiplied by estimated number of batteries	\$ _____ X <u>3</u> units	\$ _____

THE FOLLOWING IS OUR INVENTORY FOR LIFT TRUCKS:

MANUFACTURER	YEAR	MODEL	SERIAL NUMBER
BENCO	2008	TP-500	296.03.09
BENCO	2005	TRANSPORTER	4N1234
BENCO	2004	TRANSPORTER	11460105
BENCO	2004	TRANSPORTER	11290404
BENCO	2004	TRANSPORTER	11280304
CLARK	2008	TMX25	TMX25025019597
CLARK	2014	ECX30	ECX36022799653KF
CLARK	2008	ESM II-15	ESX25000939704
CLARK	2006	ESM II-15	ESM24703509580
CLARK	2004	TMG15S	TMG24817439570
CLARK	2002	TMG 15S	TMG24803959570
CLARK	2014	ECX30	ECX36022809653KF
CLARK	1998	ECG20	ECG358-0339-6754FB
CLARK	1998	ECG20	ECG35803686754FB
CROWN	2014	RR5725-45	1A425433
CVS FERRARI	2012	F478	ZA9F478H603A26155
CVS FERRARI	2012	F478	ZA9F478H603A26150
DAEWOO	1999	G25S	99-01548
DAEWOO	2006	BC30S	CM-00458
DAEWOO	2004	G30E	DX-00305
DAEWOO	2002	G25E	CX-04254
DAEWOO	2002	BC20S	CJ-00182
DAEWOO	2002	BC20S	CJ-00181
DAEWOO	2002	BC20S	CJ-00185

Solicitation No. - N° de l'invitation
W3380-15B005/A
Client Ref. No. - N° de réf. du client
W3380-15B005

Amd. No. - N° de la modif.
002
File No. - N° du dossier
MTA 6-39006

Buyer ID - Id de l'acheteur
MTA 309
CCC No./N° CCC - FMS No./N° VME

DAEWOO	2002	BC20S	CJ-00188
DAEWOO	2002	BC25S	CL-00127
DAEWOO	2003	G30E	DX-00127
DAEWOO	2002	G30E	CX03502
DAEWOO	2006	BC30S	CN00459
DAEWOO	2002	BC20S	CJ-00187
DAEWOO	2000	G20S	CX-00843
DAEWOO	2000	G25S	CX-00842
DAEWOO	2002	G25E	CX-05013
DAEWOO	2002	BC20S	CJ000186
DAEWOO/DOOSAN	2007	G30E	MC-00149
DAEWOO/DOOSAN	2007	G30E	MC-00147
DAEWOO/DOOSAN	2007	G30E	MC-00148
DOOSAN	2014	G20E3-5	FGA07179000778
DOOSAN	2012	G30E-5	FGA09-1790-02003
DOOSAN	2014	G30E-5	FGA09-1790-02746
DOOSAN	2012	BC30S-5	FBA0J-1350-00560
DOOSAN	2012	BC30S-5	FBA0J-1350-00556
DOOSAN	2012	BC30S-5	FBA0J-1350-00555
DOOSAN	2012	BC30S-5	FBA0J-1350-00553
DOOSAN	2014	G30E3-5	FGA09-1790-02748
DOOSAN	2014	G30E3-5	FGA09-1790-02749
DOOSAN	2012	G30E-5	FGA09-1790-01922
DOOSAN	2010	G30E-5	MC-00259
DOOSAN	2010	G30P-5	MM-00676
DOOSAN	2010	G30P-5	MM-00677
DOOSAN	2014	G35C-5	FGA0E-1290-01051
DOOSAN	2014	G30E-5	FGA09-1790-02750
DOOSAN	2014	G30E-5	FGA09-1790-02752
DOOSAN	2012	BC30S-5	FBA0J-1350-00561
DOOSAN	2012	BC30S-5	FBA0J-1350-00575
DOOSAN	2012	BC30S-5	FBA0J-1350-00574
DOOSAN	2012	BC30S-5	FBA0J-1350-00573
DOOSAN	2012	B18T-5	FBA02-1370-01366
DOOSAN	2012	BC30S-5	FBA0J-1350-00562
DOOSAN	2012	BC30S-5	FBA0J-1350-00554
DOOSAN	2010	G30E-5	MC00251
DOOSAN	2010	G30E-5	MC00250
DOOSAN	2008	BC30S-5	LA-00128
DOOSAN	2008	BC30S-5	LA-00127

Solicitation No. - N° de l'invitation
W3380-15B005/A
Client Ref. No. - N° de réf. du client
W3380-15B005

Amd. No. - N° de la modif.
002
File No. - N° du dossier
MTA 6-39006

Buyer ID - Id de l'acheteur
MTA 309
CCC No./N° CCC - FMS No./N° VME

DOOSAN	2008	BC30S-5	LA-00130
DOOSAN	2008	BC30S-5	LA-00129
DOOSAN	2014	G30E3-5	FGA09-1790-02744
DOOSAN	2014	G30E-5	FGA09-1790-02751
DOOSAN	2012	B18T-5	FBA02-1370-01339
DOOSAN	2014	G30E-5	FGA09-1790-02747
DOOSAN	2012	G30E-5	FGA09-1790-02004
DREXEL	2005	SLT30	46502D-30195
DREXEL	2013	SLT-30AC	SLT30AC-1307C-07850
DREXEL	2008	SL66	SL66-50-803B-30794
DREXEL	2008	SL40	SL40SE-802D-05317
DREXEL	2005	SLT30	46502D-30194
EP	2008	ES-10-22C	08090737
HYSTER	2014	E65XN	A268N13890M
HYSTER	2013	W30ZR	B455N02310L
HYSTER	2012	W30ZR	B455N02200K
HYSTER	2012	W30ZR	B455N02204K
HYSTER	2012	W30ZR	B455N02203K
HYSTER	2012	W30ZR	B455N02202K
HYSTER	2015	H360-48HD2	A238E01657N
HYSTER	1991	H230XL	D7D1849M
HYSTER	2011	N30ZDRS	A265N02769K
HYSTER	2014	E65XN	A268N14376M
HYSTER	2014	E65XN	A268N13889M
HYSTER	2011	N30ZDRS	A265N02768K
HYSTER	2013	H70FT	L177V13684L
HYUNDAI	2005	HBF30C7	FM0310007
LIFTKING IND	2005	CDN10	LT1345
MANITEX	2014	CVS-F25	A26035
RAYMOND	2009	7400DR32TT	740-09-AB14714
RAYMOND	2009	7400DR32TT	740-09-AB14709
RAYMOND	2001	RWR300	RWR-01-00214
RAYMOND	2001	RWR300	RWR-01-00211
RAYMOND	2011	5400-OPC30TT	540-12-A13518
RAYMOND	2015	5600-OPC30TT	560-15-A22723
RAYMOND	2015	5600-OPC30TT	560-15-A22803
RAYMOND	2015	5600-OPC30TT	560-15-A22802
RAYMOND	2015	5600-OPC30TT	560-15-A22725
RAYMOND	2015	5600-OPC30TT	560-15-A22724
RAYMOND	2015	5600-OPC30TT	560-15-A22722

Solicitation No. - N° de l'invitation
W3380-15B005/A
Client Ref. No. - N° de réf. du client
W3380-15B005

Amd. No. - N° de la modif.
002
File No. - N° du dossier
MTA 6-39006

Buyer ID - Id de l'acheteur
MTA 309
CCC No./N° CCC - FMS No./N° VME

RAYMOND	2015	5600-OPC30TT	560-15-A22726
RAYMOND	2014	9600-CSR30T 5371	960-14-03280
RAYMOND	2014	9600-CSR30T 5371	960-14-03281
RAYMOND	2014	9600-CSR30T 5371	960-14-03282
RAYMOND	2013	5500-OPC30TT	550-13-A15965
RAYMOND	2013	5500-OPC30TT	550-13-A15964
RAYMOND	2013	5500-OPC30TT	550-13-A15963
RAYMOND	2012	4150-C30TT	415-12-35856
RAYMOND	2011	5400-OPC30TT	540-12-A13519
RAYMOND	2008	TRT-S30SRT	TRT-07-00127
RAYMOND	1986	76SL100TF	076-86-0265
RAYMOND	1995	589 SRT	589-94-00383
RAYMOND	1995	589 SRT	589-94-00382
RAYMOND	1995	589 SRT	589-94-00381
RAYMOND	1995	589 SRT	589-94-00380
RAYMOND	1995	589 SRT	589-94-00379
RAYMOND	1995	589 SRT	589-94-00378
RAYMOND	1995	589 SRT	589-95-00406
RAYMOND	1995	589 SRT	589-95-00405
RAYMOND	2007	5200-OPC30T	520-07-02094
SCHAEFF	2013	SE80	KE00039K
SCHAEFF	2013	SE80	LT2290SC
VTC	2015	500 T	3107.03.15
VTC	2015	500 T	3106.03.15
W30ZR	2014	HYSTER	B455N02467M

INSERT: At Part 2: Standard Instruction, Clauses and Conditions

2.1.1 SACC Manual Clause

B4024T No substitute products 2006-08-15
M1004T Condition of material 2011-05-16

- All other terms and conditions remain the same.