




1 ELEVATION
SCALE / ÉCHELLE : 1:200




2 ELEVATION
SCALE / ÉCHELLE : 1:200



3 ELEVATION
SCALE / ÉCHELLE : 1:200



4 ELEVATION
SCALE / ÉCHELLE : 1:200



5 ELEVATION
SCALE / ÉCHELLE : 1:200

DRAWING NOTES:

- LOCATION OF VERTICAL FIRE COMPARTMENTS. REFER TO DETAIL ON A. FIRE COMPARTMENTS TO HAVE A MAXIMUM DISTANCE OF 20m.
- LOCATION OF HORIZONTAL FIRE COMPARTMENTS. REFER TO DETAIL ON A. FIRE COMPARTMENTS TO HAVE A MAXIMUM DISTANCE OF 3m.

LEGEND:

AREAS NOT IN SCOPE

DESIGNED BY: D.S./S.J.
DATE: 04-08-2016
DRAWN BY: B.H./M.B.
DATE: 04-08-2016
REVIEWED BY: B.H.
DATE: 04-08-2016
APPROVED BY: D.S.
DATE: 04-08-2016
SCALE: as noted

PROJECT NO.: CSA15-G1
DRAWING NO.: A-403

PROJECT: DAVID FLORIDA LABORATORY
BUILDING No. 65, SHIRLEY'S BAY, ONTARIO
BUILDING ENVELOPE REFIT PROJECT

DRAWING: ELEVATIONS
DESIGN: FIRE COMPARTMENTS

PROFESSIONAL STAMP:

ONTARIO ASSOCIATION OF ARCHITECTS
DINO DI SAIO
LICENCE 7259

PROFESSIONAL STAMP:

ONTARIO ASSOCIATION OF ARCHITECTS
DINO DI SAIO
LICENCE 7259

REVISIONS:

No.	Revision	Date
5.		
4.	ISSUED FOR ADDENDUM #1	2016.07.26
3.	ISSUED FOR TENDER	2016.05.09
2.	ISSUED FOR 99% REVIEW	2016.02.08
1.	ISSUED FOR 66% REVIEW	2015.11.17

CLIENT: DAVID FLORIDA LABORATORY
BUILDING No. 65, SHIRLEY'S BAY, ONTARIO
BUILDING ENVELOPE REFIT PROJECT