



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS Á:

Parks Canada Agency
1300 - 635 8 Ave SW
Calgary, AB T2P3M3
Bid Fax: (403) 292-4475

INVITATION TO TENDER

APPEL D'OFFRES

Tender To: Parks Canada Agency

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Soumission aux: l'Agence Parcs Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du Chef du Canada, aux conditions énoncées ou incluses par référence dans la présente at aux annexes ci-jointes, les biens, services et construction énumérés ici et sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaries

Vendor/Firm Name and Address
Raison sociale et adresse du fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Parks Canada Agency
Suite 1300
635 - 8 Ave SW
Calgary, AB T2P3M3

| | | |
|--|---|--|
| Title-Sujet Masonry Rock Wall Stabilization Banff National Park | | |
| Solicitation No. - No. de l'invitation 5P420-16-5173/A | Date: August 10, 2016 | |
| GETS Reference No. - No de reference de SEAG PW-16-00743498 | Client Ref. No. - No. de réf du client. n/a | |
| Solicitation Closes: | | |
| at - á 02:00 PM | on - le August 25, 2016 | Time Zone - Fuseau horaire MDT - HAR |
| F.O.B. - F.A.B. | | |
| Plant-Usine: <input type="checkbox"/> | Destination: <input checked="" type="checkbox"/> | Other-Autre: <input type="checkbox"/> |
| Address Inquiries to: - Adresser toute demande de renseignements à : | | |
| Nathaniel Harrison | | nathaniel.harrison@pc.gc.ca |
| Telephone No. - No de téléphone | Fax No. - No de FAX: | |
| (403) 292-4572 | (403) 292-4475 | |
| Destination of Goods, Services, and Construction: Destinations des biens, services et construction: | | |
| See Herein - Voir ici | | |

TO BE COMPLETED BY THE BIDDER (type or print)

| | |
|--|-------------|
| Vendor/Firm Name | |
| Address - Adresse | |
| Name of person authorized to sign on behalf of the Vendor/Firm Nom de la personne autorisée a signer au nom du fournisseur/ de l'entrepreneur | |
| Titale - Titre | |
| Telephone No. - N° de telephone: | _____ |
| Facsimile No. - N° de télécopieur: | _____ |
| Signature | Date |

INVITATION TO TENDER

IMPORTANT NOTICE TO BIDDERS

DIRECT DEPOSIT

In April 2012, the Government of Canada announced that it will be replacing cheques with electronic payments by April 2016. Contract payment(s) currently made by cheque will be replaced by Direct Deposit. Businesses are encouraged to proactively enrol with Parks Canada. Please contact [Name] at [email address] in order to obtain a Direct Deposit enrollment form.

Additional information on this Government of Canada initiative is available at:

<http://www.directdeposit.gc.ca>

BID SECURITY REQUIREMENTS

The amount of bid security required is 10% of the bid amount (\$2,000,000 maximum).
See GI08 of R2710T - General Instructions – Construction Services – Bid Security

CONTRACT SECURITY REQUIREMENTS

The amount of a security deposit that is required in lieu of a performance bond is 20% of the contract amount.

See GC9.2 of R2890D – Types and Amounts of Contract Security

INTEGRITY PROVISIONS – BID

Important changes have been made to the Integrity Provisions - Bid as of April 4th 2016. See GI01, Integrity Provision-Bid of R2710T of the General Instructions for more information.

TABLE OF CONTENTS

SPECIAL INSTRUCTIONS TO BIDDERS (SI)

| | |
|------|--|
| SI01 | Integrity Provisions – Declaration of Convicted Offences |
| SI02 | Bid Documents |
| SI03 | Enquiries During the Solicitation Period |
| SI04 | Site Visit |
| SI05 | Revision of Bid |
| SI06 | Bid Results |
| SI07 | Insufficient Funding |
| SI08 | Bid Validity Period |
| SI09 | Construction Documents |
| SI10 | Web Sites |

GENERAL INSTRUCTIONS – CONSTRUCTION SERVICES – BID SECURITY REQUIREMENTS (GI) - R2710T (2016-04-04)

| | |
|------|--|
| GI01 | Integrity Provisions – Bid |
| GI02 | Completion of Bid |
| GI03 | Identity or Legal Capacity of the Bidder |
| GI04 | Applicable Taxes |
| GI05 | Capital Development and Redevelopment Charges |
| GI06 | Registry and Pre-qualification of Floating Plant |
| GI07 | Listing of Subcontractors and Suppliers |
| GI08 | Bid Security Requirements |
| GI09 | Submission of Bid |
| GI10 | Revision of Bid |
| GI11 | Rejection of Bids |
| GI12 | Bid Costs |
| GI13 | Procurement Business Number |
| GI14 | Compliance With Applicable Laws |
| GI15 | Approval of Alternative Materials |
| GI16 | Performance Evaluation |
| GI17 | Conflict of Interest-Unfair Advantage |
| GI18 | Code of conduct for procurement - bid |

SUPPLEMENTARY CONDITIONS (SC)

| | |
|------|-------------------------------|
| SC01 | Changes to Contract Documents |
| SC02 | Insurance Terms |

CONTRACT DOCUMENTS (CD)

BID AND ACCEPTANCE FORM (BA)

| | |
|------|-------------------------------------|
| BA01 | Identification |
| BA02 | Business Name and Address of Bidder |
| BA03 | The Offer |
| BA04 | Bid Validity Period |
| BA05 | Acceptance and Contract |
| BA06 | Construction Time |
| BA07 | Bid Security |
| BA08 | Signature |

| | |
|----------------|---|
| Annex A | Price Form |
| Annex B | Integrity Provisions – List of Names |
| Annex C | Attestation Form |
| Annex D | Certificate of Insurance Form |

SPECIAL INSTRUCTIONS TO BIDDERS (SI)

SI01 INTEGRITY PROVISIONS – DECLARATION OF CONVICTED OFFENCES

As applicable, pursuant to GI01 of the Declaration of Convicted Offences, paragraph 3 (copied below) of the General Instructions R2710T, the Bidder must provide with its bid, a completed [Declaration Form](#), to be given further consideration in the procurement process.

- a. *Declaration of Convicted Offences*
with its bid, a complete list of all foreign criminal charges and convictions pertaining to itself, its affiliates and its proposed first tier subcontractors that, to the best of its knowledge and belief, may be similar to one of the listed offences in the Policy. The list of foreign criminal charges and convictions must be submitted using an Integrity Declaration Form, which can be found at [Declaration form for procurement](#).

SI02 BID DOCUMENTS

- 1) The following are the bid documents:
 - (a) Invitation to Tender - Page 1;
 - (b) Special Instructions to Bidders;
 - (c) General Instructions – Construction Services – Bid Security R2710T (2016-04-04);
 - (d) Clauses & Conditions identified in “Contract Documents”;
 - (e) Drawings and Specifications;
 - (f) Bid and Acceptance Form and related Appendices; and
 - (g) Any amendment issued prior to solicitation closing.

Submission of a bid constitutes acknowledgement that the Bidder has read and agrees to be bound by these documents.

- 2) General Instructions - Construction Services - Bid Security Requirements R2710T is incorporated by reference and is set out in the Standard Acquisition Clauses and Conditions (SACC) Manual, issued by Public Works and Government Services Canada (PWGSC). The SACC Manual is available on the PWGSC Web site: <https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/R>

All reference to the Minister of Public Works and Government Services Canada shall be deleted and replaced with the Minister of the Environment and Climate Change for the purposes of the Parks Canada Agency. All reference to the Department of Public Works and Government Services Canada Shall be deleted and replaced with the Parks Canada Agency.

SI03 ENQUIRIES DURING THE SOLICITATION PERIOD

- 1) Enquiries regarding this bid must be submitted in writing to the Contracting Officer named on the Invitation to Tender - Page 1 as early as possible within the solicitation period. Except for the approval of alternative materials as described in GI15 of R2710T, enquiries should be received no later than five (5) calendar days prior to the date set for solicitation closing to allow sufficient time to provide a response. Enquiries received after that time may not result in an answer being provided.
- 2) To ensure consistency and quality of the information provided to Bidders, the Contracting Officer shall examine the content of the enquiry and shall decide whether or not to issue an amendment.

- 3) All enquiries and other communications related to this bid sent throughout the solicitation period are to be directed **ONLY** to the Contracting Officer named on the Invitation to Tender - Page 1. Failure to comply with this requirement may result in the bid being declared non-responsive.

SI04 SITE VISIT

There will be a site visit on **August 17, 2016 at 1:00 PM**. Interested bidders are to meet at 116 Park Ave, Banff in Banff National Park, Alberta.

Bidders are asked to register prior to the site visit with the contact listed in SI06.

The site visit for this project is **OPTIONAL**. The representative of the bidder may be required to sign the Site Visit Attendance Sheet at the site visit.

SI05 REVISION OF BID

A bid may be revised by letter or facsimile in accordance with GI10 of R2710T "General Instructions – Construction Services – Bid Security ". The facsimile number for receipt of revisions is **(403) 292-4475**.

SI06 BID RESULTS

- 1) A public bid opening will be held in the office designated on the Front Page "Invitation to Tender" for the receipt of bids shortly after the time set for solicitation closing.
- 2) Following solicitation closing, bid results may be obtained by emailing the bid receiving office at nathaniel.harrison@pc.gc.ca or telephone: **(403) 292-4572**.

SI07 INSUFFICIENT FUNDING

- 1) In the event that the lowest compliant bid exceeds the amount of funding allocated for the Work
 - (a) by 15% or less, Canada, at its sole discretion, shall either
 - (i) Cancel the solicitation; or
 - (ii) Obtain additional funding and, subject to the provisions of GI11 of the General Instructions to Bidders, award the Contract to the Bidder submitting the lowest compliant bid; or
 - (iii) Revise the scope of the work accordingly and negotiate, with the Bidder submitting the lowest compliant bid, a corresponding reduction in its bid price.
 - (b) by more than 15%, Canada, at its sole discretion, shall either
 - (i) Cancel the solicitation; or
 - (ii) Obtain additional funding and, subject to the provisions of GI11 of the General Instructions to Bidders, award the Contract to the Bidder submitting the lowest compliant bid; or
 - (iii) Revise the scope of the work accordingly and invite those who submitted compliant bids at the original solicitation to re-bid the work.
- 2) If negotiations or a re-bid are undertaken as is contemplated in subparagraphs 1)(a)(iii) or 1)(b)(iii) above, Bidders shall retain the same subcontractors and suppliers as they carried in their original bids.

- 3) If Canada elects to negotiate a reduction in the bid price as is contemplated in subparagraph 1)(a)(iii) herein and the negotiations fail to reach an agreement, Canada shall then exercise either of the options referred to subparagraphs 1)(a)(i) or 1)(a)(ii)

SI08 BID VALIDITY PERIOD

- 1) Canada reserves the right to seek an extension to the bid validity period prescribed in BA04 of the Bid and Acceptance Form. Upon notification in writing from Canada, Bidders shall have the option to either accept or reject the proposed extension.
- 2) If the extension referred to in paragraph 1) of SI08 is accepted, in writing, by all those who submitted bids, then Canada shall continue immediately with the evaluation of the bids and its approvals processes.
- 3) If the extension referred to in paragraph 1) of SI08 is not accepted in writing by all those who submitted bids then Canada shall, at its sole discretion, either
- (a) continue to evaluate the bids of those who have accepted the proposed extension and seek the necessary approvals; or
 - (b) cancel the invitation to tender
- 4) The provisions expressed herein do not in any manner limit Canada's rights in law or under GI11 of R2710T.

SI09 CONSTRUCTION DOCUMENTS

The successful Contractor will be provided with one paper copy of the sealed and signed drawings, the specifications and the amendments upon acceptance of the offer. Obtaining more copies shall be the responsibility of the Contractor including costs.

SI10 WEB SITES

The connection to some of the Web sites in the solicitation documents is established by the use of hyperlinks. The following is a list of the addresses of the Web sites:

Treasury Board Appendix L, Acceptable Bonding Companies:

<http://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=14494§ion=text#appl>

Buy and Sell:

<https://www.achatsetventes-buyandsell.gc.ca/>

Canadian Economic Sanctions:

<http://www.international.gc.ca/sanctions/index.aspx?lang=eng>

Contractor Performance Evaluation Report (Form PWGSC-TPSGC 2913):

<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/2913.pdf>

Bid Bond (form PWGSC-TPSGC 504):

<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/504.pdf>

Performance Bond (form PWGSC-TPSGC 505):

<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/505.pdf>

Labour and Material Payment Bond (form PWGSC-TPSGC 506):

<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/506.pdf>

SACC Manual:

<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>

Schedules of Wage Rates for Federal Construction Contracts:

http://www.rhdcc-hrsdc.gc.ca/eng/labour/employment_standards/contracts/schedule/index.shtml

PWGSC, Industrial Security Services:

<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>

PWGSC, Code of Conduct and Certifications

<http://www.tpsgc-pwgsc.gc.ca/app-acq/cndt-cndct/index-eng.html>

Construction and Consultant Services Contract Administration Forms Real Property Contracting

<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/formulaires-forms-eng.html>

SUPPLEMENTARY CONDITIONS (SC)

SC01 CHANGES TO CONTRACT DOCUMENTS

The term "Engineer" is replaced with the term "Departmental Representative" in the Drawings and Specifications

SC02 INSURANCE TERMS

1) Insurance Contracts

- (a) The Contractor must, at the Contractor's expense, obtain and maintain insurance contracts in accordance with the requirements of the Certificate of Insurance. Coverage must be placed with an Insurer licensed to carry out business in Canada.
- (b) Compliance with the insurance requirements does not release the Contractor from or reduce its liability under the Contract. The Contractor is responsible for deciding if additional insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any additional insurance coverage is at the Contractor's expense, and for its own benefit and protection.

2) Period of Insurance

- (a) The policies required in the Certificate of Insurance must be in force from the date of contract award and be maintained throughout the duration of the Contract.
- (b) The Contractor must be responsible to provide and maintain coverage for Products/Completed Operations hazards on its Commercial General Liability insurance policy, for a period of six (6) years beyond the date of the Certificate of Substantial Performance.

3) Proof of Insurance

- (a) Before commencement of the Work, and no later than thirty (30) days after acceptance of its bid, the Contractor must deposit with Canada a Certificate of Insurance on the form attached herein.
- (b) Upon request by Canada, the Contractor must provide originals or certified true copies of all contracts of insurance maintained by the Contractor pursuant to the Certificate of Insurance.

4) Insurance Proceeds

In the event of a claim, the Contractor must, without delay, do such things and execute such documents as are necessary to effect payment of the proceeds.

5) Deductible

The payment of monies up to the deductible amount made in satisfaction of a claim must be borne by the Contractor

CONTRACT DOCUMENTS (CD)

- 1) The following are the contract documents:
 - (a) Contract Page when signed by Canada;
 - (b) Duly completed Bid and Acceptance Form and any Appendices attached thereto;
 - (c) Drawings and Specifications;
 - (d) General Conditions and clauses

| | | | |
|------|--|--------|---------------|
| GC1 | General Provisions | R2810D | (2016-04-04) |
| GC2 | Administration of the Contract | R2820D | (2016-01-28); |
| GC3 | Execution and Control of the Work | R2830D | (2015-02-25); |
| GC4 | Protective Measures | R2840D | (2008-05-12); |
| GC5 | Terms of Payment | R2850D | (2016-01-28); |
| GC6 | Delays and Changes in the Work | R2865D | (2016-01-28); |
| GC7 | Default, Suspension or Termination of Contract | R2870D | (2008-05-12); |
| GC8 | Dispute Resolution | R2880D | (2016-01-28); |
| GC9 | Contract Security | R2890D | (2014-06-26); |
| GC10 | Insurance | R2900D | (2008-05-12); |
| | Allowable Costs for Contract Changes Under GC6.4.1 | R2950D | (2015-02-25); |
| | Supplementary Conditions | | |
 - (e) Any amendment issued or any allowable bid revision received before the date and time set for solicitation closing;
 - (f) Any amendment incorporated by mutual agreement between Canada and the Contractor before acceptance of the bid; and
 - (g) Any amendment or variation of the contract documents that is made in accordance with the General Conditions.
- 2) The documents identified by title, number and date above are incorporated by reference and are set out in the Standard Acquisition Clauses and Conditions (SACC) Manual, issued by Public Works and Government Services Canada (PWGSC). The SACC Manual is available on the PWGSC Web site: <https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>
- 3) The language of the contract documents is the language of the Bid and Acceptance Form submitted.

BID AND ACCEPTANCE FORM (BA)

BA01 IDENTIFICATION

Title: Masonry Rock Wall Stabilization - Banff National Park

Solicitation Number: 5P420-16-5173/A

Work for this Contract consists of the replacement, repair and repointing of masonry walls at 11 locations in Banff National Park.

BA02 BUSINESS NAME AND ADDRESS OF BIDDER

Name: _____

Address: _____

Telephone: _____

Fax: _____

Email: _____

PBN: _____

BA03 THE OFFER

- 1) The Bidder offers to Her Majesty the Queen in right of Canada to perform and complete the Work for the above named project in accordance with the Bid Documents for the Total Bid Amount of

\$ _____ **excluding GST/HST**

Any errors in the extension of the Price per Unit and in the addition of the Estimated Total Prices shall be corrected by Canada in order to obtain the Total Estimated amount.

Bidders are reminded that it is their responsibility to include in their bid all work as described in the drawings and specifications.

BA04 BID VALIDITY PERIOD

The bid shall not be withdrawn for a period of 30 days following the date of solicitation closing.

BA05 ACCEPTANCE AND CONTRACT

Upon acceptance of the Contractor's offer by Canada, a binding Contract shall be formed between Canada and the Contractor. The documents forming the Contract shall be the contract documents identified in Contract Documents (CD).

BA06 CONSTRUCTION TIME

The Contractor must perform and complete the Work by **October 31, 2016**.

BA07 BID SECURITY

The Bidder is enclosing bid security with its bid in accordance with GI08 - Bid Security Requirements of R2710T - General Instructions - Construction Services - Bid Security Requirements.

BA08 SIGNATURE

Name and title of person authorized to sign on behalf of Bidder

Signature

Date

ANNEX A PRICE FORM

- 1) The prices per unit shall govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- 2) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.
- 3) The Price per Unit and the Estimated Total Price must be entered for each item listed.
- 4) Work included in each item is as described in the referenced specification section.

Note: Bidders are reminded that it is their responsibility to include in their bid all work as described in the drawings and specifications. Pricing for work not accounted for in the Unit Prices including but not limited to Mobilization, De-Mobilization, etc. is to be included in the Lump Sum Table.

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|------------------------|----------------|------------------------------------|---------------------|--------------------|----------------------------|-----------------------------------|
| 1 A | 01 21 00 | Mobilization / De-mobilization | Lump Sum | 1 | - | \$ _____ |
| 1 B | 01 25 20 | Prime Cost Sum | Lump Sum | 1 | - | \$ 50,000.00 |
| TOTAL AMOUNT 1. | | | | | | \$ _____ |

| 2 | L-100 | Castle Mountain Viewpoint - Rock Wall Note: Majority of rock for this wall repair will be found on site between wall and ungrate fence (Any additional rock required will come from the wall on 553 Marmot Street to be confirmed) If sufficient quantity not available on site contractor to source new stone from local supplier. | | | | |
|------------------------|-------|---|----------|------|----------|----------|
| A | L-100 | Replace missing stone ~ 125.0 l.m. length x 750 mm width x 150-300 mm height. 50 locations along wall ~ 2.5 l.m. per location replace rock and repair mortar | m | 125 | \$ _____ | \$ _____ |
| B | L-100 | Replace missing stone ~ 150 mm length x 150 mm width x 75 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| C | L-100 | Replace missing stone ~ 200 mm length x 150 mm width x 75 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| D | L-100 | Replace missing stone ~ 500 mm length x 150 mm width x 75 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| E | L-100 | Rebuild top half of wall to a max. height of existing wall (~900 mm above finish grade) ~ 3.75 l.m. Length x 750 mm width x 900 mm height | m | 3.75 | \$ _____ | \$ _____ |
| F | L-100 | Replace missing stone ~ 500 mm length x 150 mm width x 75 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| G | L-100 | Top of wall adjacent to road to be rebuilt 60 l.m. length x 150-300 mm width x 750 mm height. Assume foundation is stable | m | 60 | \$ _____ | \$ _____ |
| H | L-100 | Repoint loose mortar - match existing | m2 | 94 | \$ _____ | \$ _____ |
| I | L-100 | Landscape restoration | lump sum | 1 | - | \$ _____ |
| TOTAL AMOUNT 2. | | | | | | \$ _____ |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|------------------------|----------------|--|---------------------|--------------------|----------------------------|-----------------------------------|
| 3 | L-200 | Hillside Meadows - Boy Scout Cairn and Rock Wall Note: Cairn and wall ~ 320 l.m. off of roadway, all work to be done by hand, no equipment access. Majority of rock for this wall repair will be found on site, any additional rock required will need to be sourced from local supplier | | | | |
| A | L-200 | Portion of wall has broken off from existing structure - 1.75 l.m. length x 200 mm width x 250 mm height(±). Rebuild with existing stone, and ensure 'new' portion of wall is tied into existing wall | m | 1.75 | \$ _____ | \$ _____ |
| B | L-200 | Damage at top of wall - 1.5 l.m. length x 150 mm width x 200 mm height - rebuild with existing stone. Replace rock and repair mortar | m | 1.5 | \$ _____ | \$ _____ |
| C | L-200 | Cairn - replace missing stone ~ 150 mm length x 150 mm width x 50 mm height. Replace rock and repair mortar | m | 2 | \$ _____ | \$ _____ |
| D | L-200 | Repoint loose mortar - match existing | m2 | 4 | \$ _____ | \$ _____ |
| E | L-200 | Masonry restoration and cleaning of cairn and wall | m2 | 8.5 | \$ _____ | \$ _____ |
| F | L-200 | Landscape restoration | lump sum | 1 | - | \$ _____ |
| TOTAL AMOUNT 3. | | | | | \$ _____ | |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|------------------------|----------------|---|---------------------|--------------------|----------------------------|-----------------------------------|
| 4 | L-300 | Fireside Day Use Area – Fireplace Note: Majority of rock for this wall repair will be found on site, any additional rock required will need to be sourced from local supplier | | | | |
| A | L-300 | Rebuild corner ~ 450 mm length x 650 mm width x 750 mm height. Replace rock and repair mortar | each | 2 | \$ _____ | \$ _____ |
| B | L-300 | Remove rebar, exposed portion to be ground smooth with top of stone | each | 7 | \$ _____ | \$ _____ |
| C | L-300 | Replace missing stone ~ 250 mm length x 200 mm width x 150 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| D | L-300 | Repoint loose mortar - match existing | m2 | 45 | \$ _____ | \$ _____ |
| E | L-300 | Landscape restoration | lump sum | 1 | - | \$ _____ |
| F | L-300 | Masonry restoration and cleaning of fireplace | m2 | 45 | \$ _____ | \$ _____ |
| G | L-300 | Concrete fireplace cap - including - Supply and Install concrete, form, pour, and finish concrete cap. | lump sum | 1 | - | \$ _____ |
| H | L-300 | Chimney cap - supply and install 330 x 330 mm Gelco black galvanized single flue chimney cap (Part number 13407) complete with galvanized brackets mounted on concrete fireplace cap | lump sum | 1 | - | \$ _____ |
| TOTAL AMOUNT 4. | | | | | \$ _____ | |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|------------------------|----------------|---|---------------------|--------------------|----------------------------|-----------------------------------|
| 5 | L-400 | Norquay Road Viewpoint - Rock Wall Note: Majority of rock can be sourced from 553 Marmot Street, any additional rock required will need to be sourced from local supplier | | | | |
| A | L-400 | Replace missing stone ~ 600 mm length x 150 mm width x 150 mm height. Replace rock and repair mortar | each | 2 | \$ _____ | \$ _____ |
| B | L-400 | Replace missing stone ~ 2.5 l.m. length x 200 mm width x 300 mm height. Replace rock and repair mortar | m | 2.5 | \$ _____ | \$ _____ |
| C | L-400 | Opening of path replace missing stone 50-100 mm length x 50 mm width x 100-150 mm height (both sides). Replace rock and repair mortar | each | 2 | \$ _____ | \$ _____ |
| D | L-400 | Replace missing stone ~ 300 mm length x 250 mm width x 100 mm height. Replace rock and repair mortar | each | 2 | \$ _____ | \$ _____ |
| E | L-400 | Replace missing stone ~ 150 mm length x 50 mm width x 50 mm height. Replace rock and repair mortar | each | 2 | \$ _____ | \$ _____ |
| F | L-400 | Replace missing stone ~ 2.0 l.m. length x 150 mm width x 200 mm height. Replace rock and repair mortar | m | 2 | \$ _____ | \$ _____ |
| G | L-400 | Replace missing stone ~ 600 mm length x 150 mm width x 150 mm height. Replace rock and repair mortar | each | 2 | \$ _____ | \$ _____ |
| H | L-400 | Replace missing stone ~ 600 mm length x 150 mm width x 150 mm height. Replace rock and repair mortar | each | 2 | \$ _____ | \$ _____ |
| I | L-400 | Seam repair - repoint loose mortar, ensure asphalt impregnated fibre board is functioning and intact | each | 3 | \$ _____ | \$ _____ |
| J | L-400 | Replace missing stone ~ 300 mm length x 250 mm width x 100 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| K | L-400 | Repoint loose mortar - match existing | m2 | 88 | \$ _____ | \$ _____ |
| L | L-400 | Landscape restoration | lump sum | 1 | - | \$ _____ |
| TOTAL AMOUNT 5. | | | | | \$ _____ | |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|----------|----------------|---|---------------------|--------------------|----------------------------|-----------------------------------|
| 6 | L-500 | 224 Banff Avenue - Banff Visitor Centre - Rock Wall Note: Rock for this wall repair can be sourced from 553 Marmot Street, any additional rock required will need to be sourced from local supplier | | | | |
| A | L-500 | Replace missing stone ~ 400 mm length x 100 mm width x 50 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| B | L-500 | Replace missing stone ~ 250 mm length x 50 mm width x 300 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| C | L-500 | Replace missing stone ~ 1.0 l.m. length x 500 mm width x 150 mm height. Replace rock and repair mortar | m | 1 | \$ _____ | \$ _____ |
| D | L-500 | Remove spalling portion of rock and replace with single rock to fill void and mortar | each | 1 | \$ _____ | \$ _____ |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|------------------------|----------------|---|---------------------|--------------------|----------------------------|-----------------------------------|
| E | L-500 | Replace missing stone ~ 75 mm length x 25 mm width x 50 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| F | L-500 | Repoint loose mortar - match existing | m2 | 28 | \$ _____ | \$ _____ |
| G | L-500 | Landscape restoration | lump sum | 1 | - | \$ _____ |
| TOTAL AMOUNT 6. | | | | | \$ _____ | |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|------------------------|----------------|--|---------------------|--------------------|----------------------------|-----------------------------------|
| 7 | L-600 | 117 Beaver Street - Front Entry Note: Wall and surface repair required. Any additional rock required will need to be sourced from local supplier | | | | |
| A | L-600 | Stone loose, adjacent to the missing stone. Repoint loose mortar - match existing | each | 1 | \$ _____ | \$ _____ |
| B | L-600 | Replace missing top stone on the corner of the wall | each | 1 | \$ _____ | \$ _____ |
| C | L-600 | Replace two missing stones, rundle slab surface treatment | each | 1 | \$ _____ | \$ _____ |
| D | L-600 | Small piece of up-stand wall missing stone. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| E | L-600 | Repoint loose mortar - match existing | m2 | 1.5 | \$ _____ | \$ _____ |
| TOTAL AMOUNT 7. | | | | | \$ _____ | |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|------------------------|----------------|---|---------------------|--------------------|----------------------------|-----------------------------------|
| 8 | L-700 | 116 Park Avenue - Rock Wall Note: 24.0 l.m. of 30.0 l.m. retaining wall to be removed, and rebuilt. Wall height to match existing grade behind wall. Additional rock to fill voids, and to increase overall wall height to be sourced from 553 Marmot street. Any additional rock required will need to be sourced from local supplier. All work incidental to rock wall construction to be included in l.m. pricing (Base construction, Fill material, Drainage, etc.) | | | | |
| A | L-700 | Complete reconstruction required, remove wall and rebuild with existing rock (28.0 l.m. x 1,500 mm height x 450-600 mm width) | m | 28 | \$ _____ | \$ _____ |
| B | L-700 | Rebuild section of the wall between 300-350 mm higher to retain soil behind | m | 6 | \$ _____ | \$ _____ |
| C | L-700 | Section next to garage was in good condition. Repoint loose mortar - match existing | m2 | 4 | \$ _____ | \$ _____ |
| D | L-700 | Landscape restoration | lump sum | 1 | - | \$ _____ |
| TOTAL AMOUNT 8. | | | | | \$ _____ | |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|------------------------|-------------------------|--|---------------------|--------------------|----------------------------|-----------------------------------|
| 9 | L-800 L-801 L-802 | 553 Marmot Street - Rock Wall Remove existing rock wall, and rebuild with a Pisa2 modular block wall. Contractor to store all rock and re-use on other sites. Note: All work incidental to modular wall construction to be included in l.m. pricing (Base material, fill material, etc.) | | | | |
| A | L-800 L-801 L-802 | Side of building wall #1 - take down existing wall and rebuild with modular block Pisa 2 (As per manufacturers Specifications). Rebuild in front of spruce tree. Wall height ~ 300 mm | m | 12 | \$ _____ | \$ _____ |
| B | L-800 L-801 L-802 | Fill material for all walls ~ 750 mm depth x ~ 400 mm height x 74 l.m. length | m3 | 23 | \$ _____ | \$ _____ |
| C | L-800 L-801 L-802 | Front of building wall #2- take down existing wall and rebuild with modular block (As per manufacturers Specifications). Wall height ~ 300-350 mm | m | 35 | \$ _____ | \$ _____ |
| D | L-800 L-801 L-802 | Front of building #3 - take down existing wall and rebuild with modular block (As per manufacturers Specifications). Wall height ~ 250-600 mm | m | 13 | \$ _____ | \$ _____ |
| E | L-800 L-801 L-802 | Back of building #4 - take down existing wall and rebuild with modular block (As per manufacturers Specifications). Wall height ~ 300-350 mm | m | 14 | \$ _____ | \$ _____ |
| F | L-800 L-801 L-802 | Landscape restoration | lump sum | 1 | - | \$ _____ |
| TOTAL AMOUNT 9. | | | | | \$ _____ | |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|-------------------------|----------------|--|---------------------|--------------------|----------------------------|-----------------------------------|
| 10 | L-900 | Dowling Carin Note: Small rock to be replaced. Repoint mortar. Parks Canada has stone to be used to replace missing stone. Historic Cairn, contractor to take care to not cause any further damage to Cairn, plaques, and surrounding vegetation during restoration and cleaning | | | | |
| A | L-900 | Repair missing stone at top of Cairn - Parks Canada has missing stone | each | 1 | \$ _____ | \$ _____ |
| B | L-900 | Repoint loose mortar - match existing | m2 | 6 | \$ _____ | \$ _____ |
| C | L-900 | Masonry restoration and cleaning of cairn | m2 | 24 | \$ _____ | \$ _____ |
| TOTAL AMOUNT 10. | | | | | \$ _____ | |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|----------|----------------|---|---------------------|--------------------|----------------------------|-----------------------------------|
| 11 | L-1000 | Two Jack Lakeside Campground – Fireplace Note: Mortar is in poor condition, and will require repoint. Metal plates holding chimney up will need to be replaced. Rock to be sourced from 553 Marmot Street, any additional rock required will need to be sourced from local supplier | | | | |
| A | L-1000 | Replace missing stone ~ 350 mm length x 200 mm width x 75 mm height. Replace rock and repair mortar | each | 2 | \$ _____ | \$ _____ |
| B | L-1000 | Replace missing stone ~ 350 mm length x 100 mm width x 75 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| C | L-1000 | Replace missing stone ~ 350 mm length x 200 mm width x 75 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|-------------------------|----------------|--|---------------------|--------------------|----------------------------|-----------------------------------|
| D | L-1000 | Fire brick replace 2-3 courses of 38-50 mm thick fire brick | m | 6 | \$ _____ | \$ _____ |
| E | L-1000 | Replace metal lintel under chimney | each | 1 | \$ _____ | \$ _____ |
| F | L-1000 | Replace missing stone ~ 350 mm length x 200 mm width x 75 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| G | L-1000 | Replace missing stone ~ 350 mm length x 200 mm width x 75 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| H | L-1000 | Repoint loose mortar - match existing | m2 | 40 | \$ _____ | \$ _____ |
| I | L-1000 | Landscape restoration | lump sum | 1 | - | \$ _____ |
| J | L-1000 | Masonry restoration and cleaning of fireplace | m2 | 30 | \$ _____ | \$ _____ |
| K | L-1000 | Concrete fireplace cap - including to form, pour, and finish concrete cap | lump sum | 1 | - | \$ _____ |
| L | L-1000 | Chimney cap - supply and install 330 x 330 mm Gelco black galvanized single flue chimney cap (Part number 13407) complete with galvanized brackets mounted on concrete fireplace cap | lump sum | 1 | - | \$ _____ |
| TOTAL AMOUNT 11. | | | | | \$ _____ | |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|----------|----------------|---|---------------------|--------------------|----------------------------|-----------------------------------|
| 12 | L-1100 | Minnewanka Loop Viewpoint - Rock Wall Note: Majority of repair work is small rock, on the road side, with a few rock replacements on the back side of the wall (roughly 1.0 m height on the road side, and varying from 2.0 m - 6.0 m height on downslope side of wall) | | | | |
| A | L-1100 | Replace missing stone ~ 100 mm length x 50 mm width x 50 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| B | L-1100 | Replace missing stone - 400 mm length x 250 mm width x 100 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| C | L-1100 | Replace missing stone ~ 100 mm length x 75 mm width x 50 mm height and ~ 200 mm length x 250 mm width x 75 mm height. Replace rock and repair mortar | each | 2 | \$ _____ | \$ _____ |
| D | L-1100 | Replace missing stone ~ 100 mm length x 75 mm width x 50 mm height. Replace rock and repair mortar | m | 1 | \$ _____ | \$ _____ |
| E | L-1100 | Replace missing stone ~ 75 mm length x 100 mm width x 50 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| F | L-1100 | Replace missing stone ~ 75 mm length x 100 mm width x 50 mm height. Replace rock and repair mortar | each | 1 | \$ _____ | \$ _____ |
| G | L-1100 | Replace five missing slabs approx. 50 mm length x 250-300 mm width x 200-250 mm height. Replace rock and repair mortar | each | 5 | \$ _____ | \$ _____ |
| H | L-1100 | Repoint loose mortar - match existing | m2 | 35 | \$ _____ | \$ _____ |
| I | L-1100 | Landscape restoration | lump sum | 1 | - | \$ _____ |

| Item No. | Spec Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity | Price per Unit (Tax extra) | Estimated Total Price (Tax extra) |
|-------------------------|----------------|------------------------------------|---------------------|--------------------|----------------------------|-----------------------------------|
| TOTAL AMOUNT 12. | | | | | | \$ _____ |

| Item No. | Sub-Total Description | Total Price (Tax extra) |
|----------|---|-------------------------|
| 1 | Lump Sum Amounts | \$ _____ |
| 2 | Castle Mountain Viewpoint - Rock Wall | \$ _____ |
| 3 | Boy Scout Cairn and Rock Wall | \$ _____ |
| 4 | Fireside Day Use Area - Fireplace | \$ _____ |
| 5 | Norquay Road Viewpoint - Rock Wall | \$ _____ |
| 6 | 224 Banff Avenue - Banff Visitor Centre - Rock Wall | \$ _____ |
| 7 | 117 Beaver Street - Front Entry | \$ _____ |
| 8 | 116 Park Avenue - Rock Wall | \$ _____ |
| 9 | 553 Marmot Street - Modular Wall | \$ _____ |
| 10 | Dowling Carin | \$ _____ |
| 11 | Two Jack Lakeside Campground - Fireplace | \$ _____ |
| 12 | Minnewanka Loop Viewpoint - Rock Wall | \$ _____ |

TOTAL BID PRICE: \$ _____
Excluding Applicable Taxes

Note: Bidders are reminded that it is their responsibility to include in their bid all work as described in the drawings and specifications.

ANNEX C ATTESTATION FORM

Attestation and Proof of Compliance with Occupational Health and Safety (OHS)

The following form must be completed and signed prior to commencing work on Parks Canada Sites.

Submission of this completed form, satisfactory to Parks Canada, is a condition of gaining access to the work place.

Parks Canada recognizes that federal OHS legislation places certain specific responsibilities upon Parks Canada as owner of the work place. In order to meet those responsibilities, Parks Canada is implementing a contractor safety regime that will ensure that roles and responsibilities assigned under Part II of the *Canada Labour Code* and the *Canada Occupational Health and Safety Regulations* are implemented and observed when involving contractor(s) to undertake works in Parks Canada work places.

| Parks Canada Responsible Authority/Project Lead | Address | Contact Information |
|--|---------|---------------------|
| Project Manager/Contracting Authority (delete as required) | | |
| Prime Contractor | | |
| Subcontractor(s) (add additional fields as required) | | |

| |
|------------------|
| Location of Work |
|------------------|

| |
|---|
| General Description of Work to be Completed |
|---|

Mark "Yes" where applicable.

| | |
|--|--|
| | A meeting has been held to discuss hazards and access to the work place and all known and foreseeable hazards have been identified to the contractor and/or subcontractor(s) |
| | The contractor and/or its subcontractor(s) will comply with all federal and provincial/territorial legislation and Parks Canada's policies and procedures, regarding occupational health and safety. |
| | The contractor and/or its subcontractor(s) will provide all prescribed safety materials, equipment, devices and clothing. |
| | The contractor and/or its subcontractor(s) will ensure that its employees are familiar with and use all prescribed safety materials, equipment, devices and clothing at all times. |
| | The contractor and/or its subcontractor(s) will ensure that its activities do not endanger the health and safety of Parks Canada employees. |
| | The contractor and/or its subcontractor(s) has inspected the site and has carried out a hazard assessment and has put in place a health and safety plan and informed its employees accordingly, prior to the commencement of the work. |
| | Where a contractor and/or its subcontractor(s) will be storing, handling or using hazardous substances in the work place, it will place warning signs at access points warning persons of the presence of the substances and any precautions to be taken to prevent or reduce any hazard of injury or death. |
| | The contractor and/or its subcontractor(s) will ensure that its employees are instructed in respect of any emergency procedures applicable to the site. |

I, _____ (contractor), certify that I have read, understood and attest that my firm, employees and all sub-contractors will comply with the requirements set out in this document and the terms and conditions of the contract.

Name _____

Signature _____

Date _____



ANNEX D - CERTIFICATE OF INSURANCE

| | |
|----------------------------------|--------------|
| Description and Location of Work | Contract No. |
| | Project No. |

| | | | | |
|----------------------------------|-----------------------|------|----------|-------------|
| Name of Insurer, Broker or Agent | Address (No., Street) | City | Province | Postal Code |
|----------------------------------|-----------------------|------|----------|-------------|

| | | | | |
|------------------------------|-----------------------|------|----------|-------------|
| Name of Insured (Contractor) | Address (No., Street) | City | Province | Postal Code |
|------------------------------|-----------------------|------|----------|-------------|

Additional Insured

Her Majesty the Queen in Right of Canada as represented by the Minister of the Environment for the purposes of the Parks Canada Agency

| Type of Insurance (Required when Checked) | Insurer Name and Policy Number | Inception Date D / M / Y | Expiry Date D / M / Y | Limits of Liability | | |
|---|-----------------------------------|-----------------------------|--------------------------|---------------------|--|-----------------------------------|
| | | | | Per Occurrence | Annual General Aggregate | Completed Operations Aggregate |
| <input checked="" type="checkbox"/> Commercial General Liability | | | | \$ | \$ | \$ |
| <input type="checkbox"/> Umbrella/Excess Liability | | | | \$ | \$ | \$ |
| <input type="checkbox"/> Builder's Risk / Installation Floater | | | | \$ | | |
| <input type="checkbox"/> Pollution Liability | | | | \$ | <input type="checkbox"/> Per Incident <input type="checkbox"/> Per Occurrence | Aggregate \$ |
| <input type="checkbox"/> Marine Liability | | | | \$ | | |
| <input type="checkbox"/> Aviation Liability | | | | \$ | <input type="checkbox"/> Per Incident <input type="checkbox"/> Per Occurrence | Aggregate \$ |
| <input type="checkbox"/> | | | | \$ | | |

I certify that the above policies were issued by insurers in the course of their Insurance business in Canada, are currently in force and include the applicable insurance coverages stated on page 2 of this Certificate of Insurance, including advance notice of cancellation / reduction in coverage.

Name of person authorized to sign on behalf of Insurer(s) (Officer, Agent, Broker)

Telephone Number

Signature

Date D / M / Y



| | | |
|---|---|--|
| <p style="text-align: center;">General</p> <p>The insurance policies required on page 1 of the Certificate of Insurance must be in force and must include the insurance coverages listed under the corresponding type of insurance on this page.</p> <p>The policies must insure the Contractor and must include Her Majesty the Queen in Right of Canada as represented by the Minister of Public Works and Government Services as an additional Insured.</p> <p>The insurance policies must be endorsed to provide Canada with not less than thirty (30) days notice in writing in advance of a cancellation of insurance or any reduction in coverage.</p> <p>Without increasing the limit of liability, the policies must protect all insured parties to the full extent of coverage provided. Further, the policies must apply to each Insured in the same manner and to the same extent as if a separate policy had been issued to each.</p> | <p style="text-align: center;">Commercial General Liability</p> <p>The insurance coverage provided must not be substantially less than that provided by the latest edition of IBC Form 2100.</p> <p>The policy must either include or be endorsed to include coverage for the following exposures or hazards if the Work is subject thereto:</p> <ul style="list-style-type: none"> (a) Blasting. (b) Pile driving and caisson work. (c) Underpinning. (d) Removal or weakening of support of any structure or land whether such support be natural or otherwise if the work is performed by the insured contractor. <p>The policy must have the following minimum limits:</p> <ul style="list-style-type: none"> (a) \$5,000,000 Each Occurrence Limit; (b) \$10,000,000 General Aggregate Limit per policy year if the policy contains a General Aggregate; and (c) \$5,000,000 Products/Completed Operations Aggregate Limit. <p>Umbrella or excess liability insurance may be used to achieve the required limits.</p> | <p style="text-align: center;">Builder's Risk / Installation Floater</p> <p>The insurance coverage provided must not be less than that provided by the latest edition of IBC Forms 4042 and 4047.</p> <p>The policy must permit use and occupancy of any of the projects, or any part thereof, where such use and occupancy is for the purposes for which a project is intended upon completion.</p> <p>The policy may exclude or be endorsed to exclude coverage for loss or damage caused by asbestos, fungi or spores, cyber and terrorism.</p> <p>The policy must have a limit that is not less than the sum of the contract value plus the declared value (if any) set forth in the contract documents of all material and equipment supplied by Canada at the site of the project to be incorporated into and form part of the finished Work. If the value of the Work is changed, the policy must be changed to reflect the revised contract value.</p> <p>The policy must provide that the proceeds thereof are payable to Canada or as Canada may direct in accordance with GC10.2, "Insurance Proceeds" (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/R/R2900D/2).</p> |
| <p>Contractors Pollution Liability</p> <p>The policy must have a limit usual for a contract of this nature, but not less than \$1,000,000 per incident or occurrence and in the aggregate.</p> | <p>Marine Liability</p> <p>The insurance coverage must be provided by a Protection & Indemnity (P&I) insurance policy and must include excess collision liability and pollution liability.</p> <p>The insurance must be placed with a member of the International Group of Protection & Indemnity Associations or with a fixed market in an amount of not less than the limits determined by the <i>Marine Liability Act</i>, S.C. 2001, c. 6. Coverage must include crew liability, if it is not covered by the statutory requirements of the Territory or Province having jurisdiction over such employees.</p> <p>The policy must waive all rights of subrogation against Canada as represented by Public Works and Government Services Canada for any and all loss of or damage to the watercraft however caused.</p> | <p>Aviation Liability</p> <p>The insurance coverage shall Include Bodily Injury (including passenger Bodily Injury) and Property Damage, in an amount of not less than \$5,000,000 per incident or occurrence and in the aggregate.</p> |