

**Canadian Coast Guard (CCG)
Welding Shop Addition – Buoy Maintenance Facility
St. John's, NL
EA003-170959/A R.053663.020**

Addendum No. 3

Page 1 of 1

SPECIFICATION

1) Section 07 46 13 Metal Siding:

a. Paragraph 2.1.1, revise to read as follows:

“.1 Strip siding: to CGSB 93.4, Type A vertical, Class plain:

.1 Finish coating: silicone modified polyester (SMP) topcoat system.

.2 Thickness: 22 gauge

.3 Colour: Class F1, designated as Colourite HMP 100% ceramic pigmentation. Colour selected by Departmental Representative from manufacturer's full colour range.

.4 Gloss: 30 ± 5 .

.5 Profile: preformed interlocking joints, fastener holes pre-punched, profile as per product listed as standard of acceptance.

.6 Standard of Acceptance: Vic West CL 439 narrow 1 3/8" deep rib or Approved manufacturer.

.7 Acceptable Alternate Manufacturers:

.1 Agway Metals Inc.

.2 Flynn Canada

.3 Ideal Roofing"

b. Paragraph 2.1.2.2, revise to read as follows: "Colour selected by Departmental Representative from manufacturer's full colour range.

c. Add Paragraph 2.1.3 to read as follows:

.3 Metal liner panel:

.1 Strip siding to CGSB93-4, vertical 0.65 mm base metal thickness, pre-painted white colour steel with 12 mm V-groove at 600 mm spacing. "

By submission of its bid, the Bidder confirms that it has read and understands the requirements expressed in all amendments and has included all costs of these requirements in its Total Bid Amount.

All other terms & conditions remain unchanged.
