



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
Room 100,
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6
Bid Fax: (204) 983-0338

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Western Region
Room 100
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6

Title - Sujet Publications & Data Management Serv	
Solicitation No. - N° de l'invitation W7006-16P002/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client W7006-16P002	Date 2016-08-31
GETS Reference No. - N° de référence de SEAG PW-\$WPG-070-9873	
File No. - N° de dossier WPG-5-38296 (070)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-09-30	Time Zone Fuseau horaire Central Daylight Saving Time CDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Barenz, Leanne	Buyer Id - Id de l'acheteur wpg070
Telephone No. - N° de téléphone (204) 229-6909 ()	FAX No. - N° de FAX (204) 983-7796
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This **amendment 003** is raised to modify Solicitation **#W7006-16P002/A** and to answer questions as follows:

Refer to **page 8 of 60** at **Part 6 – Security, Financial and other Requirements** and amend as follows:

Insert:

Security Requirements:

1. Before award of a contract, the following conditions must be met:
 - (a) the Bidder must hold a valid organization security clearance as indicated in Part 7 - Resulting Contract Clauses;
 - (b) the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work sites must meet the security requirements as indicated in Part 7 - Resulting Contract Clauses;
 - (c) the Bidder must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites;
2. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful Bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
3. For additional information on security requirements, Bidders should refer to the Industrial Security Program (ISP) of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.

Refer to **page 10 of 60** at **7.3 Security Requirements** and amend as follows:

Delete: There is not Security Requirement applicable to the contract

Insert: 7.3.1 The following security requirements (*SRCL and related clauses provided by ISP*) apply and form part of the Contract.

1. The Contractor must, at all times during the performance of the Contract, hold a valid Designated Organization Screening (DOS), issued by the Canadian Industrial Security Directorate (CISD), Public Works and Government Services Canada (PWGSC).
2. The Contractor personnel requiring access to sensitive work site(s) must **EACH** hold a valid **RELIABILITY STATUS**, granted or approved by CISD/PWGSC.
3. Subcontracts, which contain security requirements, are **NOT** to be awarded without the prior written permission of CISD / PWGSC.
4. The Contractor must comply with the provisions of the:
 - a) *Security Requirements Check List* and Security Guide (if applicable), attached at Annex C;
 - b) *Industrial Security Manual* (Latest Edition).

Refer to **page 46 of 60** at **Bid Evaluation Criteria and Basis of Selection** and amend as follows:

Insert: Bidders must email a request to the Contracting Authority listed at page 11 of 60 for the sample source data that is to be used in production of the sample IETM?

Questions and Answers

Q1

Annex A-SOW Pg. 23, 3.2.2.d. S1000D IETM Viewer IETM Software Capabilities, What viewer is currently used to produce the CT142 IETM?

A1

The current viewer being used is ISO Viewer 7.0, but is being upgrade to version 7.3. Version 7.3 will be fully functional before 1 Nov 16. CT142 ITEM Viewer & Software: No shared services are required. All software and viewer programs are commercial off the shelf.

Q2

Annex A - SOW, Pg 23, 3.2.2.d. S1000D IETM Viewer IETM Software Capabilities, in our experience S1000D viewers are either GFE or procured by a Contractor on behalf of the Crown who retains ultimate ownership of the software. Will the current CT142 Viewer be supplied by the Crown and if so how long after contract award would it be supplied?

A2

The current viewer being used is ISO Viewer 7.0, but is being upgrade to version 7.3. Version 7.3 will be fully functional before 1 Nov 16.

Q3

Annex A - SOW, Pg 23, 3.2.2.d. S1000D IETM Viewer IETM Software Capabilities, Is there a preferred S1000D viewer?

A3

Refer to question # 1

Q4

Annex G - Bid Evaluation Criteria and Basis of Selection, Pg 49, Mandatory Technical Criteria: M4 - Interactive Electronic Technical Manuals, When can we expect to receive the sample source data that is to be used in production of the sample IETM?

A4

CD packages will be provided to PWGSC along with DND 570 forms for distribution as per the instructions above. Business Rules will be included with the CD package.

Q5

Annex G - Bid Evaluation Criteria and Basis of Selection, Pg 49, Mandatory Technical Criteria: M4 - Interactive Electronic Technical Manuals, How large is the sample IETM expected to be?

A5

That will depend upon the data set selected.

Q6

W7006-16P002

Annex A - SOW, Pg 22, Support of an IETM 3.2.1.b., Will the CT142 S1000D version 2.2 Business rules and Standard Aero Technical Services documents be provided during the bid process or after contract award?

A6

Will be provided during bidding process; a copy will be available for each bidder.

Q7

In order to meet the mandatory requirement of Annex G, M4 we require the CT142 Dash-8 data set, the functionality matrix and "Standard Aero Business Rules" document to ensure the required IETM functionality. We would request this information as soon as possible.

A7

Refer to question # 4

Q8

How many of the 27 pubs are currently delivered as an IETM (as opposed to paper) to know what the initial commitment and time involvement is in providing an "uninterrupted transition" to the new IETM?

A8

27 pubs are in S1000D format and 41 CMM's are in pdf format.

REF 3.1.4 h (This must include milestones and timelines for the introduction of the new IETM that at a minimum contains all of the publications currently found within IETMs without a reduction in functionality.)

Q9

What is the format being used for Illuminated Wiring Diagrams and Illustrated Parts Lists? The RFP states CGM, but we would like confirmation that the CGM files are WebCGM 4 compliant and do not incorporate ISODraw specific functionality.

A9

Most conform to WebCGM profile 1.0 or 2.0, however there are still a number of older legacy drawings with ActiveCGM Profile 3.0.

Q10

At paragraph 4.7.1 of the SOW the paragraph begins *"The Contractor must undertake visits to user units as directed by the TA, at least two bi-quarterly meetings annually..."* This phrasing is somewhat confusing and we are uncertain as to how many meetings are required. Also, are these visits covered under the Travel and Living conditions of any resulting contract?

A10

Contractor meetings – 1 per year in person, remainder 1 or more meetings by tele-conference. The Crown will cover incurred costs for travel and living expenses for meetings held at unit. (Ref:4.7.1).

Q11

Reference SOW para 3.1.2 listing the different publication labour categories and Annex "B" Basis of Payment. We notice different terminology used for the labour categories. In the interest of clarity would Canada confirm the SOW categories to the Basis of Payment categories?

A11

Any Contractor personnel who are in direct contact with the support of the publications will fall under the Technical Pubs section of the contract: Supervisory, Professional & Administration, and Technical Office.

Any Contractor personnel who fall under the technical data management part of the contract would be those personnel who are subject matter experts who aren't normally associated with the contract but are acting in an advisory role.

The 10 hours required for quality control purposes are imperative to the success of the contract.

The hours provided in the Reference D "Annex B" Basis of Payment are only an estimation used to set a baseline for all PBs. These numbers are flexible if changes are necessary in the future.

No ongoing licensing costs are required but a subscription fee would be required but should be included in the contract. Bombardier is the only OEM that would require a subscription fee. All other second line pubs will be provided upon request.

Q12

Reference Annex "B" Basis of Payment, Estimated quantity of per year (hours). Are these estimates based on previous years usage of is this a forecast of future usage?

A12

The estimated quantity per year man hours is a future forecast.

Q13

Can portions of the work under this contract be performed outside of Canada? If so, please state any restrictions (if any).

A13

No (Ref: 3.4.1)

Q14

At 7.3 (Page 10), it states that there are no Security Requirements. Then, at 3.4.4 (Page 26), it states that qualified representatives would require a security clearance? Please specify security requirements as it pertains to this contract. Is there a Security Checklist (SCRL)?

A14

The security requirement is Enhanced Reliability (see amendment above) and the Contractor must be Controlled Goods compliant.

Q15

At Page 20 (b. iii), there is mention of translation and TAC requirements. Could you please provide additional information on the volume in terms of words? Must Bidders propose resources for these services (translators, revisers, TAC specialists)?

A15

Indicated in C-01-100-100/AG-006

Q16

At Page 36, Basis of Payment, in which pricing category would these services be included?

A16

The Basis of Payment is left to the Contractor's discretion, as long as the work and hours are clearly identified.

Q17

W7006-16P002

Page 20/60; Para 3.1.3 Item c., Besides Bombardier, which other OEMs would be implicated in the CT142 publications and for which the PMS Contractor would need to obtain permission to access data?

A17

Only Bombardier

Q18

Page 21/60; Para 3.1.3 Item e., Same question as above.

A18

Only Bombardier

Q19

Page 22/60; Para 3.2.1 Item a., What is the class of RFC required for deployment of the CT142 IETM on the DWAN?

A19

Access to the DWAN obtained by approval from Ottawa.

Q20

Page 22/60; Para 3.2.1 Item b., Will the General Business Rules and Standard Aero Technical Services Documents be provided with a representative set of sample data covering for all applicable schemas (ie Descript. Procedural, IPD, fault etc.) and graphics file formats (ie CGM4, TIFF, SVG?) currently used in the CT142 S1000D version 2.2?

A20

A data set consisting of chapters from three different IETM publications will be provided.

Q21

Page 22/60; Para 3.1.4 item h. and Page 49/60; Para M4 b., Will a Functionality Matrix identifying the features of the current CT142 IETM Software be provided ? This would ensure that bidders are able to verify that their proposed IETM software meets with or exceeds the IETM currently in use.

A21

No

Q22

Page 24/60; Para 3.3.4 Item a., This para refers to the use of TERMIUM PLUS for terminology. Is translation also a requirement for this RFP?

A22

All CT142 publications are produced/published in english.

Q24

Page 29/60; Para 4.7.1, How many User Units? What are the locations of the User Units?

A24

The "User" is 402 Sqn, CFB Winnipeg

Q25

Page 29/60; Para 4.7.1, Please define "bi-quarterly"? Does it mean every second quarter (or twice a year) or does it mean twice every quarter (or 8 times per year)?

A25

Contractor meetings – 1 per year in person, remainder 1 or more meetings by tele-conference

Q26

Page 49/60; M4, M4 Interactive Electronic Technical Manuals refers to Appendix 5 to Annex A. Appendices 4 and 5 to Annex A appear to be missing from the RFP. Please advise.

A26

Appendix 4 is the Contract Publication Change Transmittal Form (DND570) form, whereas Appendix 5 is the data required to build a sample IETM for the bidders' proposals. Appendix 5 is technically a series of files all on the CDs provided to PWGSC.

Q27

Page 23/60; Para 3.2.2 (d), What file format do the CT142 intelligent wiring diagrams adhere (ie: CGM 4, SVG?) and what schema is used for their xml companions files (if any) (ie Web CGM)?

A27

Most conform to WebCGM profile 1.0 or 2.0; however there are still a number of older legacy drawings with ActiveCGM Profile 3.0.

Q28

Page 23/60; Para 3.2.2 (d), Do the CT142 Intelligent wiring diagrams graphic files currently require a proprietary/specific viewing solution to be used? If so which one?

A28

ISO Viewer 7.3

Q29

Page 26/60; Para 3.5.1, PRM: "Meetings will be held at Contractor's facility but alternate venues may be used subject to TA approval with all contractor expenses incurred by the Contractor." Please clarify if T&L expenses would be expected to be incurred by the Contractor for PRM meetings?

A29

Contractor meetings – 1 per year in person, remainder 1 or more meetings by tele-conference. The Crown will cover incurred costs for travel and living expenses for meetings held at unit. (Ref:4.7.1)

Q30

Page 17/60; Para 1.3.1 and Page 30/60; Para 4.5.4, What is the software currently used to produce hard copy (paper) publications?

A30

Some PUBS are printed (hard copy), modifications will be put in an amendment to the IETMS.

Q31

Is there a translation requirement for the publications as stated in para 4.4 of Reference A.

A31

There is a requirement for the translation as stated in Reference A, however, no translation of the publications have been carried out since the inception of the IETMs.

Q32

Is there an expectation for 3D modelling?

A32

3D modelling is a non-mandatory item that is limited by the budget.

Q33

Why did 402 Squadron elect to use universally available software at the IETM platform?

A33

402 Squadron does not want to get caught up within a proprietary technology as experienced with previous contracts.

Q34

What is the scope of work required with respect to maintenance and/or engineering required?

A34

The expectation is that the current IETM is maintained with the need for updates and/or changes required. 402 Squadron does not anticipate the need for the IETM system to be redesigned in its entirety, however:

PBs were cautioned that when the sample IETMs are to be provided from PWGSC, the viewer needs to be acquired in order to interface with the IETM software. Nevertheless, the rights to the viewer needs to be obtained prior to the submission of the IETMs, as the viewer will be integrated with the IETM software in the CD packages included with the DND 570 forms.

The TA briefed PBs that 402 Squadron did not want to deal with a proprietary viewer because it did not allow the autonomy that 402 Squadron needed in order to use and maintain the IETMs publications software in the past.

Q35

How is login achieved?

A35

It is achieved through an Active X software that knows whether the user logged in that station is allowed to have access. PBs were notified this capability is not directly part of the IETMs publications software system. The future contract will not require support to manage the login.

Q36

Does 402 Squadron have access to the XY Vision Platform?

A36

402 Squadron only has access to Microsoft Office Suite applications such as Microsoft Word or Microsoft Publisher.

Q37

How often is IETMs released?

A37

IETMs is released monthly due to the fact that if the changes are released any longer than one month, the large volume of changes will cause 402 Squadron AEO section to fall behind in their publication management.

Q38

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

W7006-16P002/A

003

Wpg070

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

W7006-16P002

How will the Contractor push updates to 402 Squadron?

A38

A File Transfer Protocol (FTP) server is used as an intermediary device; The Contractor pushes the updates onto an FTP server and then DND pulls the updates off the server. However, FTP server or email are both valid modes of transmission of the updates from Contractor to DND.

402 Squadron has PDF backups of all electronic publications and are currently updated concurrently with all electronic IETM updates. The PDF copy of the IETMs is required specifically for 3rd line Contractors including the 5-year inspection at PAL so that there are no issues with compatibility with viewer. Each change release will be indicated with each push to CD or Email or FTP server. There should not be any discrepancies with the PDF formats and the electronic IETMs.



Government
of Canada

Gouvernement
du Canada

Contract Number / Numéro du contrat

W7006 - 16 - P002

Security Classification / Classification de sécurité

PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non Oui

If Yes, indicate the level of sensitivity:

Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? ☒ No ☐ Yes
Non Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :

Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

- | | | | |
|---|---|---|--|
| <input checked="" type="checkbox"/> RELIABILITY STATUS
COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL
CONFIDENTIEL | <input type="checkbox"/> SECRET
SECRET | <input type="checkbox"/> TOP SECRET
TRÈS SECRET |
| <input type="checkbox"/> TOP SECRET- SIGINT
TRÈS SECRET - SIGINT | <input type="checkbox"/> NATO CONFIDENTIAL
NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET
NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET
COSMIC TRÈS SECRET |
| <input checked="" type="checkbox"/> SITE ACCESS
ACCÈS AUX EMPLACEMENTS | | | |

Special comments:

Commentaires spéciaux :

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.

REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? ☐ No ☒ Yes
Non Oui

If Yes, will unscreened personnel be escorted?

Dans l'affirmative, le personnel en question sera-t-il escorté? ☐ No ☒ Yes
Non Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? ☒ No ☐ Yes
Non Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? ☒ No ☐ Yes
Non Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? ☐ No ☒ Yes
Non Oui



PART C - (continued) / PARTIE C - (suite)

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET	NATO RESTRICTED NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL NATO CONFIDENTIEL	NATO SECRET	COSMIC TOP SECRET COSMIC TRÈS SECRET	PROTECTED PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET TRÈS SECRET
											A	B	C			
Information / Assets Renseignements / Biens Production																
IT Media / Support TI																
IT Link / Lien électronique																

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?
La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non ☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée
« Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?
La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non ☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée
« Classification de sécurité » au haut et au bas du formulaire et indiquez qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).



PART D - AUTHORIZATION / PARTIE D - AUTORISATION

13. Organization Project Authority / Chargé de projet de l'organisme

Name (print) - Nom (en lettres moulées)	Title - Titre	Signature
Capt Daniel Bortolin	CT142 Engineering Projects Officer	
Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel
204-833-2500 x6597	204-833-2563	daniel.bortolin@forces.gc.ca
Date		
8 Dec 15		

14. Organization Security Authority / Responsable de la sécurité de l'organisme

Name (print) - Nom (en lettres moulées)	Title - Titre	Signature
WO Marc Lajoie	402 Sqn Chief Clerk	
Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel
204-833-2500 x5411	204-833-2522	marc.lajoie@forces.gc.ca
Date		
8 Dec 15		

15. Are there additional instructions (e.g. Security Guide, Security Classification Guide) attached?

Des instructions supplémentaires (p. ex. Guide de sécurité, Guide de classification de la sécurité) sont-elles jointes?

☒ No
Non ☐ Yes
Oui

16. Procurement Officer / Agent d'approvisionnement

Name (print) - Nom (en lettres moulées)	Title - Titre	Signature
Lt Andrew Bujaki	Logistics Support Officer	
Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel
204-833-2500 x6926	204-833-2563	andrew.bujaki@forces.gc.ca
Date		
8 Dec 15		

17. Contracting Security Authority / Autorité contractante en matière de sécurité

Name (print) - Nom (en lettres moulées)	Title - Titre	Signature
Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel
Date		