
PART 1 - GENERAL

- 1.1 Description .1 The work covered under this section includes the supply and installation of all labour and materials necessary for the following:
- .1 Water retaining Cofferdams, dewatering of the area of construction.
 - .2 Maintaining this area in a developed condition during construction.
- .2 The contractor shall submit a dewatering plan to the *Departmental Representative* for review and approval prior to construction and dewatering activities.
- .3 All work on the fishway reconstruction must be carried out in the dry unless approved otherwise.
- 1.2 Codes and Standards .1 Carry out all work in accordance with applicable Federal, Provincial and Municipal Codes and Regulations. In each and every instance of application, the Code, Regulation, Statute, By-Law, or specification having the most stringent requirements applies.
- 1.3 Measurement for Payment .1 There shall be no measurement for this item. Payment will be included under the Lump Sum Item in accordance with Section **01 29 00**.

PART 2 - PRODUCTS

N/A

PART 3 - EXECUTION

- 3.1 Dewatering .1 Contractor to determine what is required at this particular site to achieve dewatering of the area of construction. This may involve such things as:
- Utilization of Sandbags
 - Cofferdams

- Bypass pumping

- .2 Any pumps and appurtenances used in dewatering are to be thoroughly cleaned and disinfected prior to use.
- .3 Dispose of water in a manner not detrimental to public health, environment, public or private property, or any portion of work completed or under construction. Comply with all requirements of the Department of Environment and Conservation and other regulatory agencies having jurisdiction regarding disposal of water.
- .4 The Contractor will be responsible to maintain, dewater devices/structures for the duration of time they are required.
- .5 All means of dewatering to be removed to allow full function of the fishway by the end of construction to allow the fishway to be operational March 31, 2017