



LOCATION MAP
SCALE NTS



- SEDIMENT CONTROL NOTES**
- ALL ONSITE WORKS SHALL BE IN ACCORDANCE WITH THE CURRENT BC BUILDING CODE AND BC PLUMBING CODE. CONTRACTOR TO RETAIN AN ENVIRONMENTAL MONITOR WHO SHALL MONITOR THE ONGOING WORK, DRAINAGE AND SEDIMENT CONTROL MEASURES AND REPORT TO THE OWNER AND ANY OTHER AGENCY AS PRESCRIBED BY PERMITS AND APPROACH.
 - IT IS THE CONTRACTOR'S RESPONSIBILITY TO ENSURE EFFECTIVE AND EFFICIENT MAINTENANCE AND OPERATION OF THE SILTATION CONTROL STRUCTURES AND TO ENSURE THAT THE WATER BEING DISCHARGED FROM THE SITE MEETS pH LEVELS BETWEEN 6 AND 8.5 AND DOES NOT CONTAIN TOTAL SUSPENDED SOLIDS (TSS) GREATER THAN 75 MG/L DURING WET WEATHER AND 25 MG/L DURING DRY WEATHER ABOVE THE BACKGROUND LEVELS AND OR OTHER LEVELS SPECIFIED BY THE FEDERAL DEPARTMENT OF FISHERIES AND OCEANS.
 - ALL WORK SHALL BE UNDERTAKEN AND COMPLETED IN SUCH A MANNER AS TO PREVENT THE RELEASE OF SEDIMENT, SILT OR SEDIMENT LADEN WATER, CONCRETE OR CONCRETE LEACHATE OR ANY OTHER DELETERIOUS SUBSTANCE INTO ANY DITCH WATERCOURSE. SILTATION CONTROL FACILITIES MUST BE COMPLETED BEFORE WORK COMMENCES.
 - THE CONTRACTOR SHALL KEEP ALL PORTIONS OF THE WORK DRAINED DURING THE CONSTRUCTION AND UNTIL COMPLETION. WHERE NECESSARY, CATCHWATER DITCHES SHALL BE CONSTRUCTED ALONG THE TOPS OF EXCAVATIONS OR FILL SLOPES TO PREVENT WATER FLOWING INTO OR OVER THE EXCAVATED OR FILLED AREAS. THE CONTRACTOR WILL BE RESPONSIBLE FOR THE REPAIR FOR THE DAMAGE, DIRECTLY RESULTING FROM HIS OPERATIONS AND FOR THE REMOVAL OF DIRT OR DEBRIS FROM EXISTING SYSTEMS, WHICH MAY BE CAUSED BY OR WHICH MAY RESULT FROM WATER BACKING UP OR OVERFLOWING THROUGH, FROM, OR ALONG ANY PART OF THE WORK OR ADJACENT PROPERTIES. THE CONTRACTOR SHALL BEAR ALL COSTS ASSOCIATED WITH THESE REPAIRS UNTIL WORKS IS COMPLETE AND ACCEPTED BY THE OWNER(S).
 - THE CONTRACTOR SHALL CONSTRUCT AND MAINTAIN ALL SILTATION CONTROL MEASURES IN ACCORDANCE WITH THE REQUIREMENTS OF THE MINISTRY OF ENVIRONMENT, WATER, LAND AND PARKS, AND THE FEDERAL DEPARTMENT OF FISHERIES.
 - THE CONTRACTOR SHALL MAINTAIN ALL SILT CONTROL FACILITIES ON AN AS-NEEDED BASIS. MAINTENANCE MAY INCLUDE BUT IS NOT NECESSARILY LIMITED TO REPLACING SILTED UP SILT FENCE, RESTAKING FALLEN SILT FENCE, DISPOSAL OFFSITE OF DEBRIS AND SEDIMENT, REPLACING DIRTY GRAVEL, CLEAN OUT SEDIMENT PONDS AND TIRE WASH STATION.
 - DUST NUISANCE WILL BE REDUCED BY USE OF WATER SPRAYED ON THE EXPOSED SOURCE OF THE DUST. FREQUENCY OF THE SUPPRESSION WILL BE AS REQUIRED BY THE ENGINEER.
 - EXPOSED SLOPES, GRAVEL AND SOIL STOCK PILES TO BE COVERED WITH ONE LAYER OF 6mil POLY AND WEIGHTED OR STAPLED INTO PLACE.
 - IF DURING ANY CONSTRUCTION WORK ANY PROHIBITED MATERIAL ENTERS THE DRAINAGE SYSTEM, THEN THE CONTRACTOR PERFORMING THE WORK MUST IMMEDIATELY NOTIFY THE APPROPRIATE FEDERAL, PROVINCIAL AGENCIES AND THE CITY, AND UNDER THE APPROPRIATE DIRECTION OF THOSE AGENCIES MUST TAKE REMEDIAL STEPS TO REMOVE SUCH PROHIBITED MATERIAL.

- PROPOSED ASPHALT PAVING
- PROPOSED REINFORCED CONCRETE
- PROPOSED SIDEWALK



- INSPECTION & TESTING NOTES**
- INDEPENDENT INSPECTION / TESTING AGENCIES WILL BE ENGAGED BY THE CONTRACTOR FOR PURPOSE OF INSPECTING AND/OR TESTING PORTIONS OF THE WORK. COST OF SUCH SERVICES WILL BE BOURNE BY THE CONTRACTOR.
 - SUBMIT FOR APPROVAL BY DEPARTMENTAL REPRESENTATIVE PROPOSED INDEPENDENT INSPECTION / TESTING AGENCIES.



6		
5		
4		
3		
2	ISSUED FOR TENDER	16/08/19
1	ISSUED FOR REVIEW	16/07/12
Revision/	Description/Description	Date/Date
Revision		

PUBLIC WORKS & GOVERNMENT SERVICES CANADA (PWGSC)

Project title/Titre du projet
**KINGSGATE, BC
6917 HIGHWAY 95**

**KINGSGATE PORT OF ENTRY
STAFF PARKING PAVING
AND PIL IMPROVEMENTS**

Consultant Signature Only
Designed by/Concept par
S. VERKAIK
Drawn by/Dessiné par
T. AMESS
PWGSC Project Manager/Administrateur de Projets TPSGC
JERRY CHEN
Regional Manager, Architectural and Engineering Services
Gestionnaire régional, Services d'architecture et de génie, TPSGC
REGIONAL MANAGER AES

SITE IMPROVEMENTS

Project No./No. du projet	Sheet/Feuille	Revision no./La Révision no.
	1	1
	OF 3	

2019/05/19 14:45pm PWSC - A1 - 841X594

