




3 SECTION THRU
PIER TYPE 'A', TYPICAL
A-410 1:50




2 SECTION THRU WALL, TYPICAL
A-410 1:50




1 ELEVATION OF WALL BAY, TYPICAL
A-410 1:50




8 ELEVATION
O'CONNOR GATE
A-410 1:50




7 EAST/WEST ELEVATION
PIER TYPE 'G'
A-410 1:50




6 EAST/WEST ELEVATION
PIER TYPE 'E'
A-410 1:50




5 ELEVATION
QUEEN'S GATE
A-410 1:50




4 EAST/WEST ELEVATION
PIER TYPE 'F'
A-410 1:50



11 EAST/WEST ELEVATION
PIER TYPE 'D'
A-410 1:50



10 ELEVATION
BANK GATE
A-410 1:50



9 EAST/WEST ELEVATION
PIER TYPE 'C'
A-410 1:50

GENERAL NOTES

- CLEAN MASONRY SURFACES ALONG THE LENGTH OF THE WALL COMPRISED OF WALL BAYS AND PIERS, INCLUDING EXPOSED AND RECESSED FACETS, USING METHODS AGREED UPON POST MOCKUP.
- PROTECT ADJACENT MATERIAL, SUCH AS HERITAGE IRONWORK, FROM WORK AND SURFACES FROM RUNOFF; CONTAIN AS REQUIRED.
- MAINTAIN SECURITY PERIMETER AND ENCLOSURE TO SUIT CLEANING METHODS AND INVESTIGATIONS. REMOVE VISUAL OBSTACLES, SUCH AS RAISING TARPS AT END OF EACH WORKDAY, DESIGN ENCLOSURE AND MEANS OF ACCESS TO RESPECTIVELY FACILITATE REMOVAL AND WORK.

NOTES

- DISMANTLE EXISTING UPPER CAPSTONE. RESET FOLLOWING REVIEW. LOCATIONS AS IDENTIFIED IN PLAN.
- DISMANTLE EXISTING UPPER AND MIDDLE CAPSTONES. RESET FOLLOWING REVIEW. LOCATIONS AS IDENTIFIED IN PLAN.
- REMOVE EXISTING LIGHT STANDARD; SEE ELECTRICAL. REINSTALL FOLLOWING REVIEW. LOCATION TO BE IDENTIFIED.
- CUT OUT EXISTING MORTAR JOINTS FOR CONDITION REVIEW OF CORE. REINSTATE FOLLOWING REVIEW. JOINTS TO BE IDENTIFIED.
- DISMANTLE EXISTING FOUNDATION STONES. REINSTATE FOLLOWING REVIEW. STONE UNIT TO BE IDENTIFIED.
- DISMANTLE EXISTING FACE STONES FOR CONDITION REVIEW OF CORE. REINSTATE FOLLOWING REVIEW. STONE UNITS TO BE IDENTIFIED.
- REMOVE EXISTING GROUND COVER AND EXCAVATE TO EXPOSE FOUNDATIONS INCLUDING FOOTINGS; SEE LANDSCAPING.
- CUT OUT EXISTING MORTAR JOINTS, AT THE BASE OF STONES, FOR CONDITION REVIEW OF CORE. REINSTATE FOLLOWING REVIEW. JOINTS TO BE IDENTIFIED.

LEGEND

- TEST PIT WITH EXPLORATORY OPENING BELOW GRADE
- EXPLORATORY OPENING ABOVE GRADE

Public Works and
Government Services
Canada

Travaux publics et
services gouvernementaux
Canada

Parliament Precinct Branch
107 Sparks Street,
Ottawa ON K1A 0S5

Direction générale de la
cité parlementaire
107, rue Sparks,
Ottawa ON K1A 0S5

architect

architecte

1435 RUE SAINT-ALEXANDRE, BUREAU 1000, MONTREAL (QC) H2A 0S4
TELEPHONE 514-340-0400 TELECOPIER 514-340-0401
info@gersmdr.com

Contractor to verify all dimensions & conditions on site and immediately notify the department representative of all discrepancies.

revisions	description	date
5	100% SUBMISSION R1	2016/09/07
4	100% SUBMISSION	2016/08/12
3	ISSUED FOR PRICING	2016/08/09
2	99% SUBMITTAL	2016/07/11
1	ISSUED FOR PRICING	2016/07/04

A detail no.
no. du détail

B location drawing no.
sur dessin no.

C drawing no.
dessin no.

project

projet

WELLINGTON WALL
MASONRY CLEANING

PARLIAMENT HILL, OTTAWA, ONTARIO

drawing

dessin

INVESTIGATIONS
DETAILS

Designed By	E.B. / J.D.	Conçu par
Date		(yyyy/mm/dd)
Drawn By		Dessiné par
Date		(yyyy/mm/dd)
Reviewed By	E.B.	Examiné par
Date		(yyyy/mm/dd)
Approved By	J.D. / J.G.	Approuvé par
Date		(yyyy/mm/dd)
Tender	ANDREW COREY	Soumission
Project Manager	Administrateur de projets	
Project no.	No. du projet	R.080888.001
Drawing no.	No. du dessin	A-410