



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Travaux publics et Services gouvernementaux
Canada
Place Bonaventure, portail Sud-Est
800, rue de La Gauchetière Ouest
7^{ème} étage
Montréal
Québec
H5A 1L6
FAX pour soumissions: (514) 496-3822

REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

| | |
|---|--|
| Title - Sujet Weapons Storage Cabinets | |
| Solicitation No. - N° de l'invitation W0106-16R301/A | Date 2016-09-20 |
| Client Reference No. - N° de référence du client W0106-16-R301 | |
| GETS Reference No. - N° de référence de SEAG PW-\$MTA-550-14043 | |
| File No. - N° de dossier MTA-6-39094 (550) | CCC No./N° CCC - FMS No./N° VME |
| Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-11-23 | |
| Time Zone Fuseau horaire Heure Normale du l'Est HNE | |
| F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/> | |
| Address Enquiries to: - Adresser toutes questions à: Guernon (mta550), Émile | Buyer Id - Id de l'acheteur mta550 |
| Telephone No. - N° de téléphone (514) 496-3585 () | FAX No. - N° de FAX (514) 496-3822 |
| Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Ministère de la Défense Nationale 5e Groupe Brigade mécanisé du Canada, Cie de Transport 110, rue Décary Garnison Valcartier Courcellette, QC G0A 4Z0 | |

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Travaux publics et Services gouvernementaux Canada
Place Bonaventure, portail Sud-Est
800, rue de La Gauchetière Ouest
7^{ème} étage
Montréal
Québec
H5A 1L6

| | |
|--|--|
| Delivery Required - Livraison exigée | Delivery Offered - Livraison proposée |
| Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur | |
| Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur | |
| Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) | |
| Signature | Date |

TABLE OF CONTENTS

| | |
|--|-----------|
| PART 1 - GENERAL INFORMATION | 3 |
| 1.1 SECURITY REQUIREMENTS | 3 |
| 1.2 STATEMENT OF REQUIREMENTS | 3 |
| 1.3 DEBRIEFINGS | 3 |
| 1.4 TRADE AGREEMENTS | 3 |
| PART 2 - BIDDER INSTRUCTIONS..... | 3 |
| 2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS..... | 3 |
| 2.2 SUBMISSION OF BIDS | 3 |
| 2.3 ENQUIRIES - BID SOLICITATION..... | 4 |
| 2.4 APPLICABLE LAWS..... | 4 |
| PART 3 - BID PREPARATION INSTRUCTIONS..... | 4 |
| 3.1 BID PREPARATION INSTRUCTIONS | 4 |
| PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION..... | 5 |
| 4.1 EVALUATION PROCEDURES | 5 |
| 4.2 BASIS OF SELECTION | 6 |
| PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION..... | 6 |
| 5.1 CERTIFICATIONS REQUIRED WITH THE BID..... | 7 |
| 5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION..... | 7 |
| PART 6 - RESULTING CONTRACT CLAUSES..... | 7 |
| 6.1 SECURITY REQUIREMENTS | 8 |
| 6.2 STATEMENT OF REQUIREMENTS..... | 8 |
| 6.3 STANDARD CLAUSES AND CONDITIONS..... | 8 |
| 6.4 TERM OF CONTRACT | 8 |
| 6.5 AUTHORITIES | 8 |
| 6.6 PAYMENT | 10 |
| 6.7 <i>SACC MANUAL</i> CLAUSES | 10 |
| 6.8 INVOICING INSTRUCTIONS | 10 |
| 6.9 CERTIFICATIONS..... | 10 |
| 6.10 APPLICABLE LAWS..... | 11 |
| 6.11 PRIORITY OF DOCUMENTS | 11 |
| ANNEX "A" | 12 |
| STATEMENT OF REQUIREMENTS..... | |
| ANNEX "B" | 12 |
| LIST OF EQUIPMENT..... | |
| ANNEX "C" | 12 |
| BASIS OF PAYMENT..... | |

Solicitation No. - N° de l'invitation
W0106-16R301/A
Client Ref. No. - N° de réf. du client
W0106-16R301

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-6-39094

Buyer ID - Id de l'acheteur
MTA550
CCC No/N° CCC - FMS No/N° VME

ANNEX "D" 12
EVALUATION GRID MANDATORY TECHNICAL CRITERIA

ANNEX "E" 13
COMPLETE LIST OF BIDDER'S BOARD DIRECTORS

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

There is a no security requirement associated with this requirement.

1.2 Statement of Requirements

The Statement of Requirements is detailed in Annexes «A and B» - Statement of Requirements attached and other documents that form part of the request for proposal and resulting contract.

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 Trade Agreements

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), the Agreement on Internal Trade (AIT) and Colombia, Peru and Panama Free Trade Agreements with Canada.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2016-04-04) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days

Insert: 90 days

2.1.1 SACC Manual Clauses

B1000T

Condition of Material - Bid

(2014-06-26)

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than **TEN (10) calendar days** before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Quebec.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

- Section I: Technical Bid (2 hard copies)
- Section II: Financial Bid (1 hard copy)
- Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-Policy on Green Procurement) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats->

procurement/politique-policy-eng.html). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid (Refer to Annexes «A and B» attached)

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid (Refer to Annex «C» attached)

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

3.1.1 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications (Refer to Annex «E» attached)

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

Technical:

It is mandatory to provide technical/ descriptive documents for all products that you are offering to allow the technical evaluation. Failure to comply will render your offer non responsive.

You have to demonstrate in your technical offer that all your products are compliant with every characteristics mentioned in Annexes «A and B» attached.

- 1- Acceptance of the terms and conditions of the Request for proposal.
- 2- Compliance with the description of all works described in Annexes «A and B» and other documents attached.

4.1.1.1 Mandatory Technical Criteria

- A) The Bidders must complete and include with the offer the Annex «D» attached.
- B) Submit with your offer technical/descriptive documents for all products that you are offering.

4.1.2 Financial Evaluation

- 1- Compliance with the Basis of Payment described in Annex «C» attached.
- 2- Bidders have to submit firm prices for each of the items mentioned in Annex «C» attached.

SACC Manual Clause

[A0222T](#) (2014-06-26), Evaluation of Price (Canadian / Foreign Bidders)

NOTE: For Canadian-based bidders, contract will be award in Canadian currency.

4.2 Basis of Selection

4.2.1 SACC Manual Clause

A0031T (2010-08-16) Basis of Selection – Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

The lowest price will be determined by the total value of the unit prices, mentioned in Annex «C», Applicable Taxes extra.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Declaration of Convicted Offences

As applicable, pursuant to subsection Declaration of Convicted Offences of section 01 of the Standard Instructions, the Bidder must provide with its bid, a completed [Declaration Form](#), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – List of Names (Refer to Annex «E» attached)

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](#)" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from [Employment and Social Development Canada \(ESDC\) - Labour's](#) website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

There is a no security requirement applicable to this contract.

6.2 Statement of Requirement

The Contractor must provide the requirement in accordance with Annexes «A and B» - Statement of Requirements attached.

6.2.1 Installation Instructions

The buildings where the installation work must take place are open from 08:00 hrs to 16:00 hrs, Monday to Friday. Not all of the buildings have unloading docks. The contractor must therefore supply its own means of unloading its equipment. There will be military personnel on site to escort and support the workers during the installation process.

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Delivery Date (To be completed by the Bidder)

All deliverables, must be received before February 1st, 2017.

Bidders are required to indicate their best date of delivery _____

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Émile Guernon
Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch
Quebec Regional Office
800 de la Gauchetière Ouest, suite 7300, Montréal (Québec), Canada, H5A 1L6
Telephone: (514) 496-3585
Facsimile: (514) 496-3822
E-mail address: emile.guernon@tpsgc-pwgsc.gc.ca

Solicitation No. - N° de l'invitation
W0106-16R301/A
Client Ref. No. - N° de réf. du client
W0106-16R301

Amd. No. - N° de la modif.
File No. - N° du dossier
MTA-6-39094

Buyer ID - Id de l'acheteur
MTA550
CCC No/N° CCC - FMS No/N° VME

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority *(to be completed by Canada at the time of award)*

The Project Authority for the Contract is:

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____
Facsimile: _____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative (To be completed by the Bidder)

Name and telephone number of the person responsible for:
General enquiries & Delivery follow-up

Name: _____
Telephone No. _____
Facsimile No. _____
E-mail address: _____

6.5.4 Contact at Customer Department
(To be completed by Canada at the time of award)

For all information related to invoicing and/or payments you may communicate with:

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____
Facsimile: _____
E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment – Firm Unit Prices

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a *firm unit price(s) as specified in contract for a cost of \$ _____ (insert the amount at contract award)*. Customs duties are *included* and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 (Single Payment)

SACC Manual Clause H1000C Single Payment (2008-05-12)

Canada will pay the Contractor upon completion and delivery of the Work in accordance with the payment provisions of the Contract if:

- a. an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- b. all such documents have been verified by Canada;
- c. the Work delivered has been accepted by Canada.

6.7 SACC Manual Clauses

| SACC Reference | Section | Date |
|----------------|---|------------|
| A2000C | Foreign Nationals (Canadian Contractor) | 2006/06/16 |
| A2001C | Foreign Nationals (Foreign Contractor) | 2006/06/16 |
| C2000C | Taxes – Foreign-based Contractor | 2007/11/30 |
| D0018C | Delivery, Inspection and Acceptance | 2007/11/30 |
| G1005C | Insurance – No Specific Requirement | 2016/01/28 |

6.8 Invoicing Instructions

Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

6.8.1 Invoices must be distributed as follows:

- (A) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

6.9 Certifications

6.9.1 Compliance

The continuous compliance with the certifications provided by the Contractor in its bid and the ongoing cooperation in providing additional information are conditions of the Contract. Certifications are subject to verification by Canada during the entire period of the Contract. If the Contractor does not comply with any certification, fails to provide the additional information, or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

6.10 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in _____. (*Insert the name of the province or territory as specified by the Bidder in its bid, if applicable*)

6.11 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2016-04-04) General Conditions - Goods (Medium Complexity);
- (c) Annex «A», Statement of Requirements;
- (d) Annex «B», List of Equipment;
- (e) Annex «C», Basis of Payment;
- (f) the Contractor's bid dated _____, as amended _____.

ANNEX «A»

Statement of Requirements

Refer to attached document

////////////////////////////////////

ANNEX «B»

List of Equipment

Refer to attached document

////////////////////////////////////

ANNEX «C»

Basis of Payment

Refer to attached document

////////////////////////////////////

ANNEX «D»

Evaluation Grid – Mandatory Technical Criteria

Refer to attached document

////////////////////////////////////



Annex A

STATEMENT OF REQUIREMENTS

1. TITLE

Weapons storage cabinets

2. BACKGROUND

As part of a project to construct new buildings for the LAVIII vehicles and a requirement related to the existing weapons vaults within 5 Canadian Mechanized Brigade Group (5 CMBG), 2 Canadian Division (2 Cdn Div) must comply with directives relating to weapons storage.

3. PURPOSE

- 3.1. This document sets out the general and specific requirements for the full and satisfactory execution of the requirement related to the acquisition of secure weapons storage cabinets that are modular, flexible, stackable and safe to use.
- 3.2. This is a performance specification for the supply of weapons cabinets for the vaults in the facilities at Support Base Valcartier, Quebec. Each vault is required to accommodate all weapons and parts thereof for vehicles and their crews.

4. SECURITY REQUIREMENTS

There is no security requirement associated with this requirement.

5. DESCRIPTION OF REQUIREMENT

- 5.1. The required storage system must be very flexible and be capable of storing and stacking, as a maximum, the equipment list in Annex B.
- 5.2. The system must also be easy to configure to facilitate the storage of C7 and C6/C9 rifles, including spare barrels, if necessary.
- 5.3. The bidder must supply and deliver all of the cabinets in a secure storage area.

6. MANDATORY TECHNICAL SPECIFICATIONS

The cabinets must have, but not be limited to, the following characteristics:

- 6.1. Sheet metal of no less than 14 GA will be considered where the construction method is sufficient to ensure rigidity and where the cabinet has additional reinforcement to prevent distortion.
- 6.2. Welded joints instead of riveted.
- 6.3. At least one welded security hasp sized to accept a keyed padlock with an 8 mm shackle diameter and a 25 mm shackle clearance.
- 6.4. For the first five (5) tables in Annex B (5 CER Squadrons 51, 52 and 53; 1 R22R; and 2 R22R), the cabinets with a height greater than 175 cm must be equipped with no less than two welded hasps, each of which can accept a keyed padlock with the specifications listed above. The padlocks must be equidistant (1/3 from the bottom and 1/3 from the top).
- 6.5. Tamper-proof rivets or bolts may be used for attaching handles or locking bars provided they are not accessible when the cabinet is closed and locked.
- 6.6. Rolled or folded edges of sheet metal for added strength.



- 6.7. Three-point locking system: door locking pins extend 25 mm into frame of cabinet (top and bottom) to prevent prying.
- 6.8. If the cabinet is equipped with bi-fold doors, they must be secure with door locking pins extending 25 mm into frame of cabinet (top and bottom) to prevent prying. A small strong metal plate welded to the frame to prevent the door from folding inward and where the pins extend behind the plate is acceptable.
- 6.9. Cabinets must be pre-drilled (1 cm) for attachment to each other, the floor or the wall.
- 6.10. The unit must be equipped with non-marring moulded barrel/butt rests with molded foam or PVC/rubber coating measuring no less than 3 mm on contact surfaces.
- 6.11. The cabinet doors must be perforated (mesh of +/- 19 mm x 38 mm) for ease of taking inventory.
- 6.12. Cabinets should be modular. The interior should have adjustable storage configurations for C7 and C6/C9 weapons.
- 6.13. The cabinets must have a powder coating finish (thickness of 2.0 – 3.5 mm).

7. DELIVERY ADDRESS

5 CMBG, Transport Coy
110 Rue Décary
Valcartier Garrison
Courcelette, Quebec, Canada G0A 4Z0

Notes:

- The equipment is for delivery to the buildings listed in Annex C.
- The buildings can accommodate a 53-foot trailer truck.
- The doors to the storage areas have a 40-inch opening.
- There are no stairs.



Annex B

Equipment List

Table 1 – 5 CER – 51 Sqn

| 5 CER – 51 Sqn | |
|----------------|---|
| Quantity | Description |
| 8 | Cabinet with folding doors to store 102x C7 rifles and 7 .12-calibre rifles Dimensions 48 inches H x 42 inches L x 15 inches D |
| 8 | Abloy lock with 2 keys per lock |
| 8 | Stock support |
| 96 | Barrel support |
| 5 | Horizontal support |
| | |
| 3 | Cabinet with folding doors to store 13x C9 rifles and 22x C6 rifles with 2 spare barrels per rifle. Dimensions 84 inches H x 42 inches L x 15 inches D |
| 3 | Abloy lock, with 2 keys per lock |
| 18 | Stock shelf |
| 35 | Stock support |
| 35 | Barrel support |
| 7 | Spare C9 barrel support |
| 11 | Spare C6 barrel support |
| | |
| 2 | Cabinet for 9 mm pistols and accessories – 5 drawers |
| 2 | Insert for pistols and accessories (capacity 30) |
| 8 | Divider, right to left |
| 8 | Divider, small |
| | |
| 1 | Cabinet without doors for Carl G 84 mm. Dimensions 48 inches H x 42 inches L x 15 inches D |
| 1 | CG lockdown |
| 1 | Base for 84 mm |

Table 2 – 5 CER – 52 Sqn

| 5 CER – 52 Sqn | |
|----------------|---|
| Quantity | Description |
| 8 | Cabinet with folding doors to store 102x C7 rifles and 7x .12-calibre rifles Dimensions 48 inches H x 42 inches L x 15 inches D |
| 8 | Abloy lock with 2 keys per lock |
| 8 | Stock support |
| 96 | Barrel support |
| 7 | Horizontal support |
| | |
| 4 | Cabinet with folding doors to store 13x C9 rifles and 22x C6 rifles with 2 spare barrels per rifle. Dimensions 84 inches H x 42 inches L x 15 inches D |
| 4 | Abloy lock, with 2 keys per lock |
| 24 | Stock shelf |
| 44 | Stock support |
| 44 | Barrel support |
| 8 | Spare C9 barrel support |
| 14 | Spare C6 barrel support |
| | |
| 2 | Cabinet for 9 mm pistols and accessories – 5 drawers |
| 2 | Insert for pistols and accessories (capacity 30) |
| 8 | Divider, right to left |
| 8 | Divider, small |
| | |
| 1 | Cabinet without doors for Carl G 84 mm. Dimensions 48 inches H x 42 inches L x 15 inches D |
| 1 | CG lockdown |
| 1 | 84 mm base |

Table 3 – 5 CER – 53 Sqn

| 5 CER – 53 Sqn | |
|----------------|---|
| Quantity | Description |
| 6 | Cabinet with folding doors to store 102x C7 rifles and 7x .12-calibre rifles Dimensions 48 inches H x 42 inches L x 15 inches D |
| 6 | Abloy lock with 2 keys per lock |
| 6 | Stock support |
| 72 | Barrel support |
| 6 | Horizontal support |
| 1 | Spare barrel support |
| | |
| 2 | Cabinet with folding doors to store 13x C9 rifles and 2x2 C6 rifles with 2 spare barrels per rifle. Dimensions 84 inches H x 42 inches L x 15 inches D |
| 2 | Abloy lock with 2 keys per lock |
| 12 | Stock shelf |
| 24 | Stock support |
| 24 | Barrel support |
| 6 | Spare C9 barrel support |
| 6 | Spare C6 barrel support |
| | |
| 2 | Cabinet for 9 mm pistols and accessories – 5 drawers |
| 2 | Insert for pistols and accessories (capacity 30) |
| 8 | Divider, right to left |
| 8 | Divider, small |
| | |
| 1 | Cabinet without doors for Carl Gustav 84 mm. Dimensions 48 inches H x 42 inches L x 15 inches D |
| 1 | CG lockdown |
| 1 | Base for 84 mm |

Table 4 – 1 R22R

| 1 R22R | |
|----------|---|
| Quantity | Description |
| 6 | Cabinet with folding doors to store 36x C6 rifles with 2 spare barrels per rifle. Dimensions 84 inches H x 42 inches L x 15 inches D |
| 6 | Cabinet with folding doors to store 36x C6/C9 rifles with 2 spare barrels per rifle. Dimensions 84 inches H x 42 inches L x 15 inches D |
| 12 | Abloy lock with 2 keys per lock |
| 72 | Stock support |
| 72 | Barrel support |
| 72 | Spare C6/C9 barrel support |
| 6 | 8-drawer cabinet (three 4-inch drawers and five 8-inch drawers) to store accessories, breechblocks and guide tracks |
| 108 | Divider, right to left – 4-inch drawers (for C6/C9 breechblocks and others) |
| 72 | Divider, small (for breechblocks) |
| 72 | Divider, right to left – 8-inch drawers (for storing 25 mm guide tracks and other sensitive equipment) |

Table 5 – 2 R22R

| 2 R22R | |
|----------|---|
| Quantity | Description |
| 6 | Cabinet with folding doors to store 36x C6 rifles with 2 spare barrels per rifle. Dimensions 84 inches H x 42 inches L x 15 inches D |
| 6 | Cabinet with folding doors to store 36x C6/C9 rifles with 2 spare barrels per rifle. Dimensions 84 inches H x 42 inches L x 15 inches D |
| 12 | Abloy lock with 2 keys per lock |
| 72 | Stock support |
| 72 | Barrel support |
| 72 | Spare C6/C9 barrel base |
| 6 | 8-drawer cabinet (three 4-inch drawers and five 8-inch drawers) to store accessories, breechblocks and guide tracks |
| 108 | Divider, right to left – 4-inch drawers (for C6/C9 breechblocks and others) |
| 72 | Divider, small (for breechblocks) |
| 72 | Divider, right to left – 8-inch drawers (for storing 25 mm guide tracks and other sensitive equipment) |

Table 6 – 1 R22R – A Coy

| 1 R22R – A Coy | |
|----------------|--|
| Quantity | Description |
| 12 | Cabinet with folding doors, dimensions 48 inches H × 42 inches L × 15 inches D |
| 12 | Abloy lock |
| 12 | Stock support (capacity 12) |
| 144 | Barrel support (capacity 1) |
| 2 | Horizontal support (capacity 3) |
| | |
| 2 | Cabinet with folding doors, dimensions 64 ½ inches H × 42 inches × 15 inches D |
| 2 | Abloy lock |
| 12 | Stock support (capacity 12) |
| 12 | Barrel support (capacity 1) |
| 12 | Spare barrel support (capacity 2) |

Table 7 – 1 R22R – C Coy

| 1 R22R – C Coy | |
|----------------|---|
| Quantity | Description |
| 6 | Cabinet with bi-folding doors, dimensions 84 inches H × 42 inches L × 15 inches D |
| 6 | Abloy lock |
| 12 | Stock support (capacity 12) |
| 144 | Barrel support (capacity 1) |
| 6 | Stock shelf |
| | |
| 1 | Cabinet with bi-folding doors, dimensions 84 inches H × 42 inches L × 15 inches D |
| 1 | Abloy lock |
| 1 | Stock support (capacity 12) |
| 14 | Barrel support (capacity 1) |
| 1 | Stock shelf |
| 2 | 9mm pistol support (capacity 8) |
| | |
| 1 | Cabinet with bi-folding doors, dimensions 84 inches H × 42 inches L × 15 inches D |
| 2 | Abloy lock |
| 12 | Stock support (capacity 12) |
| 12 | Barrel support (capacity 1) |
| 6 | Stock shelf |
| 12 | Spare barrel support |
| | |
| 1 | Cabinet with bi-folding doors, dimensions 84 inches H × 42 inches L × 15 inches D |
| 1 | Abloy lock |
| 12 | Stock shelf (capacity 1) |
| 12 | Stock support (capacity 1) |
| 12 | Barrel support (capacity 1) |
| 24 | Spare barrel support |



Table 8 – 1 R22R – RQM

| 1 R22R – RQM | |
|--------------|--|
| Quantity | Description |
| 5 | Cabinet with folding doors, dimensions 48 inches H × 42 inches L × 15 inches D |
| 5 | Abloy lock |
| 5 | Stock support (capacity 12) |
| 60 | Barrel support (capacity 1) |
| 5 | Horizontal support (capacity 3) |
| | |
| 1 | Cabinet with folding doors, dimensions 64 ½ inches H × 42 inches L × 15 inches D |
| 1 | Abloy lock |
| 1 | Stock support (capacity 12) |
| 5 | Barrel support (capacity 1) |
| 10 | Spare barrel support (capacity 2) |

Table 9 – 2 R22R – RQM

| 2 R22R – RMQ | |
|--------------|--|
| Quantity | Description |
| 2 | Cabinet with folding doors, dimensions 72 inches H × 42 inches L × 15 inches D |
| 2 | Abloy lock |
| 12 | C6/C9 stock support |
| 12 | C6/C9 barrel support |
| 24 | Spare barrel support |
| 2 | Shelf for ammunition or accessories |
| | |
| 7 | Cabinet with folding doors. Dimensions 72 inches H X 42 inches L X 15 inches D |
| 7 | Abloy lock |
| 14 | Stock support (capacity 12) |
| 168 | Barrel support (capacity 1) |
| 7 | Stock shelf |
| | |
| 1 | Special cabinet 48 inches H × 22 inches L × 15 inches D |
| 1 | Abloy lock |
| 6 | Stock support |
| 6 | Barrel support |
| 2 | Rear plate for shelf |
| 6 | Shelf divider |
| 6 | Magazine container |

Table 10 – 2 R22R – B Coy

| 2 R22R – B Coy | |
|----------------|--|
| Quantity | Description |
| 7 | Cabinet with folding doors, dimensions 84 inches H × 42 inches L × 15 inches D |
| 3 | Cabinet with folding doors, dimensions 48 inches H × 42 inches L × 15 inches D |
| 1 | Cabinet with folding doors, dimensions 64 ½ inches H × 42 inches L × 15 inches D |
| 11 | Abloy lock with 2 keys (option) |
| 8 | Drop down base (capacity 12) |
| 20 | Barrel support (capacity 1) |
| 4 | Stock support (capacity 5) |
| 4 | Barrel support (capacity 1) |
| 4 | Stock support (capacity 1) |
| 5 | 9 mm pistol support (capacity 8) with clips |
| 20 | Horizontal mount support (capacity 2 or 3) |
| 10 | Full-suspension drawers |
| 10 | Support for bolts for drawer |
| 12 | Single 40-inch shelf for bi-fold |

Note: For Table 10 only, the cabinets will be configured by DND.

The contractor will only need to provide the cabinets and the components listed in Table 10.

Table 11 – 2 R22R – Weapon Tech

| 2 R22R - Weapon Tech | |
|----------------------|--|
| Quantity | Description |
| 2 | Cabinet with folding doors. Dimensions 72 inches H × 42 inches L × 21 inches D (special dimensions) |
| 2 | Abloy lock with 2 keys (option) |
| 8 | Upper divider |
| 8 | Lower divider |
| 2 | Horizontal support for 870 |
| | |
| 8 | Cabinet with folding doors, dimensions 48 inches H × 42 inches L × 15 inches D |
| 8 | Abloy lock with 2 keys (option) |
| 8 | Stock support (capacity 12) |
| 96 | Barrel support (capacity 1) |
| 2 | Horizontal support (capacity 3) |
| | |
| 2 | Cabinet with folding doors Dimensions 72 inches H X 42 inches L X 15 inches D |
| 2 | Abloy lock with 2 keys (option) |
| 12 | Stock shelf (capacity 1) |
| 24 | Stock support (capacity 1) |
| 24 | Stock shelf (capacity 1) |
| 6 | Spare C6 barrel support (capacity 2) |
| 6 | Spare C9 barrel support (capacity 2) |
| | |
| 2 | Cabinet with folding doors, dimensions 48 inches H × 42 inches L × 15 inches D |
| 2 | Abloy lock with 2 keys (option) |
| 4 | C16 base |
| 4 | Upper divider C16 right |
| 4 | Lower divider C16 left |
| 1 | Special reinforced shelf 11 inches deep |
| 5 | Base for 84 mm Carl Gustav |
| 5 | Large base for Carl Gustav |
| 4 | Support for 9 mm without clips |
| | |
| 1 | Cabinet with 5 drawers, dimensions 45 inches H × 41½ inches L × 25 inches D |
| 5 | Option right-to-left dividers |

Table 12 – 12 RBC

| 12 RBC | |
|----------|--|
| Quantity | Description |
| 3 | Weapons storage cabinet without doors. Dimensions 48 inches H × 42 inches L × 15 inches D |
| 3 | Safety door with wire mesh, dimensions 48 inches H |
| 3 | Abloy lock |
| 6 | Stock support (capacity 6) |
| 36 | Barrel support (capacity 1) |
| 1 | Weapons storage cabinet without doors. Dimensions 64 ½ inches H × 42 inches L × 15 inches D |
| 1 | Abloy lock |
| 1 | Safety door with wire mesh, dimensions 64 ½ inches H |
| 1 | Support for C16 |
| 6 | Divider, right |
| 6 | Divider, left |
| 4 | Storage case, dimensions 12 inches |

Table 13 – 5 Svc Bn

| 5 Svc Bn | |
|----------|--|
| Quantity | Description |
| 1 | Cabinet with folding doors, dimensions 84 inches H × 42 inches L × 15 inches D |
| 1 | Abloy lock with 2 keys |
| 12 | Stock support (capacity 1) |
| 12 | Barrel support (capacity 1) |
| 6 | Stock shelf |
| 24 | Spare barrel support |

Table 14 – HQ & Sigs

| HQ & Sigs | |
|-----------|--|
| Quantity | Description |
| 15 | Cabinet with folding doors to store 360x C7 rifles Dimensions 84 inches H x 42 inches L x 15 inches D |
| 15 | Abloy lock with 2 keys per lock |
| 30 | Stock support (capacity 12) |
| 360 | Barrel support (capacity 1) |
| 15 | Stock shelf |
| | |
| 2 | Cabinet with folding doors to store 60x C8 rifles Dimensions 84 inches H x 42 inches L x 15 inches D |
| 2 | Abloy lock with 2 keys per lock |
| 4 | Supports « drop down » |
| 2 | Stock support (capacity 12) |
| 2 | Stock shelf |
| 60 | Barrel support (capacity 1) |
| | |
| 2 | Cabinet with folding doors to store 22x C9 or C6 rifles with 1 spare barrel by weapon. Dimensions 84 inches H x 42 inches L x 15 inches D |
| 2 | Abloy lock with 2 keys per lock |
| 22 | Stock support (capacity 1) |
| 22 | Barrel support (capacity 1) |
| 22 | Spare barrel support |
| 12 | Stock shelf |
| | |
| 1 | Cabinet with folding doors to store 160x 9 mm with clips. Dimensions 84 inches H x 42 inches L x 15 inches D |
| 1 | Abloy lock with 2 keys per lock |
| 16 | Support for 9 mm with clips |
| | |
| 1 | Cabinet with folding doors to store 160x 9 mm breechblocks Dimensions 84 inches H x 42 inches L x 15 inches D |
| 1 | Abloy lock with 2 keys per lock |
| 16 | Shelf |
| 16 | Insert for C7 and C8 breechblocks (capacity 27) |
| 4 | Ammunition shelf for C6 and C9 breechblocks |
| | |
| 1 | Cabinet without door to store 1x Carl Gustav 84 mm and 10x C7A2 Dimensions 84 inches H x 36 inches L x 15 inches D |
| 1 | Wide support for 84 mm Carl Gustav, upper part |
| 1 | Base for 84 mm Carl Gustav |



Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

W0106-16R301/A

| | |
|----|-----------------------------|
| 10 | Stock support (capacity 1) |
| 10 | Barrel support (capacity 1) |
| 1 | Stock shelf, upper part |

DIMENSIONS OF WEAPONS AND ACCESSORIES

- a. 9 mm pistol: length 228.6 mm, weight 1.1 kg
- b. 12-gauge shotgun: 97.79 cm, weight 3.3 kg
- c. C7/C8: length 1 m, weight 3.99 kg
- d. C9: length 1.04 m, weight 7.12 kg
- e. C6: length 1.255 m, weight 11 kg
- f. C6 coax: length 1.1 m
- g. C6 flex: length 1.1 m
- h. 84 mm Carl Gustav: length 1.1 m, weight 16.2 kg
- i. 25 mm barrel guide track: dimensions 6 inches × 6 inches

Annex C

BASIS OF PAYMENT

AND

DELIVERY SITES

1. DESCRIPTION OF LOTS AND DELIVERY SITES

Firm price, all included (equipment, delivery) in accordance with the following table:

| Lot No. | Description | Delivery Building | Qty | Unit of Measure | Firm Lot Price |
|--|------------------------------|--------------------------|------------|------------------------|-----------------------|
| 1 | 5 CER (Tables 1, 2 and 3) | 395 | 1 | LOT | \$ |
| 2 | 1 R22R (Table 4) | 397 | 1 | LOT | \$ |
| 3 | 2 R22R (Table 5) | 396 | 1 | LOT | \$ |
| 4 | 1 R22R (Tables 6, 7 and 8) | 314 | 1 | LOT | \$ |
| 5 | 2 R22R (Tables 9, 10 and 11) | 313 | 1 | LOT | \$ |
| 6 | 12 RBC (Table 12) | 310 | 1 | LOT | \$ |
| 7 | 5 Svc Bon (Table 13) | 367 | 1 | LOT | \$ |
| 8 | HQ & Sigs (Table 14) | 312 | 1 | LOT | \$ |
| Total CAD (excluding applicable taxes): | | | | | \$ _____ |

Note: All buildings are located within a 1 km radius of each other.

Annex D

EVALUATION GRID FOR MANDATORY TECHNICAL CRITERIA

| MANDATORY SPECIFICATIONS (See Annex A) | | |
|--|------------------|---------------------------------------|
| Specify the location in the bid documentation or the data sheets where the mandatory specifications required are demonstrated, and indicate whether or not these requirements are met. | | |
| NO. | Reference | Requirements Met YES or NO |
| 6.1 | | |
| 6.2 | | |
| 6.3 | | |
| 6.4 | | |
| 6.5 | | |
| 6.6 | | |
| 6.7 | | |
| 6.8 | | |
| 6.9 | | |
| 6.10 | | |
| 6.11 | | |
| 6.12 | | |
| 6.13 | | |