


## DEMOLITION NOTES TO BE READ IN CONJUNCTION WITH SPECIFICATION:

1. DEMOLITION SHALL CONFORM TO ALL EXISTING BY-LAWS, CODES & AUTHORITIES HAVING JURISDICTION.
2. REVIEW DRAWINGS AND NOTES TO ENSURE THAT ANY MATERIALS ARE RETAINED AS NECESSARY WHERE INDICATED. STORE SALVAGED MATERIALS IN AN ORGANIZED MANNER IN LOCATION DIRECTED BY DEPARTMENTAL REPRESENTATIVE AND ENSURE ALL RELATED MATERIALS AND COMPONENTS ARE TRACKED FOR REUSE. REFER TO LIGHTING LAYOUT TO CALCULATE NEW FIXTURE REQUIREMENTS.
3. MAKE GOOD ANY SURFACES OR FINISHES DAMAGED AS A RESULT OF ALTERATIONS. WHERE PARTITIONS ARE REMOVED, ADJACENT WALLS OR COLUMNS TO BE PATCHED AND PREPARED FOR NEW FINISH.
4. REMOVE ANY WALL COVERING, PATCH AND MAKE GOOD OF ANY SURFACES.
5. WHERE WIRING IS REMOVED, STRIP BACK TO SOURCE AND CO-ORDINATE TERMINATION WITH ELECTRICAL CONTRACTOR. REFER TO ELECTRIACAL DRAWINGS.
6. ANY DISCREPANCIES BETWEEN DRAWINGS AND SPECIFICATIONS AND/OR EXISTING CONDITIONS ARE TO BE REPORTED TO DEPARTMENTAL REPRESENTATIVE FOR FURTHER INSTRUCTIONS PRIOR TO BEGINNING WORK.
7. REMOVE EXISTING MILLWORK AS INDICATED ON DWGS, SEE MECHANICAL FOR PLUMBING REMOVALS, PATCH AND REPAIR ALL WALLS TO RECEIVE NEW FINISHES.
8. PROVIDE TEMPORARY SUPPORT FOR ALL EXISTING DEVICES AS REQUIRED DURING CONSTRUCTION. IF DISCONNECTION OF EXISTING DEVICES IS NECESSARY CONTRACTOR SHALL RE-INSTATE TO THE REQUIREMENTS OF THE CANADIAN ELECTRICAL CODE AND AUTHORITY HAVING JURISDICTION.
9. PREVENT THE MIGRATION OF DUST, ODOURS AND FUMES TO AREAS OF THE BUILDING OUTSIDE THE CONTRACT AREA AT ALL TIMES DURING DEMOLITION. SEE MECHANICAL FOR DETAIL ON PROTECTION OF DUCTWORK PASSAGES.
10. NOTIFY DEPARTMENTAL REPRESENTATIVE SHOULD ANY OPERATIONAL PROCEDURES AND METHODS PRESENT HAZARDS TO PERSONNEL OR PROPERTY OR INFRINGE ON WORK SCHEDULES FOR NORMAL SITE ACTIVITY PRIOR TO STARTING WORK. EXECUTE WORK WITH THE LEAST POSSIBLE INTERFERENCE OR DISTURBANCE TO FACILITY OPERATIONS OCCUPANTS AND THE PUBLIC IN CONSULTATION WITH DEPARTMENTAL REPRESENTATIVE.
11. NOTIFY DEPARTMENTAL REPRESENTATIVE OF NOISY WORK AND MECHANICAL WORK AFFECTING ADJACENT FLOORS AND COMMON SPACE. PROVIDE DEPARTMENTAL REPRESENTATIVE WITH THE SCHEDULE AND DURATION OF THIS WORK. CORE DRILLING AND RAM SETTING TO BE CONDUCTED AFTER HOURS. DEPARTMENTAL REPRESENTATIVE TO PROVIDE ACCESS AND SCHEDULING FOR WORK AFFECTING ADJACENT FLOORS. DEPARTMENTAL REPRESENTATIVE TO PROVIDE INSTRUCTION FOR WORK IN COMMON AREAS.
12. EXISTING CARPET AND RESILIENT FLOORING TO BE REMOVED BY FLOORING CONTRACTOR. CARPET TO BE PREPARED FOR RECYCLING FACILITY. SEE SPECIFICATION DIVISION 09 68 13.
13. LAN ROOM 2299 MUST BE SECURED AT ALL TIMES DURING DEMOLITION AND CONSTRUCTION. A CLEAR ACCESS PATH TO LAN ROOM 2299 MUST BE MAINTAINED AT ALL TIMES.

## DEMOLITION LEGEND

INDICATES EXISTING COMPONENTS (I.E. GLAZING, DOORS, PARTITIONS, MILLWORK, FIXTURES) TO BE REMOVED.

INDICATES EXISTING COMPONENTS (I.E. GLAZING, DOORS, PARTITIONS, MILLWORK, FIXTURES) TO REMAIN. PREP ALL EXISTING WALLS, DOORS & FRAMES FOR NEW FINISH AS SPECIFIED. REFER TO NEW FLOOR PLAN SHEETS.

NOT IN CONTRACT

## EXISTING & DEMOLITION PLAN 1/A1

SCALE : 1:100

0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m

0 10 20mm 40 60 80 100 120 140 160 180 200mm

PWGSC AO (2004)


Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

FOWLER BAULD & MITCHELL
architecture

Fowler Bauld & Mitchell Ltd.
PO Box 814, Suite 102
1660 Hollis Street
Halifax, Nova Scotia B3J 2X7
Tel: 902 420 0300
Fax: 902 420 3663
architects@fbm.ns.ca
www.fbm.ns.ca

CBCL LIMITED
Consulting Engineers
ISO 9001 CERTIFIED


ASSOCIATION OF INTERIOR DESIGNERS OF NOVA SCOTIA — REGISTERED — Date 13/09/16 — 030

| revisions | | date |
|---|---|---|
| 1 | ISSUED FOR TENDER | 09/13 2016 |

project / projet

# CORRECTIONAL SERVICES CANADA 2ND FLOOR FIT-UP

drawing / dessin

## EXISTING & DEMOLITION FLOOR PLAN

designed DD / conçu
date
drawn HS / dessiné
date
approved / approuvé
date
Tender / Soumission
PWGSC Project Manager / Administrateur de projets TPSGC — 2016/09/16

project number / no. du projet: R.083937.002

drawing no. / no. du dessin: A1

E-DRM/GOO-E 544592