



GENERAL NOTES:

1. REPLACE ALL EXISTING ALARM CABLES FROM EACH DEVICE TO THE NEW INTRUSION ALARM PANEL.
2. FISH THE CABLES IN THE WALL TO NEW AND EXISTING DEVICE LOCATIONS.
3. USE EXISTING INTRUSION ALARM CABLE FROM MUSEUM TO NEW ALARM PANEL.
4. TERMINATE EXISTING 12 PAIR CABLE TO THE NEW TELECOM PROTECTOR BLOCK.
5. ALL INTRUSION ALARM SENSOR TO BE RATED FOR LOW TEMPERATURE INSTALLATION.
6. ALL NEW PENETRATIONS THRU EXISTING STONE WALL TO BE THRU MORTAR JOINTS. COORDINATE ALL WORK WITH PARKS CANADA.
7. NO NEW PENETRATIONS THRU EXISTING STRUCTURE SHALL BE PERMITTED.



1 FURLOFT - BASEMENT - SECURITY NEW CONSTRUCTION PLAN
T5 1:50



2 FURLOFT - MAIN FLOOR - SECURITY NEW CONSTRUCTION PLAN
T5 1:50

0	ISSUED FOR TENDER	Sept. 12, 16
---	-------------------	--------------

Revision/	Description/Description	Date/Date
-----------	-------------------------	-----------

Client/client
Public Works and Government Services Canada
100 - 167 Lombard Avenue
Winnipeg, Manitoba

Project title/Titre du projet
**Lower Fort Garry (LFG)
National Historic Site, Manitoba**

**HERITAGE BUILDING
RECAPITALIZATION**

Approved by/Approve par
KO

Designed by/Concept par
JS

Drawn by/Dessine par
RD

PWSC Project Manager/Administrateur de Projets TPSC
CK

PWSC, Architectural and Engineering Resources Manager/
Ressources Architectural et de Directeur d'ingénierie, TPSC

Client/client
PARKS CANADA

Drawing title/Titre du dessin

**FUR LOFT
BASEMENT AND MAIN FLOOR
SECURITY NEW CONSTRUCTION PLAN**

Project No./No. du projet R.075212.001	Sheet/Fauille T5 OF 8	Revision no./ La Révision no. 0
---	------------------------------------	--