




SANITARY NOTES

- CONTRACTOR TO REFER TO SPECIFICATIONS AND VERIFY LOCATION OF ALL EXISTING SERVICES INCLUDING ALL EXISTING SANITARY AND STORM ELEVATIONS PRIOR TO ORDERING STRUCTURES.
- TRANSITION CHAMBER: 600x600 PRECAST STRUCTURE AS PER OPSD 705.010 WITH BENCHMARKED BOTTOM AS PER OPSD 701.021. DO NOT PROVIDE SUMP. PROVIDE FRAME AND COVER WITHOUT OPENINGS AS PER OPSD 401.030. PROVIDE INSULATION AROUND STRUCTURE TO A DEPTH OF 1.5m FROM THE TOP OF THE STRUCTURE AS PER DETAIL 4/C1. ALL INLETS AND OUTLETS SHALL BE WATER TIGHT USING GASKETS OR APPROVED EQUIVALENT.

GENERAL NOTES

- ALL UNITS ARE IN METERS OR MILLIMETERS UNLESS OTHERWISE NOTED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS REQUIRED TO COMPLETE THIS WORK TO STANDARDS SPECIFIED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL EXCAVATION AND TRENCHING ALONG WITH BACKFILL AND BEAR COST OF SAME.
- THE CONTRACTOR IS RESPONSIBLE FOR MAKING ALL CONNECTIONS INTO THE EXISTING SEWERS.
- SITE LAYOUT IS THE RESPONSIBILITY OF THE CONTRACTOR.
- AS-BUILT "SITE PLAN" WILL BE MAINTAINED ON SITE BY THE CONTRACTOR.
- CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO PROTECT EXISTING FOUNDATION OF ADJACENT BUILDINGS DURING EXCAVATION AND CONSTRUCTION PERIOD.
- THE LOCATION OF UTILITIES IS APPROXIMATE ONLY, AND THE EXACT LOCATION SHOULD BE DETERMINED BY CONSULTING THE UTILITY COMPANIES CONCERNED. THE CONTRACTOR IS RESPONSIBLE TO PROVIDE THE LOCATION AND STATUS OF UTILITIES AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION OF PLANT AND EQUIPMENT FROM DAMAGE.
- CONTRACTOR TO REMOVE ALL UNSUITABLE MATERIAL FROM THE SITE (i.e. STUMPS, LARGE ROOTS, ANY CONSTRUCTION DEBRIS, CONCRETE, ASPHALT, ROCK etc.).
- ALL TRENCH EXCAVATIONS SHALL BE ACCORDING TO THE ONTARIO HEALTH AND SAFETY ACT CLAUSE 234 AND SITE CONDITIONS.
- THE CONTRACTOR MAY IMPORT GRANULAR MATERIAL, TO PROVIDE A WORKING AREA. THE CONTRACTOR IS RESPONSIBLE FOR REMOVAL AND DISPOSAL OF ALL IMPORTED MATERIALS AND RETURNING THE SITE TO ITS ORIGINAL GRADES, OR NEW GRADES, AS SHOWN ON THE DRAWINGS.
- SEWER TRENCH SHALL CONSIST OF A CLASS 'B' BEDDING CONSISTING OF 150mm OF BEDDING MATERIAL AND BACKFILLED WITH SURROUND MATERIAL TO 300mm OVER SEWER. COMPACTION SHALL BE ACHIEVED TO 300mm OVER SEWER TO A MINIMUM OF 95% STANDARD PROCTOR DENSITY.



LEGEND		
SA	EXISTING SANITARY SEWER	
ST	EXISTING STORM SEWER	
NEW KEYED-IN ASPHALT LIMIT		
NEW SANITARY SEWER		
MW	EXISTING MONITORING WELL	



Canada

Public Works and
Government Services
Canada
Real Property
Branch

Travaux publics et
services gouvernementaux
Canada
Direction générale
des biens immobiliers

PAGEAU
MOREL
www.pageaumorel.com
Gatineau

7323-010-00


(L+D)
LALANDE + DOYLE ARCHITECTS INC. Tel 613.233.2900 400 - 207 Queen Street
www.lpld.com Fax 613.233.1008 Ottawa, Ontario K1P 6E5

Adjelele Allen Rubell Limited
Consulting Engineers
75 Albert street
Ottawa, Ontario



exp.

exp Services Inc.
530-280 Queenway Drive
Ottawa, ON K2B 8H6
Canada
613.688.1889



KEY PLAN / PLAN-REPÈRE

Contractor to verify all dimensions
& conditions on site and immediately
notify the engineer of all discrepancies.
*L'entrepreneur doit vérifier toutes les dimensions
& condition sur le site et aviser immédiatement
l'ingénieur de toutes divergences.*

revisions	description	date
1	ISSUED FOR TENDER	2016-09-01
0	ISSUED FOR TENDER	2016-06-27

A	B	C
A detail no. no. du détail	A	A
B location drawing no. sur dessin no.	B	B
C drawing no. dessin no.	C	C

project
**ENVIRONNEMENT CANADA
ESTS NEXT GENERATION
ENVIRONNEMENTAL SIMULATOR**
**ENVIRONNEMENT CANADA
DUST SIMULATEUR D'ENVIRONNEMENT**
ULTRAMODERNE DE LA PROCHAINE GÉNÉRATION
335 River Road, Ottawa

drawing
dessin

SITE SERVICING
PLAN

Designed By	MCK	Conçu par	
Date		(yyyy/mm/dd)	
Drawn By	MCK	Dessiné par	
Date		(yyyy/mm/dd)	
Reviewed By	SLB	Examiné par	
Date		(yyyy/mm/dd)	
Approved By	SLB	Approuvé par	
Date		(yyyy/mm/dd)	
Tender	ELENA CHARIVKER	Soumission	
Project Manager	R.075351.001	Administrateur de projets	
PWGSC Proj no.		Consultant Proj no.	7323-010-00
Drawing no.		No. du dessin	

C1