




**NOTE:**  
1. 2 BEADS OF SILICONE FIRESTOPPING SEALANT ARE TO BE PLACED BETWEEN EACH TIMBER JOINT FOR THE FULL WIDTH & HEIGHT OF THE FIRE SEPARATOR AS SPECIFIED. SEALANT TO BE SUITED FOR USE ON WOOD IN A WET ENVIRONMENT WITH 4 HOUR FIRE RATING.



**NOTE:**  
1. ALL LONGITUDINAL STEEL PERPENDICULAR TO CROSS-TIES AND PLACED ON TOP OF UPPER MAT AND BOTTOM LAYER OF LOWER MAT.

PROVINCE OF NEWFOUNDLAND  
PERMIT HOLDER  
This Permit Allows  
AFN ENGINEERING INC.  
To practice Professional Engineering in Newfoundland and Labrador. Permit No. as issued by APEGNL F0292, which is valid for the year 2016.

STAMP  
REGISTERED PROFESSIONAL ENGINEER  
NEIL C. HUNT  
SIGNATURE  
DATE  
NEWFOUNDLAND & LABRADOR

B	ISSUED FOR TENDER	09/22/16
A	ISSUED FOR REVIEW	09/01/16
revisions		date
project		project

**WHARF/BREAKWATER RECONSTRUCTION**  
SHOAL COVE WEST, NL

drawing dessin  
**DETAILS**

designed N.H. conçu  
date SEPTEMBER 22, 2016  
drawn P.H. dessiné  
date SEPTEMBER 22, 2016  
approved  
date  
Tender Submission  
PWGSC Project Manager Administrateur de projets TPSGC  
project number no. du projet  
**R.082547.001**  
drawing no. no. du dessin  
**C8 OF 8**