


NOTE:
 - IF CONTRACTOR ENCOUNTERS SOFT MATERIAL, HE WILL EXCAVATE TO ELEV. -1.8m OR HARD BOTTOM AND INSTALL ROCK MATTRESS.
 - ROCK MATTRESS BASE LAYER (45 TO 400kg STONE SIZE).
 - ROCK MATTRESS BEARING LAYER (2 TO 7kg STONE SIZE).
 - CONTRACTOR MAY HAVE TO SCRIBE CRIBWORK IF BEDROCK IS ENCOUNTERED BEFORE DEPTH -1.8m.

TYPICAL SECTION - FULL HEIGHT CRIB 1/6
 SCALE/ÉCHELLE: 1:50
 0m 1m 2m 3m 4m 5m



NOTE:
 - IF CONTRACTOR ENCOUNTERS SOFT MATERIAL, HE WILL EXCAVATE TO ELEV. -1.8m OR HARD BOTTOM AND INSTALL ROCK MATTRESS.
 - ROCK MATTRESS BASE LAYER (45 TO 400kg STONE SIZE).
 - ROCK MATTRESS BEARING LAYER (2 TO 7kg STONE SIZE).
 - CONTRACTOR MAY HAVE TO SCRIBE CRIBWORK IF BEDROCK IS ENCOUNTERED BEFORE DEPTH -1.8m.

TYPICAL SECTION - STEPPED CRIB 2/6
 SCALE/ÉCHELLE: 1:50
 0m 1m 2m 3m 4m 5m

PROVINCE OF NEWFOUNDLAND
 PERMIT HOLDER
 This Permit Allows
 APN ENGINEERING INC.
 To practice Professional Engineering in Newfoundland and Labrador.
 Permit No. as issued by APBNL F0282, which is valid for the year 2016.

STAMP
 REGISTERED PROFESSIONAL ENGINEER
 NEIL C. HUNT
 SIGNATURE
 09/22/16
 DATE
 NEWFOUNDLAND & LABRADOR

B	ISSUED FOR TENDER	09/22/16
A	ISSUED FOR REVIEW	09/01/16
revisions		date
project		project

WHARF/BREAKWATER RECONSTRUCTION
SHOAL COVE WEST, NL

NEW MARGINAL WHARF SECTIONS

designed N.H. conqpu
 date SEPTEMBER 22, 2016
 drawn P.H. dessiné
 date SEPTEMBER 22, 2016
 approved _____ approuvé

date
 Tender *Alan Inglis* Sept 29/16 Soumission
 PWSC Project Manager Administrateur de projets IPSCC
 project number R.082547.001 no. du projet
 drawing no. C6 OF 8 no. du dessin