

1. ARCHITECTURAL DRAWINGS

1. Drawing A0.1:

1.1

Door/Frame/Hardware Schedule

Schedule Notes

For D16 only

Delete note no. 33

1.2

Door/Frame/Hardware Schedule

Schedule Notes

For D21 only

Delete note no. 28.

Add note no. 13

1.3

For D30 only

Add note no. 31

1.4

Door/Frame/Hardware Schedule

Schedule Notes

For D21 only

Delete note no. 28.

Add note no. 13

1.5

Door/Frame/Hardware Schedule

Hardware, Door Closers

For D24

Add "surface mounted door closer"

1.6

Door/Frame/Hardware Schedule

Hardware, Bored Locks

For D25

Delete "no cylinder"

Add "Mechanical Bored Pushbutton (Keypad) Lock with Key Override".

1.7

Door/Frame/Window Elevations Schedule

Window elevation W5

Add new note to read: "Mount doorbell centered at 1100 mm a.f.f. on reception window frame. Coordinate with Division 26."

Add new note to read: "Provide glass mounted "ring for assistance" sign as per FIP standards to match existing base building signage."

See attached addendum no. 2 sketch: **ADD 2_ASK 03**

2. Drawing A2:

2.1

C1 Meeting Room 128

Relocate note no. 18, and plywood backing symbol from the east wall of this room to the west wall of this room.

See attached addendum no. 2 sketch: **ADD 2_ASK 04**

3. Drawing A8:

3.1

Drawing 1/A8.

Add one (1) additional grommet as per note no. 23.

Install grommets in locations shown on drawings

See attached addendum no. 2 sketch: **ADD 2_ASK 05**

2. ARCHITECTURAL SPECIFICATIONS & IT SPECIFICATIONS

1. Section 08 71 11 Finish Hardware

1.1

3.1 HARDWARE SCHEDULE, Item .28, **D25**

Delete item .2 reading: "1 Passage Set, Bored Function F75, Grade 1,626"

Add new item .2 to read: "1 Keypad, Cylindrical Lockset, Mechanical, c/w Key Override, Keying Type 1, 626"

Add new item .4 to read: "1 Interchangeable core (To Match Existing Base Building System), 626"

2. Section 27 41 00 Audio-Video Communications

2.1

Delete specification Section 27 41 00 Audio-Video Communications dated 2016-09-22 in its entirety.

Specification Section 27 41 00 Audio-Video Communications dated 2016-09-26 to remain.

3. Section 28 13 27 Security Door Supervision

3.1

Delete specification Section 28 13 27 Security Door Supervision dated 2016-09-22 in its entirety.

Specification Section 28 13 27 Security Door Supervision dated 2016-09-26 to remain.

4. Section 28 16 00 Intrusion Detection

4.1

Delete specification Section 28 16 00 Intrusion Detection dated 2016-09-22 in its entirety.

Specification Section 28 16 00 Intrusion Detection dated 2016-09-26 to remain.

5. Section 28 23 00 Video Surveillance

5.1

Delete specification Section 28 23 00 Video Surveillance dated 2016-09-22 in its entirety.

Add new Specification Section 28 23 00 Video Surveillance dated 2016-09-26 attached herein.

END OF ADDENDUM No. 2

Attachments:

ADD 2 ASK 03

ADD 2 ASK 04

ADD 2 ASK 05

Total of three (3) pages

Section 28 23 00 Video Surveillance dated 2016-09-26

Total of six (6) pages