

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

EA003-171669/A

001

pwd008

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

R.053663.028

PWD-6-39129

ADDENDUM #1

.....
THE FOLLOWING AMENDMENT TO THE TENDER DOCUMENTS IS EFFECTIVE IMMEDIATELY. THE
ADDENDUM SHALL FORM A PART OF THE CONTRACT DOCUMENTS.
.....

SPECIFICATIONS:

In the specifications, add new section 22 15 00 General Service Compressed Air Systems, attached herewith.

In the specifications, remove section 26 12 16.01 and replace with revised Section 26 12 16.01, attached herewith.

Revise the specifications and Drawing indices accordingly to reflect revisions made in this addendum.

DRAWINGS:

On drawing No A101 detail 3, delete 211 Hoist

On drawing No A102 make the following revisions:

- detail #2, change the fire resistance rating of P2 from 60 minutes to 120 minutes.
- detail #2, change the fire resistance rating of P6 from 60 minutes to 120 minutes.
- detail #2, change the description of P2 and P6 from 16mm gypsum board to 16mm type X gypsum board
- detail #2, change the description of P2 and P6 to add an additional layer of 16mm type X gypsum board to side formerly noted to have single layer 16mm gypsum board.

On Drawing No A201 make the following revisions:

- detail 1, change all partition tags noted as P2-60 to P2-120
- detail 1, change all partition tags noted as P6-60 to P6-120
- detail 2, change all partition tags noted as P2-60 to P2-120

On Drawing No A203, detail 1, remove equipment tag E:211

On Drawing No A500, detail 1 and detail 2, replace partition tag P2-60 with P2-120, and replace partition tag P6-60 with P6-120

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

EA003-171669/A

001

pwd008

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

R.053663.028

PWD-6-39129

DRAWINGS (Cont'd) :

On Drawing E101, revise detail 3 as shown on sketch ESK01.

On Drawing M101, add fixture tag S-2 to sink in room 108.

By submission of its bid, the bidder confirms that it has read and understands the requirements expressed in all addenda and has included all cost of these requirements in its total bid amount.

All other terms and conditions remain unchanged.
