



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving - PWGSC / Réception des soumissions
- TPSGC**

11 Laurier St. / 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau, Québec K1A 0S5

Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Vehicles & Industrial Products Division

11 Laurier St./11, rue Laurier

7A2, Place du Portage, Phase III

Gatineau, Québec K1A 0S5

Title - Sujet Bus, School, 44 Passenger	
Solicitation No. - N° de l'invitation W8476-165458/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client W8476-165458	Date 2016-10-24
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-539-71565	
File No. - N° de dossier hp539.W8476-165458	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-11-10	Time Zone Fuseau horaire Eastern Standard Time EST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Cafferty, Kathy	Buyer Id - Id de l'acheteur hp539
Telephone No. - N° de téléphone (873) 469-3322 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

1. This Amendment 002 is raised to:

- a. answer bidders' question; and
- b. extend the closing date of this solicitation from 02:00 pm on 01 November 2016 to 02:00 pm on 10 November 2016 Eastern Standard Time.

2. The following are answers to questions asked by potential bidders:

Q5. Windows:

You ask for thermo-pane, with T Slide.

We can offer you:

1. Thermo-pane (thermos window) tinted solid, no opening
2. Solid tinted S Slide window (not thermo-pane)
3. Split sash tinted, thermo-pane with a 12 inch opening.

A5. Thermo-pane requirement will remain. The requirement will change to accept the Upper T-Slide thermo-pane windows or the Split sash tinted, thermo-pane with at least 300 mm opening.

At Annex "B" – Purchase Description for School Bus dated 2016-04-28, Paragraph 3.5 (b) vii, Windows:

DELETE: 2. The passenger area shall be provided with split sash windows with a size of at least 300 mm (12 inch) and transit side windows; and

INSERT: 2. The passenger area shall be provided with Upper T-Slide windows or split sash windows with at least 300 mm opening; and

Q6: 3.5 b) vii) Please accept Upper T-Slide thermo-pane windows as equivalent to split sash Sliding Windows.

A6: Note answer to Question # 5

Q7: 3.5 g) iv) Please accept seat spacing minimum of being of 30" on Passenger side and 31" on drivers side of bus.

A7: This is acceptable.

At Annex "B" – Purchase Description for School Bus dated 2016-04-28, Paragraph 3.5 (g) iv, Passenger Seating:

DELETE: Passenger seating shall be installed with a distance of at least 810 mm apart as measured from the rear of one backrest to the rear of the next;

INSERT: Passenger seating shall be installed with a distance of at least 760 mm on the passenger side and a distance of at least 785 mm on the driver's side. The distance shall be measured from the rear of one backrest to the rear of the next;

Q8: 3.5 e) Please accept (3) heaters Totaling 160,000 BTU or greater as equivalent to (2) 80,000 BTU heaters totaling 160,000 BTU.

A8: This is acceptable

At Annex "B" – Purchase Description for School Bus dated 2016-04-28, Paragraph 3.5 (e) vii, Fuel-Fired Heater:

DELETE: The passenger area shall include two (2) heaters each with an output of at least 20,000 kilocalories (80,000 BTU);

INSERT: The passenger area shall include heaters with a total output of at least 40,000 kilocalories (160,000 BTU);

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.