

5		
4		
3		
2		
1		
0	ISSUED FOR TENDER	AUG. 31 2016
Revision/	Description/Description	Date/Date

A	A detail number	A
C	numéro de détail	B/C
	B source drawing no.	
	de dessin no.	
	C detail on drawing no.	
	détail sur dessin no.	

Client/client

PARKS CANADA AGENCY

WESTERN AND NORTHERN REGION

Project title/Titre du projet
DAWSON CITY
YUKON TERRITORY

PALACE GRAND THEATRE
FOUNDATION REPLACEMENT
& MAJOR UPGRADE

Consultant Signature Only

Designed by/Concept par
SZ

Drawn by/Dessiné par
BM

FWSC Project Manager/Administrateur de Projets TPSC
TOM DUMPHY

Regional Manager, Architectural and Engineering Services
Gestionnaire régional, Services d'architecture et de génie, TPSC

Drawing title/Titre du dessin



BUILDING CODE UPGRADE
PARTIAL MAIN FLOOR PLAN
SECTIONS & DETAILS

Project No./No. du projet
R.068835.001


Sheet/Fauille
S5
OF

Revision no./
La révision
no.
0

12381




SECTION 1-1
1:75




SECTION A - A
1:10

- NOTES:
1. PROVIDE TEMP SHORING TO EXIST. ROOF RAFTERS & FLOOR JOISTS AS REQUIRED KEEP SHORING PRIOR TO CUTTING WALL OPENINGS UNTIL THE COMPLETION OF STRUCTURE AROUND WALL OPENINGS.
 2. LOCALLY REMOVE EXIST. DRYWALL & PLYWOOD IN HATCHED AREAS. AS REQUIRED TO ALLOW HEADER, STUDS & BLOCKING & INSTALLATION. RE-INSTALL 7.9mm THK. PLYWOOD W/ 38x140 BLOCKING / STUD ALONG PLYWOOD JOINT, C/W 2.840 x51 LG. NAILS @100 O/C AROUND PLYWOOD PANEL PERIMETER TO STUDS & BLOCKINGS. RE-INSTALL DRYWALL AFTER THE COMPLETION OF THE ABOVE WORK.



SECTION 2-2
1:20

TYP. FOR EDGE THICKNESS
AROUND PAD PERIMETER



(FOR LOCATION AND SIZE OF PADS AND ANCHOR BOLTS FOR EQUIPMENT
SEE ARCHITECTURAL, MECHANICAL AND ELECTRICAL DRAWINGS)

SECTION 3-3
1:20

LEGEND:

--- DENOTES EXISTING FLOOR / ROOF JOISTS

PARTIAL MAIN FLOOR PLAN

1:75