




4
A1
DETAIL - NEW METAL CLADDING @ JAMB




5
A1
DETAIL - CEMENT CLADDING @ JAMB




6
A1
DETAIL - NEW WINDOW JAMB




2
A10
DETAIL - NEW ROOF TO SIDING




2a
A1
DETAIL - CEMENT CLADDING @ METAL DOOR JAMB



3
A1
DETAIL - NEW WINDOW JAMBS TO EXISTING DEMISING WALL



1a
Ax
DETAIL - NEW ROOF AND PARAPET TO CEMENT PANEL



1
A10
DETAIL - NEW ROOF TO CEMENT PANEL

KEYNOTES

- EXISTING CONSTRUCTION
- REMOVE(D) EXISTING WHERE OCCURRING REFER TO ELEVATIONS FOR EXTENT:
 - SHEET METAL SIDING, FURRING BUILDING PAPER
 - REMOVE EXISTING WOOD SIDING AND BUILDING PAPER* CAREFULLY REMOVE FOR REINSTALLATION *BUILDING PAPER CAREFULLY MOVED BACK FOR REINSTALLATION TO SHINGLE OVER NEW BUILDING PAPER
- NEW SELF ADHESIVE MEMBRANE
- NEW BUILDING PAPER
- NEW 25MM GALVANIZED VERTICAL/HORIZONTAL FURRING CHANNELS @ 600 OC
- NEW 0.7MM PERFORATED ALUMINUM INSECT SCREEN PREFINISHED BLACK
- NEW 8MM CEMENT PANEL SYSTEM
- NEW METAL RIVET (PROPRIETARY) COLOUR TO MATCH CEMENT PANEL WITH EPDM WASHER
- NEW SHEET METAL FASTENER COLOUR TO MATCH CEMENT PANEL WITH EPDM WASHER
- NEW CORRUGATED SHEET METAL COLOUR TO MATCH CEMENT PANEL STYLE TO MATCH EXISTING
- NEW .68MM COPPER BRAKE SHAPED CLOSURE
- NEW .68MM PREFINISHED ALUMINUM BRAKE SHAPED FLASHING OR CLOSURE
- NEW 38 X 140 @ 400 O.C. WOOD STUDS
- NEW 19 MM PLYWOOD
- NEW 13 MM PLYWOOD
- NEW BASE SHEET BITUMENOUS FLASHING
- NEW CAP SHEET BITUMENOUS FLASHING
- REMOVE EXISTING ROOFING INSULATION TO ROOF DECK NEW ROOF SYSTEM
 - CAP SHEET BITUMENOUS MEMBRANE - TORCH
 - BASE SHEET BITUMENOUS MEMBRANE - TORCH
 - COVER BOARD - *MF
 - 50MM POLYISOCYANURATE BASE - *MF
 - 65MM TAPERED POLYISOCYANURATE - *MF
 - SELF ADHESIVE MEMBRANE VAPOUR RETARDER
 - *MF - MECHANICALLY FASTENED
- NEW MINERAL WOOL BATT INSULATION
- NEW ANODIZED ALUMINUM CURTAIN WALL FRAME NEW INSULATED GLAZING UNIT
 - 6MM CLEAR EXTERIOR LITE ENGINEERED TO SUIT SPANS AND LOADS
 - LOW E COATING #2 SURFACE
 - AIR SPACE
 - 6MM CLEAR INTERIOR LITE ENGINEERED TO SUIT SPANS AND LOADS
- SEALANT
- FIR VENEER PLYWOOD - SATIN FINISH
- SOLID FIR HALFROUND - SATIN FINISH
- ANODIZED ALUMINUM BRAKE SHAPE - PROFILE AS SHOWN
- FOAM ROD
- 16 GAUGE GALVANIZED BRAKE SHAPE
- PREFINISHED PAINTED GALVANIZED SLOPED HOOD VENT MIN FREE AREA 40 SQUARE INCHES
- NEW 38 X 89 WOOD STUDS @ 400 O.C.
- ENGINEERED GALVANIZED SUSPENDED CARRYING CHANNELS AT 12000.C
- SPARE
- SPARE
- SPARE
- SPARE
- SPRAYED IN PLACE INSULATION CLOSED CELL
- NEW 16MM TYPE X EXTERIOR GRADE GYPSUM BOARD
- 50 MM GRAVEL SLOPED TO DRAIN
- SPARE

Public Works and Government Services Canada
Travaux publics et Services gouvernementaux Canada

REAL PROPERTY SERVICES
Pacific Region
SERVICES IMMOBILIERS
Région de Pacifique

REGISTERED ARCHITECT
BRITISH COLUMBIA

10

Revision/	Description/Description	Date/Date
4		
3	ISSUED FOR TENDER	AUG 31 2016
2	95% PROGRESS SET	AUG 2016
1	ISSUED FOR TENDER	APRIL 05 2016
0	95% REVIEW	MAR15 2016

A detail number
numéro de détail

B source drawing no.
de dessin no.

C detail on drawing no.
détail sur dessin no.

Client/client

PARKS CANADA AGENCY

WESTERN AND NORTHERN REGION

Project title/Titre du projet
**DAWSON CITY
YUKON TERRITORY**

**PALACE GRAND THEATRE
FOUNDATION / MECHANICAL
/ELECTRICAL RENOVATION
AND GENERAL UPGRADE**

Consultant Signature Only

Designed by/Conçue par

Drawn by/Dessiné par

PWGSC Project Manager/Administrateur de Projets TPSGC
TOM DUNPHY

Regional Manager, Architectural and Engineering Services
Gestionnaire régionale, Services d'architecture et de génie, TPSGC

Drawing title/Titre du dessin

DETAILS

Project No./No. du projet	Sheet/ Feuille	Revision no./ La Révision no.
R.068835.001	A10 OF	0

12173