


1	ISSUED FOR TENDER	SEP 13 2016
revisions		date

project  
**POINT WOLFE  
SERVICE BUILDINGS  
FUNDY NATIONAL PARK  
ALMA, NB**  
ALBERT COUNTY, NB

drawing  
**SANITARY  
FLOOR PLANS  
WASHROOM BUILDINGS**


designed P. ARSENAULT  
date JULY 2016  
drawn P. ARSENAULT  
date JULY 2016  
approved

date  
Tender  
PWSC Project Manager  
project number  
**R.075852.001**  
drawing no.  
**M-2.0**




**TYP. DEMOLITION FLOOR PLAN - W.R. #4 & #7**

SCALE: 1:50  
0m 1m 2m 3m 4m 5m




**DEMOLITION FLOOR PLAN - W.R. #2 & #11**

SCALE: 1:50  
0m 1m 2m 3m 4m 5m




**TYP. NEW FLOOR PLAN - W.R. #4 & #7**

SCALE: 1:50  
0m 1m 2m 3m 4m 5m



**NEW FLOOR PLAN - W.R. #2**

SCALE: 1:50  
0m 1m 2m 3m 4m 5m



**TYP. NEW FLOOR PLAN - W.R. #11**

SCALE: 1:50  
0m 1m 2m 3m 4m 5m

**KEYNOTES:**

- REMOVE EXISTING FIXTURE. SAW CUT CONCRETE FLOOR AND CAP DRAIN BELOW FLOOR. REINSTATE FLOORING AS PER ARCHITECTURAL DRAWINGS (TYPICAL OF ALL TOILETS AND URINALS).
- INSTALL NEW ABOVE GRADE 100mm SANITARY MAIN. SANITARY MAIN TO BE RUN IN LINE WITH EXPOSED CARRIER TEE. VENT AS REQUIRED.
- CORE HOLES IN WALL TO ACCOMMODATE NEW FIXTURE DRAIN PIPE AND CARRIER BOLTS (TYPICAL OF ALL TOILETS AND URINALS).
- NEW SANITARY PIPING TO DROP BELOW SLAB TO CONNECT TO EXISTING.
- EXCAVATE AND RELOCATE EXISTING DRAIN AS REQUIRED TO ACCOMMODATE NEW SHOWER WALL.
- NEW 50mm VENT PIPING TO BE RUN IN NEW HORIZONTAL CHASE, REFER TO ARCHITECTURAL DRAWING FOR DETAILS. CORE HOLE IN WALL AND CONNECT TO EXISTING VENT IN SERVICE ROOM.
- REPLACE EXISTING FLOOR DRAIN C/W NEW TRAP & TRAP PRIMER CONNECTION. SAW CUT FLOOR AND RUN TRAP PRIMER PIPING TO NEAREST WALL AS SHOWN ON PLANS.
- REMOVE EXISTING FLOOR DRAIN AND ASSOCIATE PIPING. CAP PIPING BELOW SLAB.
- REROUTE SHOWER DRAIN PIPING AS REQUIRED TO ACCOMMODATE RELOCATED SHOWER. CONNECT TO EXISTING BELOW GRADE SANITARY.
- PROVIDE NEW ABOVE GRADE SANITARY BELOW COUNTERTOP SERVING LAV'S AND IN SERVICE ROOM SERVING SERVICE SINK. CONNECT NEW PIPING TO EXISTING BELOW GRADE SANITARY. PROVIDE NEW VENT PIPING THROUGH ROOF.
- RUN PIPING BELOW GRADE. CORE HOLE IN EXISTING FROST WALL.
- SAW CUT CONCRETE FLOOR AND REPLACE TRAP.
- NEW FLOOR DRAIN C/W TRAP AND TRAP PRIMER. SAW CUT FLOOR AND RUN TRAP PRIMER PIPING TO NEAREST WALL.

**SYMBOL LEGEND**

— SAN-E —	SANITARY ABOVE GRADE - EXISTING
— SAN-E - - - - -	SANITARY BELOW GRADE - EXISTING
— SAN-D - - - - -	SANITARY - DEMOLITION
— SAN —	SANITARY ABOVE GRADE
— SAN - - - - -	SANITARY BELOW GRADE
— V - - - - -	SANITARY VENT
—	PIPE CLEAN-OUT
—	END OF LINE CLEANOUT
—	PIPE CLEAN-OUT TO GRADE
—	PIPE DROP
—	PIPE RISE
—	PIPE TEE DOWN
—	PIPE TEE UP
—	ISOLATION VALVE
—	EQUIPMENT/FIXTURE TYPE
—	KEYNOTE
—	DRAWING REVISION
—	SINK
—	DOMESTIC WATER HEATER
—	NOT TO SCALE

**GENERAL NOTES:**

- INSTALL PLUMBING IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE.
- LOCATE EXISTING UNDERGROUND PIPING. CUT CONCRETE FLOOR. CONNECT TO EXISTING PIPING AND REINSTATE CONCRETE FLOOR.
- REPLACE VENTS THROUGH ROOF WITH NEW.
- ALL TRAPS TO BE REMOVABLE AND COMPLETE WITH CLEANOUT.