



**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
Réception des soumissions - TPSGC / Bid  
Receiving - PWGSC  
1550 Avenue d'Estimauville  
1550 D'Estimauville Avenue  
Québec  
Québec  
G1J 0C7

## REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

### Proposal To: Public Works and Government Services Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

### Proposition aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

### Comments - Commentaires

Vendor/Firm Name and Address  
Raison sociale et adresse du  
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution  
TPSGC - PWGSC  
601 - 1550 Avenue d'Estimauville  
Québec  
Québec  
G1J 0C7

<b>Title - Sujet</b> Aluminium V-Nose Trailer	
<b>Solicitation No. - N° de l'invitation</b> W7701-176251/A	<b>Date</b> 2016-11-15
<b>Client Reference No. - N° de référence du client</b> W7701-176251	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$QCW-026-16937	
<b>File No. - N° de dossier</b> QCW-6-39203 (026)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2017-01-04</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Heure Normale du l'Est HNE
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Perron, Jonathan	<b>Buyer Id - Id de l'acheteur</b> qcw026
<b>Telephone No. - N° de téléphone</b> (418) 649-2838 ( )	<b>FAX No. - N° de FAX</b> (418) 648-2209
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> RDDC-R et D Défense Canada-Valcartier DRDC-Defence R&D Canada-Valcartier Bâtisse 53 2459, route de la Bravoure QUEBEC Québec G3J1X5 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

<b>Delivery Required - Livraison exigée</b> Voir doc.	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

---

## TABLE OF CONTENTS

TITLE: DRDC – ALUMINIUM V-NOSE TRAILER.....	2
<b>PART 1 - GENERAL INFORMATION .....</b>	<b>2</b>
1.1 REQUIREMENT .....	2
1.2 DEBRIEFINGS .....	2
1.3 TRADE AGREEMENTS .....	2
<b>PART 2 - BIDDER INSTRUCTIONS .....</b>	<b>3</b>
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS .....	3
2.2 SUBMISSION OF BIDS.....	3
2.3 ENQUIRIES - BID SOLICITATION.....	3
2.4 APPLICABLE LAWS.....	3
<b>PART 3 - BID PREPARATION INSTRUCTIONS.....</b>	<b>4</b>
3.1 BID PREPARATION INSTRUCTIONS .....	4
<b>PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION .....</b>	<b>5</b>
4.1 EVALUATION PROCEDURES.....	5
4.2 BASIS OF SELECTION - LOWEST EVALUATED PRICE PER POINT .....	5
<b>PART 5 - CERTIFICATIONS.....</b>	<b>6</b>
5.1 CERTIFICATIONS REQUIRED WITH THE BID.....	6
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD .....	6
<b>PART 6 - RESULTING CONTRACT CLAUSES .....</b>	<b>8</b>
6.1 SECURITY REQUIREMENTS .....	8
6.2 REQUIREMENT .....	8
6.3 STANDARD CLAUSES AND CONDITIONS.....	8
6.4 TERM OF CONTRACT .....	8
6.5 AUTHORITIES .....	8
6.6 PAYMENT .....	9
6.7 INVOICING INSTRUCTIONS .....	9
6.8 CERTIFICATIONS .....	10
6.9 APPLICABLE LAWS.....	10
6.10 PRIORITY OF DOCUMENTS .....	10
6.11 SHIPPING INSTRUCTIONS - DELIVERY AT DESTINATION .....	10
6.12 PREPARATION AND DELIVERY .....	10
6.13 INSPECTION AND ACCEPTANCE.....	10
6.14 SACC MANUAL CLAUSES .....	11
<b>ANNEX "A" – REQUIREMENT .....</b>	<b>12</b>
<b>ANNEX "B" - BASIS OF PAYMENT .....</b>	<b>19</b>
<b>ANNEX "C" - PRESENTATION OF YOUR BID.....</b>	<b>20</b>

N° de l'invitation - Solicitation No.  
W7701-176251/A

N° de la modif - Amd. No.

Id de l'acheteur - Buyer ID  
qcw026

N° de réf. du client - Client Ref. No.  
W7701-176251

File No. - N° du dossier  
QCW-6-39203

N° CCC / CCC No./ N° VME - FMS

---

## **TITLE: DRDC – ALUMINIUM V-NOSE TRAILER**

### **PART 1 - GENERAL INFORMATION**

#### **1.1 Requirement**

Defence Research and Development Canada - Valcartier (DRDC) has a requirement for the supply and delivery of one (1) aluminium v-nose trailer, in accordance with the technical specifications detailed at Annex A – Requirement.

#### **1.2 Debriefings**

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

#### **1.3 Trade Agreements**

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT).

## PART 2 - BIDDER INSTRUCTIONS

### 2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003 \(04-04-2016\)](#) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

#### 2.1.1 SACC Manual Clauses

[Condition of Material - Bid \(2014-06-26\) B1000T](#)

### 2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

You can also submit your bid by facsimile at (1) 418-648-2209, by the date, time and place indicated on page 1 of the bid solicitation.

### 2.3 Enquiries - Bid Solicitation

All enquiries must be submitted **in writing** to the Contracting Authority: [jonathan.perron@tpsgc-pwgsc.gc.ca](mailto:jonathan.perron@tpsgc-pwgsc.gc.ca) **no later than ten (10) calendar days** before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

### 2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Quebec.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

## **PART 3 - BID PREPARATION INSTRUCTIONS**

### **3.1 Bid Preparation Instructions**

Canada requests that bidders provide their bid in separately bound sections as follows:

**Section I: Technical Bid (1 hard copy)**

**Section II: Financial Bid (1 hard copy)**

**Section III: Certifications (1 hard copy)**

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

#### **Section I: Technical Bid**

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work. Bidders must fill out at Annex A - the Table of minimal technical specifications and characteristics and the Table of the desired technical specifications (Assets).

#### **Section II: Financial Bid**

Bidders must submit their financial bid in accordance with the Basis of Payment at Annex B. The total amount of Applicable Taxes must be shown separately.

##### **3.1.1 Exchange Rate Fluctuation**

[Exchange Rate Fluctuation Risk Mitigation \(2014-11-27\) C3010T](#)

#### **Section III: Certifications**

Bidders must submit the certifications required under Part 5.

## PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

### 4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

#### 4.1.1 Technical Evaluation

- a) The bidder must proposed products meeting all the of minimal technical specifications and characteristics described at Annex A, at the closure date. The bidder must indicate, for each criteria, whether the proposed equipment complies or not by checking the relevant box.
- b) **Desired technical specifications (Assets)**  
Each bid meeting all of the minimal technical specifications and characteristics described at Annex A, will be evaluated and noted in accordance with the desired technical specifications, as assets, detailed at Annex A. The bidder must indicate, for each criteria, whether the proposed equipment complies or not by checking the relevant box.

#### 4.1.2 Financial Evaluation

SACC *Manual* Clause [Evaluation of Price - Bid A0220T \(2014-06-26\)](#), Evaluation of Price. The bidder must fill out and include with its proposal the **Annex B** - Basis of Payment.

Unless the bid solicitation specifically requires bids to be submitted in Canadian currency, bids submitted in foreign currency will be converted to Canadian currency for evaluation purposes. The rate given by the Bank of Canada in effect on the bid solicitation closing date, or on another date specified in the bid solicitation, will be applied as a conversion factor to the bids submitted in foreign currency.

Bidders must submit their prices DDP destination; Delivered Duty Paid.

### 4.2 Basis of Selection - Lowest Evaluated Price Per Point

4.2.1 To be declared responsive, a bid must comply with all the requirements of the bid solicitation, including Annex A- Requirement.

4.2.2 Bids not meeting the minimal technical specifications and characteristics at Annex A (2.1) will be declared non-responsive. Neither the responsive bid that receives the highest number of points nor the one that proposed the lowest price will necessarily be accepted. The responsive bid with the lowest evaluated price per point will be recommended for award of a contract.

The evaluated price per point will be determined by dividing the evaluated price of the bid (**AnnexB**) by the number of points obtained for all of the minimal technical specifications and characteristics, and the desired technical specifications (Assets) (**Annex A**).

If two or more responsive bids get the same lowest evaluated price per point, the responsive bid with the highest number of points for all of the technical evaluation criteria will be recommended for award of a contract.

## **PART 5 - CERTIFICATIONS**

Bidders must provide the required certifications and associated information to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default in carrying out any of its obligations under the Contract, if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority may render the bid non-responsive or constitute a default under the Contract.

### **5.1 Certifications Required with the Bid**

Bidders must submit the following duly completed certifications as part of their bid.

#### **5.1.1 Declaration of Convicted Offences**

As applicable, pursuant to subsection Declaration of Convicted Offences of section 01 of the Standard Instructions, the Bidder must provide with its bid, a completed [Declaration Form](http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html>), to be given further consideration in the procurement process.

### **5.2 Certifications Precedent to Contract Award**

The certifications listed below should be completed and submitted with the bid, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to comply with the request of the Contracting Authority and to provide the certifications within the time frame provided will render the bid non-responsive.

#### **5.2.1 Integrity Provisions - Associated Information**

By submitting a bid, the Bidder certifies that the Bidder and its Affiliates are in compliance with the provisions as stated in Section 01 Integrity Provisions - Bid of Standard Instructions [2003](#). The associated information required within the Integrity Provisions will assist Canada in confirming that the certifications are true.

#### **5.2.2 Integrity Provisions – List of Names**

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

#### **5.2.3 Federal Contractors Program for Employment Equity - Bid Certification**

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](#)" list ([http://www.labour.gc.ca/eng/standards\\_equity/eq/emp/fcp/list/inelig.shtml](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)) available from [Employment and Social Development Canada \(ESDC\) - Labour's](#) website.

N° de l'invitation - Solicitation No.  
W7701-176251/A

N° de la modif - Amd. No.

Id de l'acheteur - Buyer ID  
qcw026

N° de réf. du client - Client Ref. No.  
W7701-176251

File No. - N° du dossier  
QCW-6-39203

N° CCC / CCC No./ N° VME - FMS

---

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.



## **PART 6 - RESULTING CONTRACT CLAUSES**

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

### **6.1 Security Requirements**

**6.1.1** There is no security requirement applicable to this Contract.

### **6.2 Requirement**

The Contractor must provide the items detailed under the "**Requirement**" at **Annex "A"**.

### **6.3 Standard Clauses and Conditions**

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

#### **6.3.1 General Conditions**

[General Conditions - Goods \(Medium Complexity\) \(2016-04-04\) 2010A](#), apply to and form part of the Contract.

### **6.4 Term of Contract**

#### **6.4.1 Period of the Contract**

The contract period is from the date of the contract award until the end of the warranty period, inclusively.

#### **6.4.2 Delivery Date**

All the deliverables must be received no later than 8 weeks after contract award.

### **6.5 Authorities**

#### **6.5.1 Contracting Authority**

The Contracting Authority for the Contract is:

Name: Jonathan Perron

Title: Supply Specialist

Public Works and Government Services Canada

Acquisitions Branch

Address: 1550, av d'Estimauville

Quebec, Quebec, G1J 0C7

Telephone: 418-649-2838

Facsimile: 418-648-2209

E-mail address: [jonathan.perron@tpsgc-pwgsc.gc.ca](mailto:jonathan.perron@tpsgc-pwgsc.gc.ca)

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

N° de l'invitation - Solicitation No.  
W7701-176251/A

N° de la modif - Amd. No.

Id de l'acheteur - Buyer ID  
qcw026

N° de réf. du client - Client Ref. No.  
W7701-176251

File No. - N° du dossier  
QCW-6-39203

N° CCC / CCC No./ N° VME - FMS

---

### 6.5.2 Technical Authority

The Technical Authority for the Contract is:

**(Will be completed by Canada at the time of award)**

The Technical Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

### 6.5.3 Contractor's Representative

#### General enquiries:

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Telephone No.: \_\_\_\_\_  
Facsimile No.: \_\_\_\_\_  
E-mail Address: \_\_\_\_\_

#### Delivery follow-up:

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Telephone No.: \_\_\_\_\_  
Facsimile No.: \_\_\_\_\_  
E-mail Address: \_\_\_\_\_

## 6.6 Payment

### 6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price, as specified at **Annex B** for a cost of \$ \_\_\_\_\_ (*insert the amount at contract award*). DDP Destination, Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

### 6.6.2 Single Payment

SACC Manual clause [Single Payment \(2008-05-12\) H1000C](#)

## 6.7 Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

## **6.8 Certifications**

### **6.8.1 Compliance**

The continuous compliance with the certifications provided by the Contractor in its bid and the ongoing cooperation in providing associated information are conditions of the Contract. Certifications are subject to verification by Canada during the entire period of the Contract. If the Contractor does not comply with any certification, fails to provide the associated information, or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

## **6.9 Applicable Laws**

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Quebec.

## **6.10 Priority of Documents**

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) 2010A (04-04-2016), General Conditions - Goods (Medium Complexity)
- (c) Annex A, Statement of Requirement;
- (d) Annex B, Basis of Payment
- (e) the Contractor's bid dated \_\_\_\_\_ (*insert date of bid*)

## **6.11. Shipping Instructions - Delivery at Destination**

Goods must be consigned to the destination specified in the Contract and delivered:

Delivered Duty Paid (DDP) Recherche et développement pour la défense Canada  
Centre de recherches de Valcartier, Bâtiment 53, 2459 route de la Bravoure, Québec, Québec  
G3J 1X5, Incoterms 2000 for shipments from a commercial contractor.

## **6.12 Preparation and Delivery**

### **6.12.1 Preparation for Delivery**

- a) The vehicle/equipment shall be serviced, adjusted and delivered in condition for immediate use. The interior and exterior must be cleaned before leaving the factory and being released to the inspection authority or consignee at the final delivery location.
- b) All vehicles/equipment are to be delivered by appointment only. Any attempt by the carrier to deliver the vehicles/equipment without an appointment may be refused. When the carrier is required to return due to its failure to make an appointment for delivery, Canada will not be liable, to pay for any additional costs.

## **6.13 Inspection and Acceptance**

The Technical Authority or representative is the Inspection Authority. All reports, deliverable items, documents, goods and all services rendered under the Contract are subject to inspection by the Inspection Authority or representative. Should any report, document, good or service not be in accordance with the requirements of the Statement of Work and to the satisfaction of the Inspection Authority, as submitted, the Inspection Authority will have the right to reject it or require its correction at the sole expense of the Contractor before recommending payment.

N° de l'invitation - Solicitation No.  
W7701-176251/A

N° de la modif - Amd. No.

Id de l'acheteur - Buyer ID  
qcw026

N° de réf. du client - Client Ref. No.  
W7701-176251

File No. - N° du dossier  
QCW-6-39203

N° CCC / CCC No./ N° VME - FMS

---

**6.14 SACC Manual Clauses**

[Excess Goods \(2006-06-16\) B7500C](#)

[Insurance \(2008-05-12\) G1005C](#)

[Vehicle Safety \(2011-05-16\) A9049C](#)

## ANNEX "A" – REQUIREMENT

### TITLE: DRDC – ALUMINIUM V-NOSE TRAILER

#### **1. Description of the requirement:**

Defence Research and Development Canada - Valcartier (DRDC) has a requirement for the supply and delivery of one (1) aluminium v-nose trailer, in accordance with the following technical specifications.

#### **2. Minimal technical specifications and characteristics of the trailer**

2.1 To be completed. The trailer must have all specifications.

Art.	Minimal technical specifications and characteristics of the trailer	Yes
1	Aluminium closed-type v-nose trailer	
2	Double Axle 3500 Lbs or more (up to 5500 Lbs) with suspension, equipped with electric brakes on all wheel.	
3	All wheels are made of aluminium with a minimum diameter of 15 " and a maximum of 17 ".	
4	Structure of the trailer entirely made of 6061-T6 aluminum and / or 6063-T6. The structure is: all the framing, wall studs, roof joists and floor, windows and doors, their framing and scratch up the internal framework of the trailer.	
5	External Maximum overall dimensions of the trailer: 9 feet wide (excluding wheels wings) X 21 feet in length (from the beginning of v-nose to the back of the trailer) X 10.5 feet in height from the ground. See Appendix 1	
6	The wings of the wheels must not exceed more than 8 inches exterior walls of the trailer.	
7	The external dimension of the v-nose should be between 2 feet and 4 feet, the rectangular portion of the trailer between 15 feet and 17 feet and width between 7.5 feet and 9 feet. See Appendix 1	
8	The internal minimum dimensions of the trailer are: Height 7 feet (floor to ceiling) width of 7.5 feet length of 17.5 feet, which begins rear double doors and ends at the point (junction) of the v- nose. See Appendix 2	
9	The uprights of the walls and the floors and ceiling joists are installed at a center to center distance of 16 ", they have a minimum size of 2 " X 5 " with a minimum thickness of 3/16 " and are made of aluminium 6061-T6 and / or 6063-T6.	
10	The walls are insulated and block moisture. They are made of plywood with a minimum thickness of 3/8 " or any other sturdy material with a minimum thickness of 3/8 ". They are covered with vinyl painted white or aluminium painted white.	
11	The ceiling is insulated and covered with vinyl painted white or aluminium painted white.	
12	The floor must have a minimum total thickness of 3/4 ", it must block moisture and consist of a plywood of a 5 / 8" minimum thickness or any other sturdy material with a minimum thickness of 5/8 " plus a floor coating covered with a non-slip rubber membrane with a minimum thickness of 1/8 ".	

13	The roof of the trailer is made of a single piece of aluminum with a minimum thickness of 0.024 "	
14	The external finish of the trailer is all aluminum with a minimum thickness of 0.030 " and is painted in a uniform color or two colors. The white solid color will be the accepted. Any other color will be submitted to the client through existing photos of the product and the approval thereof by the client.	
15	Rear middle double doors, with a minimum width of 24 " each X minimum height of 72 "	
16	RV type side door with window. That includes: - Outer door, minimum width 32 " X minimum height 72" provided with a window of a minimum width of 10 " X minimum height of 20 " - A further inner door screen type having dimensions corresponding to the outer front door.	
17	2 large wall hatches (doors) horizontal awning 48 " X 36 " supported by dampers. Installed from 36 " of the trailer floor and 36 " rear wall of the trailer. An installation tolerance of $\pm 2$ " in height is accepted and a tolerance of + -4" horizontal installation is accepted. See Appendix 1 and 3.	
18	A fixed inner window in the top of a wall. Minimum dimensions of 12 " X 24 ".	
19	A storage cabinet attached to the ceiling of the v-nose, with a minimum of 2 latched doors. Minimum length 36 " X minimum depth 10 " X minimum height 8 ". See Appendix 4	
20	L shaped counter in v-nose section with storage cabinet with latched doors. The long section of the L fills the whole section of the tip of the v-nose with a minimum depth of 12 " of the junction of the v-nose at the end of the counter. The short section has a minimum depth of 20 " and a minimum width of 24 ". The desk height should be between 28 " and 40 ". See Appendix 4	
21	Third member tongue coupling hand for 2" diameter ball or 2-5 / 16 " ball.	
22	Power tongue assist jack, electrically motorized up and down, connected and powered by 12Vdc battery included.	
23	Electrical connection cable with 7 female contacts for brake and trailer lights. The cable must exceed at least 16 " the tip of the coupling hand. See Appendix 5	
24	4 manually adjustable stabilizer jack, one at each corner of the trailer.	
25	Generator compartment located at the front of the trailer. Completely isolated from the rest of the trailer with outside access. Equipped with a door and a sliding shelf to slide the generator outside of the trailer. The tablet must support a minimum weight of 100 pounds when fully open. Minimum dimensions of the compartment: depth 15 " X wide 26 " X height 18 " Minimum shelf dimension: depth 13.5 " X wide 24 " See Appendix 1	
26	12Vdc functional inside and outside lighting, activated by wall switch and powered by an included 12Vdc battery.	

27	50A full electric system that includes: a) Complete electrical panel 50A including all operational breakers for electrical outlets and lighting. b) The electrical panel is fed by means of a provided cable with a minimal length of 25 feet. c) Interior lighting system, at least four lighting fixtures (eg. 4x fluorescent) fully operational and operated by wall switch. d) Exterior lighting system, at least one functional lighting fixture operated by wall switch. e) A minimum of 4 operational 120VAC power outlet uniformly distributed inside the trailer. f) A minimum of 1 operational outdoor 120VAC power outlet located outside the trailer.	
28	Two floor spare tire compartments to store a complete original trailer wheel (rim and tire) as delivered with the trailer	
29	Minimum of 6 anchor rings evenly distributed to the floor, can maintain a minimum load of 200lbs each.	
30	Roof fan, minimum size 8" x 8 "	
31	Two aerating hatches (shutters) minimum size 3" wide x 4 " height, installed opposite large walls and opposite end of those walls. Ex. One fixed near the ground in the beginning of the right long wall and the other fixed near the ceiling at the end of the left long wall.	
32	Minimum of 3 years full warranty structure and axles.	
33	2 additional wheels, complete origin; -rim and tire	
34	Outdoor Retractable Awning, 13 feet minimum wide X 6 feet minimum depth. This manual opening / closing awning is installed on the wall with the RV style door. Its minimum width 13 ' is fixed to the wall and begins above the RV door. Automatic and semi-automatic opening / closing awning is also accepted.	
<b>TOTAL : 400 POINTS</b>		

Art.	2.2 Point Rated Technical Criteria (Assets)	Pointing method	Max. points	Yes / Détails	No
35	Identical locks on all doors and padlocks	Yes = 10 POINTS No = 0 POINT	10		
36	Two horizontal rows of wall rail metal anchor " E-track " 'placed on the surface of each long interior wall for a total of four rows ( 2walls x 2 rows). Each bottom row is installed to 36 " from the ground and each top row is 60 " from the ground.	4 ANCHORS RAIL = 20 POINTS 3 ANCHORS RAIL = 15 POINTS 2 ANCHORS RAIL = 10 POINTS 1 ANCHOR RAIL = 5 POINTS 0 ANCHOR RAIL = 0 POINT	20		
37	Stone guard covering each v-nose side. Minimum 10" height	Yes = 10 POINTS No = 0 POINT	10		
38	Wall Power Selector. Generator or electrical line	Yes = 10 POINTS No = 0 POINT	10		
39	Double axles, capacity between 4000 and 5500 Lbs	Yes = 20 POINTS No = 0 POINT	20		
40	Fan convection electric heating, minimum 1500W, controlled by integrated or wall thermostat. All delivered fully operational.	Integrated thermostat = 10 POINTS wall thermostat = 15 POINTS If power greater than 1750W with integrated thermostat = 25 POINTS If power greater than 1750W with wall thermostat = 30 POINTS	30		
<b>Total Point Rated Technical criteria (Assets)</b>			<b>100</b>	<b>/100</b>	


	Minimal technical specifications (2.1)	Point Rated Technical Criteria (Assets) (2.2)	Total (2.1 +2.2)
<b>Total of Technical Evaluation Points</b>	<b>400</b>	<b>/ 100</b>	<b>/ 500</b>



RDDC Valcartier

APPENDIX 1

Trailer Outside Dimensions




RDDC Valcartier


## APPENDIX 2

## Trailer Minimal Inside Dimensions

Right side (Left side is identical)



Top View





## APPENDIX 3

## Awning (concession door) examples




RDDC Valcartier

#### APPENDIX 4 Ceiling cabinets and counter dimensions



#### APPENDIX 5 Trailer lights and brakes electrical 12Vdc power plug



N° de l'invitation - Solicitation No.  
W7701-176251/A

N° de la modif - Amd. No.

Id de l'acheteur - Buyer ID  
qcw026

N° de réf. du client - Client Ref. No.  
W7701-176251

File No. - N° du dossier  
QCW-6-39203

N° CCC / CCC No./ N° VME - FMS

---

## ANNEX "B" - BASIS OF PAYMENT

Item	Description	Qty	Unit	Firm Lot Price
1	Aluminum v-nose trailer, in accordance with all the technical specifications described at Annex A (2.1) and including assets (2.2) where applicable.	1	lot	\$ _____
2	Delivery Charges - Delivery at Destination  Delivery at destination (DDP Destination RDDC , Bâtiment 53, 2459 route de la Bravoure, Québec, Québec G3J 1X5).	1	lot	\$ _____
Price evaluation : Total Value of Bid \$ (Currency):				\$ _____

---

## ANNEX "C" - Presentation of your bid

### C.1 Check List

Below is a checklist of the contents of your bid. This list is not an exhaustive list; it remains the Bidder's responsibility to prepare its bid in accordance with the instructions contained in the Request For Proposal (RFP) and provide a comprehensible and sufficiently detailed bid, including all requested pricing details that will permit a complete evaluation in accordance with the criteria set out in the RFP.

Pagination of Document	
Page 1	Bidders should include with their bid, <b>the first page</b> of this RFP properly completed and signed. Refer to 2003 Standard Instructions mentioned in clause <b>2.1 Standard Instructions, Clauses and Conditions</b> .
Page 3	Bidders must submit their bid only to the address indicated in clause <b>2.2 Submission of Bids</b> .
Pages 6	Bidders who are incorporated, including those bidding as a joint venture, must provide with their bid or promptly thereafter a complete list of names of all individuals who are currently directors of the Bidder. Refer to clause <b>5.1 and 5.2</b> .
Page 9	Bidders should submit with their bid, clause <b>6.5.3 Contractor's Representatives</b> properly completed.
Pages 12 to 15	Bidders must include with their bid, <b>the tables of Annex "A"</b> duly completed.
Pages 19	Bidders must include with their bid, <b>Annex "B" - Basis of Payment</b> duly completed.