

EXISTING ROOF ENCLOSURE
REFER TO DETAIL #3
ON M-600

TO BE AS HIGH AS
POSSIBLE WITHOUT
DISTURBING EXISTING
ENCLOSURE, HEIGHT TO
BE DETERMINED ON SITE.

WIRE MESH

HEIGHT TO SUIT
SITE CONDITION

ROOF

NOTE:

1. ALL JOINTS TO BE MADE WEATHER TIGHT
2. FLASHING SHALL BE 16 GA. GALVANIZED AND PAINTED WITH 2 COATS OF EPOXY



Public Works and
Government Services Canada
Architectural and Engineering Services
Ontario Region

Travaux publics et
Services gouvernementaux Canada
Services d'architecture et de génie
Région de l'Ontario

TAYLOR HAZELL ARCHITECTS

333 Adelaide Street West , 5th Floor
Toronto ON M5V 1R5 www.taylorhazell.com
p. 416.862.2694 f. 416.862.8401



CROSSEY ENGINEERING LTD.
CONSULTING ENGINEERS
ELECTRICAL, MECHANICAL, LIGHTING
2255 Sheppard Avenue. E., Suite E 331
North York, On M2J 4Y1
(416)497.3111 fax (416)497.7210

12356.107



ENG. STAMP