



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Public Works and Government Services / Travaux
publics et services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3
Bid Fax: (613) 545-8067

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

National Master Standing Offer (NMSO)

Offre à commandes principale et nationale (OCPN)

The referenced document is hereby revised; unless
otherwise indicated, all other terms and conditions of the
Offer remain the same.

Ce document est par la présente révisé; sauf indication
contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services / Travaux
publics et services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3

Title - Sujet NMSO-Commercial Kitchen Equipment		
Solicitation No. - N° de l'invitation E6TOR-16NM01/A		Date 2016-11-28
Client Reference No. - N° de référence du client E6TOR-16-NM01		Amendment No. - N° modif. 006
File No. - N° de dossier KIN-6-46053 (650)	CCC No./N° CCC - FMS No./N° VME	
GETS Reference No. - N° de référence de SEAG PW-\$KIN-650-6986		
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale		2016-09-04
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2016-12-19		Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
Address Enquiries to: - Adresser toutes questions à: Bellmore, Heather		Buyer Id - Id de l'acheteur kin650
Telephone No. - N° de téléphone (613) 545-8208 ()	FAX No. - N° de FAX (613) 545-8067	
Delivery Required - Livraison exigée		
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: As per call up		
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

AMENDMENT #006

The intent of this amendment is to answer potential bidder questions:

- Q1.** In 'bilingual annex b-1', in numerous places, the tender lists 'Support stand for table top unit'.
- Under **Electric Griddles** and **Gas Griddles**, each different size of stand has it's own listing. However, under **Electric Clamshell Griddle**, **Gas Clamshell Griddle**, **Electric Char-Broiler**, and **Gas Char-Broiler** multiple sizes of units are listed however only one listing is provided to submit a price for the various sizes of stands. Different sizes of stands are different prices.
 - How should stands be priced?
 - Can a revision of 'bilingual annex b-1' be provided, listing the different sizes of stands for those units?
- A1.** Annex B1 has been amended to provide individual pricing per stand size.
- Q2.** **Electric Convection Oven** and **Gas Convection Oven** (both single and double) are supported by legs, therefore no stand is required. Should that pricing line be left blank?
- A2.** Those lines has been removed.
- Q3.** The RFP Pricing Basis (Annex b-1) makes it mandatory to provide a unit price for all items labelled "M". It also makes provision for the inclusion of unit prices for the rated requirements for the piece of equipment. Where the rated requirement is included in the standard unit pricing for a piece of equipment, is an entry of \$0.00 acceptable for that rated requirement.
- A3.** It is acceptable to have an entry of \$0.00 for rated requirement.
- Q4.** Can you also confirm it applies where a mandatory line item is included in the unit price for the equipment?
- A4.** Yes it also applies where a Mandatory line item is included in the unit price for the equipment.
- Q5.** In 'annex a-1 specifications attachments', for the Broiler on Page 27 of 70, under 'Configuration', it states, "the gas unit must be available as free-standing or table top...". In 'bilingual annex b-1', under 'Gas Char-Broiler' (Lines 248-256), the various sizes of char-broilers are described as "free-standing".
- Char-broilers are typically considered countertop equipment as they can be placed on a counter (or table) along with other pieces of countertop equipment. However, as countertop equipment, they can also be placed individually on a stand (the stand being the same length and width of the broiler). Equipment when on a stand would be considered 'free-standing'.
- Can you please clarify if the char-broilers on Lines 248-255 of 'bilingual annex b-1' are to be priced including the stand OR without the stand? As the stand is itemized separately, it would suggest the char-broiler should be priced without stand however 'free-standing' implies it should be priced including the stand.
- A5.** Char Broiler are to be priced without stand and stand to be priced as per bilingual annex b-1.
- Q6.** The RFP requires delivery of items to 5 Regions in Canada and a total of 31 destinations. The bidder is required to provide prices on the XLS file provided but there is no provision for pricing breakdown by region or location. Delivery costs of items will vary tremendously between regions and locations. Can you clarify if we should provide one bid per item with all prices included per region or location?

A6. Delivery is to be included in the all-inclusive unit price, applicable to any/each region.

Q7. Just wanted to ask you a quick question on the induction units. I see that you requested a much higher wattage than usually supplied. Can you confirm that for me? We offer 1400-1800 anything higher is done on a 208/240AC. If that's ok with you. I just want to make sure so we can submit our units due to your specs otherwise an amendment needs to be done for a 120AC with lower wattage. Ours go as follows.

1440-1800 Watts 120AC 5-15P plug
2900-3400 Watts 208/240AC 6-20/6-30P plug

A7. You can submit your units as 208/240AC.

Q8. Requested Specification Modifications:

Minor Equipment:

Q8.A. Soup Induction Warmer – Annex 1 & Annex A-1

M2 – Remove – Fiberglass or full insulation (Induction units cannot be insulated)
M2 – Remove – Protective knob guard (Induction units can only be digital OR analog, not both).
M3 – Remove - Temperature marks on knob (Induction units can only be digital OR analog, not both).

A8.A. Request modification approved.

Q8.B. Immersion Blenders- Annex 1 & Annex A-1

M1- Change Interchangeable arms to 14", 18", and 21" lengths
M3- Remove detachable bell and blades – Not available with interchangeable arms.

A8.B. Request modification approved.

Q8.C. Bulk Storage Container – Annex 1 & Annex A-1

M3 – Remove 4 swivel casters (they only come in 2 swivel with 2 fixed)

A8.C. Request modification approved.

Q8.D. Whips – Annex 1 & Annex A-1

M2 – Remove - Handle: Textured surface with knob end – not available in all sizes

A8.D. Request modification approved.

Q8.E. Portion Scales – Annex 1 & Annex A-1

M1 - Change platform sizes to 6-3/8" x 6-1/2" to a maximum of 9.5" x 10.75"
(There are NO 32oz. scales with 1/4oz. increments with an 8.5" x 8.5" platform)

A8.E. Request modification approved.

Q8.F. Portion Scales – Annex B-1 & Annex A-1

Change - 32oz. by 1/4 oz. to 32 oz. by 1/8th oz. to accommodate the 30 deg. rotating dial spec criteria.

A8.F. Request modification approved.

Q8.G. Dining ware – Annex 1 & Annex A-1

M1 – Change Porcelain to China – Porcelain cannot be vitrified

A8.G. Request modification approved.

Field Feeding Equipment:

Q9.A. Meat Thermometer – Annex 1 & Annex A-1

M1 – 4-1/2" Diameter should be 4-1/2" Length as specified in specifications

M3 – Change temperature range can be 120 – 200

A9.A. Request modification approved.

Q9.B. Potato Masher – Annex 1 & Annex A-1

M2 – Change Metal grate can be chrome plated

The grate is only available in SS if there is no rubber handle

A9.B. Request modification approved.

Q9.C. Wash Basin – Annex 1 & Annex A-1

M1 – Change Measurements to be 20" x 20" x 11.5"

A9.C. Request modification approved.

Q9.D. Steam Table Pans – Food Storage Container and Lid – Annex 1 & Annex A-1

M1 – Change Capacity to be 21-1/2 – 22 gallon – only one option at 22 gallon

M3 – Remove Capacity Indicators – None in this category have this option

M3 – Change Temperature Range -40 degree to 212 degree

A9.D. Request modification approved.

Q9.E. Coffee Percolator

M2 – Change to 100 Cup

M4 – 100 Cup in less than 70 min

A9.E. Request modification approved.

Major Equipment :

Q10.A. Rack Conveyor Dishwasher – 44" & 66" - ALL Versions – Annex 1 & Annex A-1

M1 – Change “When providing a hot water coil tank or natural gas tank heat, unit must have a booster (gas fired) – To match M4

M2 – Change “unit available in standard (2 vent cowls) and ventless or vented heat recovering system

A10.A. Request modification approved

Q10.B. Rack Conveyor Dishwasher – 44” & 66” – Electric – Annex B-1 & Annex A-1

Change – Ventless or Vented Heat Recovering System

A10.B. Request modification approved.

Q10.C. Convection Ovens – Annex 1 & Annex A-1 & Annex B-1

Remove – Interior core probe with minimum of four control points
This is a combi specification.

A10.C. Request modification approved.

Q10.D. Convection Ovens – Annex 1 & Annex A-1

M3 - Change – Field replaceable door seal – Remove no tools required
PR2– Add - No tool required for door seal replacement

A10.D. Request modification approved.

Q10.E. Range – Electric and Gas – Annex 1 & Annex A-1

M4 - Change – Field replaceable door seal – Remove no tools required
PR2 – Add - No tool required for door seal replacement

A10.E. Request modification approved.

Q10.F. Electric / Gas Clamshell Griddle – Annex-1 & Annex A-1

M2 - Change Thermostat Guards to PR1
M2 – Modify - “Heat On” Indicator light – Electric Unit
M4 - Remove – Minimum 65,000 BTU – This will vary depending on the size of the griddle

A10.F. Request modification approved.

Q10.G. Electric / Gas Clamshell Griddle – Annex B-1 & Annex A-1

Remove Support Stand (Lines have been put in for unit with stand), or
Add lines for each size 24”, 36”, 48” size stand

A10.G. Lines for each unit has been previously amended to reflect this requirement.

Q10.H. Countertop Gas 6 Burner with Equipment Stand – Annex 1 & Annex A-1

M2 – Remove “Heat On” indicator light – not applicable to gas appliance

A10.H. Request modification approved.

Q10.I. Electric / Gas Char broiler – Annex 1 & Annex A-1

M2 – Modify - “Heat On” Indicator light – Electric Unit
M2 - Change Thermostat Guards to PR1

A10.I. Request modification approved.

Q10.J. Electric / Gas Char broiler – Annex B-1 & Annex A-1

Remove Support Stand (Lines have been put in for unit with stand), or
Add lines for each size 24”, 36” for electric, 24”, 36”, 48” and 60” for gas

A10.J. Lines for each unit has been previously amended to reflect this requirement.

Q10.K. Refrigeration – Reach In – Refrigerator– Annex 1 & Annex A-1

M2 - Change - Lifetime guarantee low profile door handles

A10.K. Request modification approved.

Q10.L. Refrigerated Chef Base – Annex 1 & Annex A-1

M3 – Change – Low profile drawer handles

A10.L. Request modification approved.

Q10.M. Refrigerated Chef Base – Annex B-1 & Annex A-1

Modify - 49” to 59” to 49” to 60”
Modify - 60” to 84” to 61” to 84”

A10.M. Request modification approved.

Q10.N. Ice Machine with Storage Bin – Annex 1 & Annex A-1

M2 – Remove - Available with Slide in disappearing door – This is only available in small capacity units

A10.N. Request modification approved.

Q10.O. Mechanically Refrigerated Salad/Dessert Table – Annex 1 & Annex A-1

M2 – Remove – Digital temperature display – not available

A10.O. Request modification approved.

Q10.P. Electric Hot Well Table – Annex A-1

Add – Height of the table should be a minimum of 34 inches

Solicitation No. - N° de l'invitation
E6TOR-16NM01/A
Client Ref. No. - N° de réf. du client
E6TOR-16NM01

Amd. No. - N° de la modif.
006
File No. - N° du dossier
KIN-6-46053

Buyer ID - Id de l'acheteur
KIN650
CCC No./N° CCC - FMS No./N° VME

A10.P. Request modification approved.

Marine:

Q11.A. Remove - Deep Fat Fryer (Garland Model 36ES11) / Friteuse (Modele 36ES11 de Garland)
This unit is no longer manufactured

A11.A. As per RFSO, if an item is no longer manufactured, bidders are to provide alternative that must meet the same form, fit and function to be approved by the RFP technical authority.

12. REFER: Solicitation Closes – at 02:00 PM – on 2016-12-09
 DELETE: In its entirety
 INSERT: Solicitation Closes – at 02:00 PM – on 2016-12-19

ALL OTHER TERMS AND CONDITIONS OF THIS REQUEST FOR STANDING OFFER REMAIN UNCHANGED.