

1 SUITE 501B EXISTING DEMOLITION REFLECTED CEILING PLAN
A4 SCALE: 1:100

EXTG RCP LEGEND


	EXISTING EXTERIOR WALL
	EXISTING WALL CONSTRUCTION
	WALLS TO BE REMOVED
	EXISTING LIGHT FIXTURE TO BE REMOVED
	EXISTING LIGHT FIXTURE TO BE REMOVED
	EXISTING CEILING TILE TO REMAIN
	EXISTING CEILING TILE TO BE REMOVED
	CEILING HEIGHT, A.F.F. CEILING FINISH
	AREA NOT WITHIN SCOPE OF RENOVATION
	PUBLIC CORRIDOR AREA OF CONSTRUCTION

DEMO RCP KEY NOTES:

- 1 SITE CONFIRM EXISTING CEILING. DEMOLISH EXISTING CEILING AND LIGHTING AS NECESSARY TO ACHIEVE NEW LAYOUT.
- 2 REMOVE EXISTING BULKHEAD.

GENERAL DEMO NOTES:

1. ALL ACT AND GRID TO REMAIN EXCEPT WHERE INDICATED. ALL REMOVED ACT IN GOOD CONDITION (FULL TILES FREE OF DISCOLOURATION, HOLES AND STAINS) TO BE STORED FOR REUSE.
2. REFER TO ELECTRICAL DRAWINGS FOR ALL POWER, VOICE, DATA AND LIGHTING DEMOLITION REQUIREMENTS.
3. REFER TO MECHANICAL DRAWINGS FOR MECHANICAL PLUMBING DEMOLITION REQUIREMENTS.
4. REFER TO MECHANICAL DRAWINGS FOR MECHANICAL HVAC DEMOLITION REQUIREMENTS.
5. PATCH AND REPAIR ANY DAMAGE CAUSED DURING REMOVAL OF EXISTING CONSTRUCTION AND PREPARE FOR NEW CONSTRUCTION.
6. REPLACE ANY EXTG TILES DAMAGED DURING CONSTRUCTION.



2 SUITE 501B REFLECTED CEILING PLAN
A4 SCALE: 1:100

RCP LEGEND


	RETURN GRILLE - REFER TO MECH DWGS
	SUPPLY AIR DIFFUSER - REFER TO MECH DWGS
	NEW RECESSED LED LIGHT FIXTURE (610 X 1220)
	NEW DIMMABLE RECESSED LED LIGHT FIXTURE
	EXISTING ACT & GRID TO REMAIN
	NEW ACT & GRID
	NEW ACT & GRID @ EXISTING HEIGHT
	CEILING HEIGHT, A.F.F. CEILING FINISH
	FIRE RESISTANCE RATED SEPARATION (FRR)
	ACOUSTIC BLANKET INSULATION IN PLENUM (REFER TO SPEC.)
	AREA NOT WITHIN SCOPE OF RENOVATION
	PUBLIC CORRIDOR AREA OF CONSTRUCTION

RCP KEY NOTES:

- 1 SUPPLY AND INSTALL NEW ACT AND GRID TO MATCH EXISTING TO SUIT NEW WALL CONSTRUCTION.
- 2 EXISTING BULKHEADS TO REMAIN. PATCH AND REPAIR ANY DAMAGED ACT AND GRID.
- 3 PATCH AND REPAIR ANY DAMAGED ACT AND GRID TO REMAIN.
- 4 CEILING HEIGHT TO SUIT DUCTWORK. SITE CONFIRM EXACT DIMENSIONS. REFER TO MECHANICAL.
- 5 SITE CONFIRM HEIGHT OF NEW ACT. PORTION OF CEILING TO BE AS HIGH AS POSSIBLE.
- 6 NEW PATIENT CURTAIN TRACK.

GENERAL RCP NOTES

1. ENSURE THAT ALL PIPING, DUCTING AND ANY OPENINGS THAT RUN THROUGH NEW SLAB TO SLAB PARTITIONS OR PLENUM BARRIERS ARE FIRESTOPPED TO MEET FRR SEPARATIONS AND PROPERLY SEALED WITH ACOUSTIC CAULKING TO ACHIEVE STC SEPARATIONS. REFER TO MECH.
2. PROVIDE FIRESTOPPING FOR ALL EXISTING AND NEW PENETRATIONS IN RATED WALLS.
3. INSTALL BLOCKING AND/OR BRACING IN CEILING AS REQUIRED TO SUPPORT DOORS, FRAMES AND SIDELIGHTS.
4. LIGHTING SHOWN FOR DIMENSIONING PURPOSES, GENERAL LIGHTING LOCATIONS AND QUANTITIES ONLY. REFER TO ELECTRICAL DRAWINGS FOR SPECIFICATION.
5. REPLACE DAMAGED OR DISCOLOURED ACT AND GRID AS REQUIRED AFTER REMOVAL OF WALLS IN LOCATIONS WHERE EXISTING CEILING WILL REMAIN.
6. IN ALL ROOMS WITH NEW ACT AND GRID, CENTRE UNLESS OTHERWISE INDICATED.



KEY PLAN



DO NOT SCALE DRAWINGS

5		
4		
3		
2	ISSUED FOR CONSTRUCTION	NOV 4-16
1	99% CONSTRUCTION DRAWING SUBMISSION	OCT 5-16
0	66% CONSTRUCTION DRAWING SUBMISSION	AUG 18-16
Revision/Revisions	Description/Description	Date/Date

Client/client

Public Works and Government Services Canada (PWGSC)

Project title/Titre du projet

101 22nd Street East Saskatoon, Saskatchewan VETERANS AFFAIRS CANADA FIT-UP (VAC)

Approved by/Approuve par
SS

Designed by/Concept par
MG/CA

Drawn by/Dessiné par
CA

PWGSC Project Manager/Administrateur de Projets TPSCG
April Reid

PWGSC Architectural and Engineering Resources Manager/
Ressources architecturale et de Directeur d'ingénierie, TPSCG

Client/client
VAC

Drawing title/Titre du dessin

SUITE 501B EXISTING DEMOLITION REFLECTED CEILING PLAN AND NEW REFLECTED CEILING PLAN

Project No./No. du projet

R.080397.010

Sheet/Feuille

A4
OF 8

Revision no./
La Révision
no.

2