

CONNECT LANDSCAPE ARCHITECTURE INC. DOES NOT
GUARANTEE THE EXISTENCE, LOCATION, AND ELEVATION OF
UTILITIES AND / OR CONCEALED STRUCTURES AT THE
PROJECT SITE.

THE CONTRACTOR IS RESPONSIBLE FOR DETERMINING THE
EXISTENCE, LOCATION, AND ELEVATION OF ALL UTILITIES AND /
OR CONCEALED STRUCTURES, AND IS RESPONSIBLE FOR
NOTIFYING THE APPROPRIATE COMPANY, DEPARTMENT OR
PERSON(S) OF ITS INTENTION TO CARRY OUT ITS
OPERATIONS.



5		
4		
3		
2		
1		
0	Issued for Tender	16-11-14
Revision/ Revision	Description/Description	Date/Date

Client/Client

**GULF OF GEORGIA
CANNERY**
RICHMOND, BC
12138 FOURTH AVENUE
GULF OF GEORGIA CANNERY

Project title/Titre du projet

**RICHMOND, BC
12138 FOURTH AVENUE
GULF OF GEORGIA CANNERY
GULF OF GEORGIA
CANNERY
NATIONAL HISTORIC SITE
Building Site Rehabilitation**

Consultant Signature Box Only

Designed by/Concept par
CONNECT LANDSCAPE ARCHITECTURE, INC.

Drawn by/Dessiné par
OREN MIZRAHI

PWGSC Project Manager/Administrateur de Projets TPSCG
TOM DUNPHY

PWGSC Regional Manager, Architecture and Engineering Services/
Gestionnaire régional, Services d'architecture et de génie, TPSCG
DALE REDFORD

Drawing title/Titre du dessin

DETAILS: METAL RAILING (1)

Scale / Échelle

AS SHOWN

Project No./No. du projet

06-476

PWGSC Project No./No. du projet

R060702.001


Sheet/ Feuille

L5.4


12 OF 16

Revision no./
La Révision
no.

0




1 METAL GUARDRAIL (ELEVATION/PLAN)
Scale: 1:10




2 METAL GUARDRAIL (SECTION)
Scale: 1:10

4 METAL GATE (ELEVATION/PLAN)
Scale: 1:10

5 METAL GATE (SECTION)
Scale: 1:10



3 METAL GUARDRAIL (ENLARGEMENT)
Scale: 1:5



6 METAL GATE (ENLARGEMENT)
Scale: 1:5

TYPICAL NOTES:

1. CONTRACTOR TO SUBMIT ENGINEERED SHOP DRAWINGS FOR APPROVAL BY DEPARTMENTAL REPRESENTATIVE PRIOR TO FABRICATION SHOWING ALL GATES AND SCREENS AND TIMBER/PLANK CONNECTION AT DOCK.
2. PROVIDE DIMENSIONS OF ALL COMPONENTS AND DETAILS OF ALL HARDWARE AND FASTENINGS.
3. ALL METAL JOINTS TO BE WELDED AND TO BE GROUND SMOOTH. WELDS/REPAIRS TO BE PAINTED TO MATCH.
4. ALL METAL COMPONENTS TO BE HOT-DIP GALVANIZED AND PAINTED PER SPECIFICATION (EXCEPT GUY WIRES, FASTENINGS AND TURNBUCKLES NOT TO BE PAINTED).
5. WOOD DECK TO BE PRESSURE TREATED. WOOD MEMBERS TO BE SMOOTH ALL EXPOSED FACES
6. WOOD SCREWS AND BOLTS TO BE ACQ RATED CORROSION RESISTANT FASTENERS.
8. GUARD RAIL AND HANDRAILS TO MEET LATEST BC BUILDING CODE AND NATIONAL BUILDING CODE OF CANADA 2015.