



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada**
Pacific Region
401 - 1230 Government Street
Victoria, B.C.
V8W 3X4
Bid Fax: (250) 363-3344

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Pacific Region
401 - 1230 Government Street
Victoria, B. C.
V8W 3X4

Title - Sujet PLATEFORMES D'ALUMINIUM & D'ACIER	
Solicitation No. - N° de l'invitation F1705-160145/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client F1705-160145	Date 2016-12-07
GETS Reference No. - N° de référence de SEAG PW-\$VIC-246-7114	
File No. - N° de dossier VIC-6-39154 (246)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2017-01-04	Time Zone Fuseau horaire Pacific Standard Time PST
F.O.B. - F.A.B. Specified Herein - Précisé dans les présentes Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input checked="" type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Kobenter, Hélène	Buyer Id - Id de l'acheteur vic246
Telephone No. - N° de téléphone (250) 508-7491 ()	FAX No. - N° de FAX (250) 363-3344
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 003 raised to amend the above-noted solicitation as follows:

1) Post answers to all enquiries received from potential bidders (Q&As) :

Bidder enquiry: Under section 05 14 11, Structural Aluminum, Part 2, 2.3 it states that "*All aluminum to be clear anodized prior to fabrication*". Should not the anodizing be done after fabrication/welding? Any welding or grinding done after will remove the anodizing.

CCG Response: Change 2.3 to read "*Not applicable*"

2) Amend the following section of the bid solicitation as follows:

UNDER APPENDIX A.2 TO ANNEX A

Delete and Replace related document Section 05 14 11 – Prefabricated Platform Structures - Structural Aluminum (3 pages) with the attached revised copy dated 2016-12-06.

All other terms and conditions of the solicitation remain unchanged.



PREFABRICATED PLATFORM STRUCTURES

Part 1 General

1.1 RELATED SECTIONS

- .1 Section 01 11 00 – Summary of Work.

1.2 REFERENCES

- .1 American Society for Testing and Materials International, (ASTM)
 - .1 ASTM A325-[01], Specification for Structural Bolts, Steel, Heat Treated, 120/105ksi Minimum Tensile Strength.
 - .2 ASTM B209M-[01], Specification for Aluminum and Aluminum-Alloy Sheet and Plate [Metric].
 - .3 ASTM B210M-[00], Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes [Metric].
 - .4 ASTM B211M-[01], Specification for Aluminum and Aluminum Alloy Bar, Rod and Wire [Metric].
 - .5 ASTM F593-[01], Specification for Stainless Steel Bolts, Hex Cap Screws, and Studs.
- .2 Canadian Standards Association (CSA International)
 - .1 CAN3-S157-[M83(R2000)], Strength Design in Aluminum.
 - .2 CSA W47.2-[M1987(R1998)], Certification of Companies for Fusion Welding of Aluminum.
 - .3 CSA W59.2-[M1991(R1998)], Welded Aluminum Construction.

1.3 SHOP DRAWINGS

- .1 Submit shop drawings within 14 days of award of the Contract including fabrication, shop details, and material lists.
- .2 Indicate cuts, copes, connections, holes, threaded fasteners, rivets, welds and other items. Indicate welds using welding symbols as shown in Appendix A of CSA W59.2.

1.4 QUALITY ASSURANCE

- .1 If requested by the CCG Technical Authority, the Contractor is to submit up to 2 copies of mill test reports showing chemical and physical properties and other details of aluminum to be incorporated into work, at least 4 weeks prior to fabrication of structural aluminum. Mill test reports shall be certified by metallurgists qualified to practice in province of British Columbia, Canada.

1.5 WASTE MANAGEMENT AND DISPOSAL

- .1 Divert unused metal from landfill to a certified metal recycling facility.



PREFABRICATED PLATFORM STRUCTURES

Part 2 Products

2.1 MATERIALS

- .1 Aluminum and Aluminum-Alloy Extruded Bar, Rods, Shapes, and Tubes: to be alloy grade 6061-T6.
- .2 Aluminum welding wire to be alloy grade 5356.
- .3 Stainless steel bolts: to AISI 316.

2.2 FABRICATION

- .1 Fabricate in accordance with the latest edition of CAN3-S157 and in accordance with approved shop drawings.

2.3 FINISHES

- .1 Not applicable.

Part 3 Execution

3.1 GENERAL

- .1 Structural aluminum work: in accordance with CAN3-S157.
- .2 Welding: in accordance with CSA W59.2.
- .3 Companies to be certified under Division 2.1 of CSA W47.2 for fusion welding of aluminum and/or CSA W55.3 for resistance welding of structural components.

3.2 FIELD QUALITY CONTROL

- .1 Inspection and testing of materials and workmanship will be carried out by testing laboratory designated and paid for by the CCG Technical Authority.
- .2 Provide safe access and working areas for testing on site, as required by testing agency and as authorized by the CCG Technical Authority.
- .3 Submit test reports to the CCG Technical Authority within 1 week of completion of inspection.

3.3 RESPONSIBILITY AND DUTIES OF THE TESTING AGENCY

- .1 Testing Agency is responsible to the CCG Technical Authority and has the authority to, and is expected to, reject any work not meeting the specifications.
- .2 Review the structural drawings and specifications prior to carrying out the work.
- .3 Provide testing as per the Standards and as per this specification.



-
- .4 Provide timely test reports to the CCG Technical Authority and Contractor.

END OF SECTION