


# DOOR SCHEDULE

OPENINGS		DOOR				FRAME		FIRE RATING	HARDWARE GROUP	REMARKS
Number	Size	Type	Material	Finish	Light	Type	Finish			
D1	914w x 2083h opening	A	Steel	Paint	-	Steel	Paint	1.5 hr	H1	2 push button operator
D2	914w x 2083h opening	B	Steel	Paint	100x645 net	Steel	Paint	1.5 hr	H2	B/o light @ 1100 a.f.f.
D3	914w x 2083h opening	B	Steel	Paint	100x645 net	Steel	Paint	1.5 hr	H2	B/o light @ 1100 a.f.f.
D4	914w x 2083h opening	A	Steel	Paint	-	Steel	Paint	1.5 hr	H2	-




## DOOR ELEVATIONS (nts)

### DOOR NOTES:


- Door lights shall be 6mm wired glass.
- D1 (closest to ramp) shall be equipped with operator and 2 push-button controls.

### PAINT COLOUR NOTES (see dwg A6 also):

- Colour 1 - Bottom/horizontal surfaces of coffered slab
- Colour 2 - Ceiling coffer sidewalls
- Colour 3 - Suspended ceilings and bulkheads, and wood slats, above 2.1m
- Colour 4 - Wood slat dados and walls to 2.1m, doors
- Colour 5 - Door frames
- Colour 6 - Base in matching carpet tile, with matching vinyl cap where exposed



## AUDITORIUM PAINTING DETAIL




### SPECIAL PREPARATION NOTES:

- Concrete slab holes and defects shall be patched with non-shrink epoxy based patching compound.
- Wood slats shall be repaired and securely fastened, scuff-sanded, primed with MPI 17, coated with approved intumescent coating tinted to match topcoat, and finished with wearing topcoat, to achieve full compliance with manufacturer's instructions for Class A flame spread rating.
- See specifications for coating formulations specific to each substrate.

# INTERIOR FINISH SCHEDULE

ROOM		FLOOR		WALLS					CEILING			REMARKS
Number	Name	Substrate	Finish	Side	Base	Material	Finish	Dado	Material	Finish	Height	
J14-113	AUDITORIUM	Concrete	Carpet	NORTH	Carpet	Existing	Paint	As existing	Existing	Paint	2 to 6m	Projection screen paint behind curtain
				SOUTH	Carpet	Existing	Paint	"				Except carpet walls below glazed panels
				WEST	Carpet	Existing	Paint	"				See note 2 above re wood slats
				EAST	Carpet	Existing	Paint	"				See note 2 above re wood slats

Note: See spec, and notes and details above. Protect existing oak trims, touch up to like-new condition where needed.



\* See note, sheet A0.1

0 FOR TENDER NOV. 27 2016  
 revisions date  
 project projet  
**NORTHWEST ATLANTIC FISHERIES CENTRE ST. JOHN'S, NL AUDITORIUM UPGRADES**

drawing dessin  
**SCHEDULES & DETAILS**  
 designed conçu  
 date  
 drawn dessiné  
 date  
 approved approuvé  
 date  
 Tender Submission  
 PWGSC Project Manager Administrateur de projets TPSGC  
 project number no. du projet  
**R.081909.001**  
 drawing no. no. du dessin  
**A7**