

REGULATORY REQUIREMENTS**PART 1 GENERAL****1.1 RELATED SECTIONS**

- .1 Section 02 82 00.02 – Asbestos Abatement

1.2 REFERENCES AND CODES

- .1 Perform Work in accordance with National Building Code of Canada (NBC) including all amendments up to tender closing date and other codes of provincial or local application provided that in case of conflict or discrepancy, more stringent requirements apply.
- .2 Meet or exceed requirements of:
 - .1 Contract documents.
 - .2 Specified standards, codes and referenced documents.

1.3 HAZARDOUS MATERIAL DISCOVERY

- .1 Asbestos: stop work immediately should materials believed to contain asbestos be encountered in during the execution of the work and notify Departmental Representative. Do not proceed until written instructions have been received from Departmental Representative. Perform asbestos abatement and repair in accordance with Newfoundland and Labrador Asbestos Abatement Regulations, Latest Edition.
- .2 Mould: stop work immediately should material resembling mould be encountered during the execution of work and notify Departmental Representative. Do not proceed until written instructions have been received from Departmental Representative.

1.4 BUILDING SMOKING ENVIRONMENT

- .1 Comply with smoking restrictions.

PART 2 PRODUCTS (NOT APPLICABLE)**PART 3 EXECUTION (NOT APPLICABLE)**

END OF SECTION