

Royal Canadian Gendarmerie royale Mounted Police du Canada

RETURN BIDS TO: RETOURNER LES SOUMISSIONS A :

Bid Receiving/Réception des sousmissions Procurement & Contracting Services c/o Commissionaires, F Division 6101 Dewdney Ave Regina, SK S4P 3K7

Fax No. - No de FAX: (306) 780-5232

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments: - Commentaries :

THIS DOCUMENT CONTAINS A SECURITY REQUIREMENT

LE PRÉSENT DOCUMENT COMPORTE UNE EXIGENCE EN MATIÈRE DE SÉCURITÉ

| Title – Sujet: Winterized 4x4 Utility Vehicle | | | Date : January 6, 2017 | | | |
|---|--|---|---|---|--|--|
| Solicitation No. – Nº de l'invitation M5000-17-5005/A | | | | Amendment No. – Nº de la modification 001 | | |
| Client Ref PW-16-007 | erence No No 761376 | . De Référe | nce du Clie | ent | | |
| Solicitatio | n Closes – L'in | vitation pre | nd fin | | | |
| At /à : | | | | CST (Central Standard Time) HNC (Heure Normale du Centre) | | |
| On / le : | February 2, 20 |)17 | · | | | |
| Delivered | Incoterms 2010 "DDP Delivered Duty Paid" See herein — Voir aux présentes | | | Duty – Droits See herein — Voir aux présentes | | |
| Destinatio services | n of Goods and — Voir aux prés | | - Destinatio | ons des biens et | | |
| Instruction | ns — Voir aux prés | sentes | | | | |
| See nerein | | | | | | |
| Address II | nquiries to – toute demande | | nements à | | | |
| Address In Adresser 1 | nquiries to - | de renseigi | | No. – No. de télécopieur | | |
| Address II Adresser f | nquiries to – toute demande e No. – No. de té | de renseigi | Facsimile | No. – No. de télécopieur | | |
| Address In Adresser 1 | nquiries to – toute demande e No. – No. de té equired – | de renseigi | | No. – No. de télécopieur Iffered – | | |
| Address In Adresser f Telephone Delivery R Livraison N/A Vendor/Fin | nquiries to – toute demande e No. – No. de té equired – exigée | de renseig éléphone ess and Re | Facsimile Delivery C Livraison N/A presentativ | No. – No. de télécopieur offered – proposée re – Raison sociale, | | |
| Address In Adresser f Telephone Delivery R Livraison N/A Vendor/Fin adresse ef | nquiries to – toute demande e No. – No. de té equired – exigée rm Name, Addro | de renseign éléphone ess and Re du fournisse | Facsimile Delivery C Livraison N/A presentativ eur/de l'ent | No. – No. de télécopieur offered – proposée re – Raison sociale, | | |
| Address In Adresser f Telephone Delivery R Livraison N/A Vendor/Fin adresse ef Telephone Name and (type or pr | nquiries to – toute demande e No. – No. de té dequired – exigée rm Name, Addro t représentant c e No. – No. de té title of person rint) – Nom et ti seur/de l'entrej | de renseign éléphone ess and Re du fournisse éléphone authorized tre de la pe | Facsimile Delivery C Livraison N/A presentativ eur/de l'ent Facsimile to sign on rsonne aut | No. – No. de télécopieur offered – proposée re – Raison sociale, repreneur: | | |



This amendment is raised to address the following:

- To respond to questions received during the solicitation period; and
 - To revise the solicitation accordingly, as applicable.

QUESTIONS AND ANSWERS

Question 1: Please provide clarification on Specification D. 2. Independent coil over shock rear steering – minimum. To my knowledge there is not a Side X Side on the market that has rear steering. Is this an error in the specs or are you looking for a 4 wheel steering tractor style of unit?

Answer 1: The specification should read "**Independent coil over shock rear suspension – minimum**". Specification D.2 has been changed in the solicitation.

SOLICITATION REVISIONS

1) On page fourteen (14) – Annex A -Requirement

DELETE:

D. 2 Independent coil over shock rear steering – Minimum

INSERT:

- D. 2 Independent coil over shock rear suspension Minimum
- 2) On page eighteen (18) Annex C Mandatory Technical Criteria
- DELETE:

Annex C – Mandatory Technical Criteria in its entirety

INSERT:

ANNEX C

Mandatory Technical Criteria

Bidders are required to indicate whether or not they comply with the mandatory specifications. Bidders must include one (1) copies of descriptive literature of the make and model of the items offered in sufficient detail to clearly indicate compliance with each of the individual requirements in the specifications and cross reference where this specification is located within the descriptive literature.

Where weight, dimensions or other characteristics are shown as minimum or maximum, the bidder must indicate the manufacturer's figures.

The Royal Canadian Mounted Police is under no obligation to seek clarification of the bid(s) or the supporting technical documentation provided.

Failure to meet any of the following specifications will render your proposal non-compliant and will be given no further consideration.

BIDDER MUST SUBMIT WITH THEIR BID PROOF OF BEING AN AUTHORIZED MANUFACTURER OR



RESELLER FOR THE UNIT OFFERED PRIOR TO AWARD OF CONTRACT.

The following specifications must be met:

| No. | Specification Compliance Yes No | | Comments(s) / Cross Reference | |
|------------|--|--|-------------------------------|--|
| | Must be new, most current model manufactured (at time of bid closing; | | | |
| Α. | Engine | | | |
| 1. | Liquid Cooled 4 cycle (Single Cylinder Gas Engine – Minimum) | | | |
| 2. 3. | Gas Engine: 18 horsepower minimum Engine oil or coolant with a block heater | | | |
| 4. | Electric Start Minimum | | | |
| В. | Electrical System | | | |
| 1. | 25 Amp alternator - Minimum | | | |
| 2. | 12 Volt battery | | | |
| C. | Drive Train | | | |
| 1. | Gear selection/range must include: High/Low, Reverse, Neutral – Minimum | | | |
| 2. | 4 wheel drive with lockable rear differential | | | |
| 3. | Front & rear hydraulic disc brakes – Minimum | | | |
| 4. | Parking brake mechanical – Minimum (can be disc or drum) | | | |
| D. | Suspension | | | |
| 1. | Independent Macpherson Strut front steering – Minimum | | | |
| 2. | Independent coil over shock rear suspension – Minimum | | | |
| 3. | Power steering wheel (no foot pedals or hand controls) | | | |
| 4. | High performance all-purpose suspension | | | |
| 5. | Turf/hard surface tires – standard manufacturer tire size for bidding machine | | | |
| E. | Tires | | | |
| 1. | High performance all-purpose – Minimum | | | |
| 2. | Turf/hard surface – standard manufacturer tire size for bidding machine | | | |
| F. | Fuel System | | | |
| 1 . | 20 L Fuel Tank Capacity – Minimum | | | |
| 2. | Electric Fuel Pump – Minimum | | | |
| G. | Dimension | | | |
| 1. | 74" Wheelbase – Minimum | | | |
| 2. | 1,000 lb Dry weight – Minimum | | | |



| Н. | Cargo Box | | |
|-----|--|--|--|
| 1. | 750 lb Box Capacity – Minimum | | |
| 2. | Power Lift Cargo Box | | |
| 3. | Quick latch tailgate | | |
| 4. | Rear Receiver hitch | | |
| 5. | Drawbar | | |
| | | | |
| Ι. | Instrumentation | | |
| | Gauges for fuel level, ignition, gear | | |
| 1. | indicator, speedometer, odometer – | | |
| | Minimum | | |
| 2. | Warning light for low engine oil pressure, | | |
| ۷. | high engine coolant temp – Minimum | | |
| | | | |
| J. | Interior/Cab | | |
| 1. | Winterized including heater and defroster | | |
| | – Minimum | | |
| 2. | Bucket seats with double seating capacity | | |
| | – Minimum | | |
| 3. | Pressurized liquid cooled fan/heater | | |
| 4. | 3 point restraint safety belts – Minimum | | |
| | | | |
| Κ. | Exterior Cab | | |
| 1. | ROPS Cab Frame with steel roof | | |
| 2. | Two (2) Head lights – Minimum | | |
| 3. | Deluxe lighting kit (including signal & | | |
| | brake lights) – Minimum | | |
| 4. | Side mirror kit | | |
| 5. | Tip-out glass windshield – Minimum | | |
| 6. | Windshield wiper – 1 Minimum | | |
| 7. | Solid (non-fabric) Driver & Passenger | | |
| | Doors – Minimum | | |
| 8. | Back up alarm | | |
| 9. | Horn | | |
| 10. | Vinyl Flooring or equivalent | | |
| | | | |
| L. | Additional Features | | |
| | Service: Service/warranty and regular | | |
| | maintenance work must be performed within a 100 km radius of the delivery | | Distance between the delivery |
| | location, by an authorized service dealer | | location and the service dealer |
| | and/or agent. | | and/or agent:km |
| | and/or agent. | | ······································ |
| | The authorized service dealer and/or | | |
| | agent must have ready access to regular | | Name: |
| | maintenance and service parts and be | | |
| | able to access all parts not normally | | |
| | stocked from an authorized parts dealer. | | |
| | | | Addresse |
| | The Didder much are identicated | | Address: |
| | The Bidder must provide the name, | | |
| | address, telephone number and indicate | | |



| the distance between the delivery location and the authorized service dealer and/or agent to provide after sales service, maintenance, warranty repairs, and a full range of repair parts for the unit offered. | | Telephone: |
|---|--|------------|
| | | |

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME