

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS A:

Bid Receiving/Réception des soumissions

Procurement and Contracting Services
73 Leikin Drive,
Visitor Center - Building M1
Mailstop # 15
Ottawa, ON K1A 0R2

Attn: Shannon Plunkett

AMENDMENT - INVITATION TO TENDER

MODIFICATION - APPEL D'OFFRES

Tender to: Royal Canadian Mounted Police

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services and construction listed herein and on any attached sheets at the price(s) set out therefore.

Soumission aux: Gendarmerie royale du Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaries

Vendor/Firm Name and Address
Raison sociale et adresse du fournisseur/de l'entrepreneur
Facsimile No. - No de télécopieur:
Telephone No. - no de telephone:

Title-Sujet: CONSTRUCTION – Ahtahkakoop Detachment	
Solicitation No. - No. de l'invitation 201703378	Date Jan 09, 2017
Client Reference No. - No. De Référence du Client 201703378	Amend No.- No. du modif. 004
GETS Reference No. - No. de Référence de SEAG	
Solicitation Closes –L'invitation prend fin at - à 14 :00 HRS ET on - le Jan 17th, 2017	
F.O.B. - F.A.B. Destination	
Address Enquiries to: - Adresser toutes questions à: dale.rudderham@rcmp-grc.gc.ca	
Telephone No. - No de telephone 613-843-5313	Fax No. - N° de FAX:
Destination of Goods, Services, and Construction: Destinations des biens, services et construction:	
This document contains a Security Requirement	
Delivery Required - Livraison exigée:	Delivery Offered - Livraison proposée
Name and title of person authorized to sign on behalf of Vendor/Firm Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur	

Amendment #004 of Solicitation 201703378 has been issued incorporate Addendum No.3, to extend solicitation closing date, to respond to questions and answers, and list approved equivalent products as follows:

1. Delete solicitation closing date in its entirety;

And replace with the following:

Solicitation Closes –L’invitation prend fin

at - à 14 :00 ET
on - le Jan 17, 2017

2. Questions & Answers PART4 :

Q22. Detail A/ S0 shows 2 typical anchor bolts, which type is applicable to this project?

A22. See Addendum No.3

Q23. Could you please provide the dimensions of the secure grill which is shown on detail 8 & 5 /A2.12?

A23. See Addendum No.3

Q24. A2.1, Flattened steel mesh , 14ga sheet metals , bent clips angles, are those items to be supplied by steel fabricator? or partition wall supplier ? wood framing supplier ?

A24. See Addendum No.3

Q25. Could you please provide detailed specification the 8mm flat head security screws, 6mm plenum bolts and 10mm dia through bolts as shown in detail 8/A2.12? Also could you please clarify the space of the 6mm plenum bolt and 8mm flat head security screws?

A25. See Addendum No.3

Q26. Detail 2/A2.1, what is the dashed line at section C-C & D-D at side of 14ga steel galvanized plates?

A26. See Addendum No.3

Q27. M6.1 calls up mechanical supplier to include the angle frames of mechanical openings, but those angle frames also are showed on drawing A4.8, are those frames to be by mechanical supplier or steel fabricator?

A27. See Addendum No.3

Q28. Could you clarify the typical security screws for steel to wood frames as shown in detail 3/A2.12

A28. See Addendum No.3

Q29. Detail 5/A2.12, Are the 3mm steel bent plate jambs to be supplied by detention door supplier?

A29. See Addendum No.3

Q30. E6.1, please confirm if we can use native backfill in lieu of the specified granular backfill overtop of the sand bedding.

A30. See Addendum No.3

- Q31. Metal fabrication 05 50 00 page 5/10, section 2.23 calls up secure bya trench grates, angles and pan. None is shown on drawings.
A31. See Addendum No.3
- Q32. Detail 2, 3/ S11 call for detail at interior wall in Units 3 & 6, but Units 3 & 6 are by wood framings. Are those details for Unit #17 & 18?
A32. See Addendum No.3
- Q33. Detail 5, 6/S11 call for trench drain see Mech. dwgs, but mech drawings do not show the dimensions.
A33. See Addendum No.3
- Q34. Detail 7/S11 for typical 3 ply built up column, but 3 ply built up columns are not shown on plan view drawings.
A34. See Addendum No.3
- Q35. Just want to confirm where the wire mesh is going to be required. Drawing S3 notes say units 13 & 14 but the sections show units 17 & 18. Drawing S11 sections 2, 3 &4 show units 3 & 4.
A35. See Addendum No.3
- Q36. Section 06 40 00, Part 2.5.4.1 - The cabinet pull specified (Richelieu 616743128174) is an edge pull intended to be mounted on the edge of cabinet doors and drawer fronts (no product data found for Hettich Zinc Modern 043 981). The tender prints show pulls located in 'standard' pull locations; inset from edges. Is it the intent to have pulls located on door / drawer edges? If not, please provide a recessed metal pull for use at 'standard' locations.
A36. See Addendum No.3
- Q37. Section 06 40 00, Part 2.4.3 – States recessed shelf standards are to be used. Section 2.5.3 states safety shelf support pin for 5mm diameter holes. Are recessed shelf standards (and accompanying metal shelf support clips) or shelf holes with noted steel pins to be used for adjustable shelves?
A37. See Addendum No.3
- Q38. Section 06 40 00, Part 2.3.4.1 - States Countertop edge is to use 3mm PVC edge. Part 2.4.10 states to use straight self-edge laminate strip...to cover exposed edge of core material. Is self-edge laminate or PVC edge desired for countertops?
A38. See Addendum No.3
- Q39. Section 06 40 00, Part 2.4.11 – States to apply laminate backing sheet to reverse side of core of plastic laminate work. Can Pionite Backing Sheets Type (B20) be used as a substitution for laminate? Please see link. <https://www.panolam.com/media/pdfs/1454620248Backing%20SheetsTech%20Bulletin.pdf>
A39. See Addendum No.3
- Q40. The locations for the parking lot receptacles are not shown on the site plan drawing. Please specify what stalls are to receive power so we know quantity and wiring lengths.
A40. See Addendum No.3
- Q41. Please provide details on the construction of the parking rails. Are they wooden, metal posts only, metal post and rails, or other?
A41. See Addendum No.3
- Q42. How do they want to attach the HSS steel frame with PT wood to the modular floors. The drawing details shown in the structural and architectural does not give a full detail or detailed explanation how they want to achieve this. The system has a huge failure factor in it
A42. See Addendum No.3
- Q43. Generator, is this supplied by the Contractor?
A43. See Addendum No.3

- Q44. If Generator supplied by Contractor please provide the specifications
A44. See Addendum No.3
- Q45. Provide detail for concrete pad for the Generator
A45. See Addendum No.3
- Q46. We require wall schedule for Building 165
A46. See Addendum No.3
- Q47. The spec calls for epoxy caulk – assuming that they mean polyuria as this is the proper product for the application – does the client want this tinted to the colour of the pigmented concrete? Also, will the epoxy application will be clear coat to expose the pigmented concrete?
A47. See Addendum No.3
- Q48. I still need further clarification of the HSS frames for Unit 1-16, according to Addendum #1 page 3/33, section 12, HSS to cantilever widthwise for all the units except 17 & 18, are all the HSS at widthwise for Unit #1 -# 16 to be cantilevered? From my interpretation, only HSS at each side of widthwise (2 pcs for each unit) are to be cantilevered, is that correct?
A48. See Addendum No.3
- Q49. Are the structural steel members going to be primed as per Section 051223, Part 2.3.2 or galvanized as per Section 051223, Part 2.3.3
A49. See Addendum No.3
- Q50. As we are having size restrictions in galvanizing the structural members (after welding/fabrication); can we bolt them once galvanized?
A50. See Addendum No.3
- Q51. Are concrete pilings an option in place of the driven timber piles?
A51. See Addendum No.3
- Q52. Will a stamp of delivery from the courier be accepted as a time of submission?
A52. See Addendum No.3
- Q53. Is there a Bill of Materials available?
A53. See Addendum No.3
- Q54. Does the Aboriginal Benefit refer only to spend, or to a total of spend, labour and community investment?
A54. See Addendum No.3
- Q55. Can you please provide a date for site access to begin construction?
A55. See Addendum No.3
- Q56. Can you please provide a list of expected milestone dates for construction?
A56. See Addendum No.3
- Q57. Can you please provide an estimated date of award for this contract?
A57. See Addendum No.3
- Q58. 10 28 10 2.2.5 calls for a tempered glass mirror but the product number called up, B165 is for standard plate glass. For a tempered glass mirror, the number should be B1658 and then the size. Someone may price by number rather than description and price the cheaper plate glass mirrors in error.
A58. See Addendum No.3

- Q59. 10 11 00 2.2.2.5.1 calls for CP Distributors Fabrictac 2EP tackboards but the description above this describes a 15 oz vinyl tackboard. Please clarify.
- A59. See Addendum No.3
- Q60. The electrical single line shows both 120/240V single phase power and 120/208 3 phase power can verify what the service is supposed to be on site? It looks like the emergency panel is 120/240V 1 phase and the main service is 120/208V 3 phase I would just like to make sure.
- A60. See Addendum No.3
- Q61. Where is the site actually located?
- A61. See Addendum No.3
- Q62. Section 01 45 00-Quality Control is not definitive. Does the Owner pay for all testing (except for that that is found to be defective)?
- A62. See Addendum No.3
- Q63. Section 01 91 13 General Commissioning (CX) Requirements: Could you please advise who the CXA (commissioning Authority) is on this project.
- A63. See Addendum No.3
- Q64. Could you advise on any firm (s) you have worked with through the design of the modular buildings such that we can get in contact with them accordingly?
- A64. See Addendum No.3
- Q65. We note that there is a requirement of have a minimum of 10% of the total contract value, consisting aboriginal content. Speaking to this project specifically, the buildings are to be manufactured off site in a controlled environment, eliminating the possibility of significant on site labor and the purchase of on reserve materials to construct the same. The probability of getting 10% of the total contract value to be of aboriginal content is highly unlikely, although there may be firms in the industry with aboriginal partnerships that could achieve this. Having said this, if this were the case, then the tender process is not really open bidding but is isolated to those firms in aboriginal partnership.
- A65. See Addendum No.3
-

3. List of Approved Equivalent Products :

- a. Please see Addendum No.3 for approved equivalent products.
- b. If a product is not listed as approved in the Addendum, then that request was not approved.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED